


Example of Guide Sign Spreading










VOLVO Experimental Safety Car



Volvo Experimental Safety Car Specifications

Length 205.7" Width 71.7" Height 55.9" Wheelbase 106.4"

Track, front 58.3" Track, rear 57.7" Weight 3200 lbs1



TRAFFIC SAFETY AND HUMAN FACTORS

- Tribal safety issues
- School transportation safety issues
- Women's issues
- Animal-vehicle collisions
- Pedestrians
- Motorcycles/mopeds
- Medical advisory board/licensing
- Young drivers
- Older drivers
- Impaired drivers (drugs/alcohol/medication)
- Commercial drivers
- Digital billboards
- Work zone safety issues
- Public transportation safety issues
- Child passenger protection/seat placement
- Speed
- Distracted driving
- Drowsy driving
- Rollover crashes
- Following distance
- Rural issues
- Urban issues
- Marketing traffic safety
- Traffic safety education
- Community programming



1 man dies in rollover crash in Renville County

MOHALL, N.D. — One man has died and six passengers injured in a single-vehicle rollover crash in Renville County in northern North Dakota.


By: Associated Press, INFORUM

MOHALL, N.D. — One man has died and six passengers injured in a single-vehicle rollover crash in Renville County in northern North Dakota.

The North Dakota Highway Patrol says the 19-year -old Bowbells man was driving eastbound along Highway 5 near Mohall around 2 a.m. Saturday morning when he lost control of the car and it left the roadway, entering a nearby ditch and flipping. The man was killed. Officials have not released his name.

Four female and two male passengers were injured. The passengers, all from North Dakota, ranged in age from 14 to 20. Only a 20-year-old female was wearing a seatbelt.

Tags: news, accidents, mohall, updates





The nation's largest beet sugar producer is hiring for positions in MN & ND.



view all offers | sign up for email offers | add your business

OCCUPANT PROTECTION IN NORTH DAKOTA

Andrea Huseth


Rural Transportation Safety and Security Center Upper Great Plains Transportation Institute North Dakota State University



"But, officer, I AM wearing a seat belt."

WHAT SHOULD WE TALK ABOUT?

- A little history
- A little on stats related to seat belt use/fatalities
- Seat belt laws by state, use by state
- Some new research on seat belt use and demographics (very interesting)
- Seat belt use in North Dakota



HISTORY, ANYONE?



ARE SEAT BELTS EFFECTIVE?

Guy asleep – no seat belt:

http://www.youtube.com/watch?NR=1&v=CqQy4xT 2AVQ

Volvo test – rollover – no seat belt:

http://www.youtube.com/watch?v=rww9oFNoNi8

Result of not wearing seat belt - a bit graphic:

http://www.youtube.com/watch?v=lfaFAfoJwGo

COMMONS REASONS FOR NON-USE OR... "WHY I DON'T WANT TO TAKE THE TIME TO SAVE MY LIFE..."

- "I don't need a seat belt when I'm traveling at low speeds or going on a short trip."
- "It's uncomfortable."
- "It'll wrinkle my clothes."
- "I'm a goooooood driver."
- "I'll be safer by being thrown clear of the vehicle."
- "I don't want to be trapped if I'm trapped in a burning or submerged car."
- "It takes too much time."
- I'm too embarrassed to wear my seat belt or to ask my friends to wear their seat belt."

HOW EFFECTIVE ARE SEAT BELTS AT PREVENTING INJURY/FATALITY?

- Reduce risk fatal injury front-seat occupants by 45% to 60%
- Reduce the risk of ejections the most injurious event in a crash.
 - 2009 77% of those ejected from vehicle were killed
 - Who were most likely to be ejected?
 - 1% restrained vs 31% unrestrained

If you're more likely to be ejected if unrestrained, consider this:

Passenger Vehicle Occupants in Fatal Crashes, by Injury Severity and Ejection Status

	Ejection Status						Total	
Injury Severity		Ejected		Not Ejected		Unknown		Total
		#	Col	#	Col	#	Col	#
Fatalities	Fatalities	42,137	77.3	112,515	33.0	707	29.7	155,359
Injuries	Incapacitating (A)	8,220	15.1	51,096	15.0	574	24.1	59,890
	Nonincapacitating (B)	3,132	5.7	56,475	16.5	504	21.2	60,111
	Possible Injury (C)	743	1.4	35,471	10.4	142	6.0	36,356
	Other	97	0.2	901	0.3	85	3.6	1,083
	Total Injuries	12,192	22.4	143,943	42.2	1,305	54.8	157,440
No Injury	No Injury	150	0.3	83,345	24.4	156	6.6	83,651
Unknown	Unknown	26	0.0	1,585	0.5	213	8.9	1,824
Total		54,505	100	341,388	100	2,381	100	398,274
Source: NHTSA, NCSA, FARS 2003-2007								

Source: NHTSA, Factors Related to the Likelihood of a Passenger Vehicle Occupant Being Ejected in a Fatal Crash, 2009, http://www-nrd.nhtsa.dot.gov/Pubs/811209.pdf











• Effective?
These people are alive.

SEAT BELT USE IN THE UNITED STATES






2010 Seat Belt Use Rates By Law Type and State



State surveys conducted in accordance with Section 157, Title 23, U.S. Code

UNRESTRAINED FATALITIES BY LAW TYPE AND STATE (2009 LAW TYPE)

Source: NHTSA. (2010). Traffic Safety Facts, 2009 Data – Occupant Protection. http://www-nrd.nhtsa.dot.gov/Pubs/811390.pdf.




EXPLAINING STATE-TO-STATE DIFFERENCES IN SEAT BELT USE: AN ANALYSIS OF SOCIO-DEMOGRAPHIC VARIABLES

February 2011


By: Yang Yang, Kohinoor Dasgupta, David Eby, Lisa Molnar, Vijayan Nair, and Stephen Pollock

STATEWIDE SEAT BELT USE BY FINES FOR VIOLATING SEAT BELT USE LAW







STATEWIDE SEAT BELT USE BY DRIVER AGE



STATEWIDE SEAT BELT USE BY DRIVER BMI




STATEWIDE SEAT BELT USE BY PERCENT DEMOCRATS AND REPUBLICANS




Percentage of people who voted for the Democratic Party Candidate in the 2008 national election.


STATEWIDE SEAT BELT USE BY EDUCATION



STATEWIDE SEAT BELT USE BY MEDIAN INCOME




STATEWIDE SEAT BELT USE BY RELIGIOSITY



Percentage of people in the state who responded "yes" to a straightforward Question that asks "Is religion an important part of your daily life?" – 2008 Gallup poll.

STATEWIDE SEAT BELT USE BY RACE



SEAT BELT USE CONTINUES TO BE CONSISTENTLY LOWER FOR:

- Males
- Younger occupants
- Rural occupants
- Pick-up truck occupants



SEAT BELT USE IN NORTH DAKOTA



11/1/2011 1 mile west of Rolla on 100th Street NE

(Rolette County)

Passenger car - rollover

2 fatalities: 32 year-old female driver

33 year-old male passenger

Safety belt not worn by either, both ejected from vehicle

Speed

10/29/2011 3rd Street and 24th Avenue SE, Mandan

(Morton County)

Fixed Object - head-on into a tree

3 fatalities: 21 year-old male front-seat passenger

22 year-old male back-seat passenger

21 year-old male back seat passenger

Safety belt: 21 year-old front-seat passenger, Yes

22 year-old back-seat passenger, None

21 year-old back-seat passenger, None

Speed, Alcohol

10-07-2011 Highway 200, 3.5 miles east of Carrington

(Foster County)

Angle: Pickup struck by Semi-Tractor and Trailer


1 fatality – 49 year old male driver; hometown – Carrington, ND

Safety belt: Not used

Improper Left Turn into oncoming traffic

10/20/2011 10 miles south of Arnegard, ND, 16th St NW (McKenzie County) Truck Tractor - rollover 1 fatality – 59 year-old male driver, Sioux Falls, SD Safety belt: None used; partially ejected Left of center, attention distracted 10/21/2011 US 81, mile post 202 – 10 miles north of Grafton (Pembina County) Head on: Passenger vehicle & John Deere tractor with harvester 1 fatality – 32 year-old male driver, Rio Grande, TX Safety belt: None Used Alcohol; Left of center; Speed 10/19/2011 BIA 20, 2 miles north of Twin Buttes (Dunn County) Pickup – Rollover 1 fatality – 48 year-old male driver, Twin Buttes, ND Safety belt: None used, ejected Lost control of vehicle while negotiating a curve 10-07-2011 Highway 200, 3.5 miles east of Carrington (Foster County) Angle: Pickup struck by Semi-Tractor and Trailer 1 fatality – 49 year old male driver; hometown – Carrington, ND Safety belt: Not used Improper Left Turn into oncoming traffic

ND MV FATALITY RESTRAINT USE: 2000-2010




Source: 2010 ND Crash Summary, ND Department of Transportation

Of the 894 MV fatalities from 2000 to 2010 in ND, 231 were properly restrained.


CURRENT STATEWIDE SEAT BELT SURVEY METHODOLOGY (NOPUS)

- National Occupant Protection Use Survey (NOPUS) effort is supported by NHTSA which approved the sample design and survey method for each state
- Surveys roads which track vehicle miles traveled only (state roads only)
- County population stratified by population and quadrant.
 - Highest population counties and random sample of lower population counties included in the survey.
 - VMT data used for site selection within sample counties.
- NOTE this methodology is being modified

COUNTIES INCLUDED IN 2011 STATEWIDE SEAT BELT SURVEY




OVERALL SEAT BELT USE IN NORTH DAKOTA




Source: Seat Belt Use in North Dakota, June 2011


ND SEAT BELT USE BY VEHICLE TYPE: 2011



ND SEAT BELT USE BY GENDER: 2011



ND SEAT BELT USE BY GENDER AND VEHICLE TYPE: 2011



SEAT BELT USE ON ND RURAL ROADS



WHAT'S UP WITH RURAL ROADS?


- In the United States, about one-third of travel takes place on rural roads (FHWA 2009), but more than half (57%) of all traffic deaths occurred on rural roads between 2005 and 2009 (NHTSA 2011)
- In ND from 2006 to 2010 89% of serious injuries (fatal and disabling injuries) resulting from motor vehicle crashes, occurred on rural roads (NDDOT 2011)
- ND had the lowest reported seat belt use rate of all states in fatal crashes on rural roads from 2002-2007
 - 36% in ND compared to 60% average among the 48 contiguous states

RURAL SEAT BELT SURVEY


• To specifically calculate seat belt use on rural roads

• Observation sites had to be a minimum of 20 miles from interstate


COUNTIES INCLUDED IN 2011 RURAL SEAT BELT SURVEY




SEAT BELT USE BY ROAD TYPE: 2011



SEAT BELT USE BY DRIVER GENDER: 2011




Driver Seat Belt Use by Vehicle Type: 2011



IN SUMMARY.....

- Seat belts are effective at reducing serious and fatal injuries in motor vehicle crashes
- States with primary seat belt laws have higher overall seat belt use rates and lower rates of unrestrained MV fatalities
- It is possible to predict seat belt use (gender, age, vehicle type, etc.)
- ND's current seat belt use leaves a little room for improvement
- Vast difference exist between seat belt use in rural vs urban areas

http://www.youtube.com/watch?v=h-8PBx7isoM



Thank you!







