MOUNTAIN-PLAINS CONSORTIUM

MPC 16-309 | W. Marshall and C. McAndrews

Does the Livability of a Residential Street Depend on the Characteristics of the Neighboring Street Network?





Does the Livability of a Residential Street Depend on the Characteristics of the Neighboring Street Network?

Wesley E. Marshall, PhD, PE

Associate Professor University of Colorado Denver Department of Civil Engineering 1200 Larimer Street Campus Box 113 Denver, CO 80217 wesley.marshall@ucdenver.edu

Carolyn A. McAndrews, PhD, MSD, MS

Assistant Professor
University of Colorado Denver
Department of Planning and Design
320BB CU Building
Denver, CO 80202
carolyn.mcandrews@ucdenver.edu

Acknowledgments

The authors extend their gratitude to the Mountain Plains Consortium, the U.S. Department of Transportation, the Research and Innovative Technology Administration, and the University of Colorado Denver for funding this research.

We also would like to thank Laia Mitchell, Craig Fisher, and our team of surveyors (Mahdi Alvani, Trevor Clifford, Greg Colucci, Shile Dong, Zachary Heiney, Alejandro Henao, Benjamin Johnk, Maryam Karimi, Jennifer McGinnis, Yelena Onnen, Sarah Rosenberg, Mat Trostle, Tong Wen) for their invaluable assistance collecting data.

Disclaimer

The contents of this report reflect the views of the authors, who are responsible for the facts and the accuracy of the information presented. This document is disseminated under the sponsorship of the Department of Transportation, University Transportation Centers Program, in the interest of information exchange. The U.S. Government assumes no liability for the contents or use thereof.

North Dakota State University does not discriminate on the basis of age, color, disability, gender expression/identity, genetic information, marital status, national origin, physical and mental disability, pregnancy, public assistance status, race, religion, sex, sexual orientation, or status as a U.S. veteran. Direct inquiries to: Vice Provost for Faculty and Equity, Old Main 201, 701-231-7708; Title IX/ADA Coordinator, Old Main 102, 701-231-6409.

ABSTRACT

Shortly after the advent of cars, a conflict arose between moving traffic and residential livability. The typical response was to push traffic off residential streets and onto nearby major roads. This line of thinking evolved into a more hierarchical approach to street network design and what are known as arterial roads designed to carry the vast majority of vehicle traffic. With many researchers – notably Donald Appleyard with his influential Livable Streets research strand – identifying traffic on residential streets as an underlying issue behind poor livability, this solution makes perfect sense. However, is the relationship between residential livability and traffic moderated by the character of the nearby arterial road? In other words, would living near a big, bad arterial road offset the livability benefits of living on a light traffic street? Alternatively, would residing near a more "livable" arterial neutralize some of the problems associated with living on a heavy traffic street?

This first part of this project sought to answer these research questions via a residential study of 10 Denver, CO, neighborhoods where we first selected 10 urban arterials that could be partitioned along two dimensions: high/low traffic and high/low design quality. Within each of the 10 surrounding neighborhoods, we selected comparable residential roads to fit Appleyard's heavy, moderate, and light traffic descriptions where we then surveyed 721 respondents living along these 30 residential streets. Our results suggest that the surrounding street network – and in particular the character of the nearby arterial road – influences residential livability across a number of livability measures. When controlling for income, high levels of traffic as well as low levels of urban design on the arterial both detract from the livability of those living in the surrounding neighborhoods. Some results even suggest that residential streets with heavy traffic near a low traffic/high design arterial are just as livable, if not more so, than residential streets with light traffic near a high traffic/low design arterial. By no means should this be taken as a call to increase traffic on residential streets; rather, planners and engineers looking to promote residential livability need to begin taking a broader, network perspective to understanding livability. Livable residential streets can only be part of the solution; we also need more livable arterial roads. The second part of the project examined: i) how residents perceive and use arterial roads, and ii) what specific characteristics of arterial roads associate with residential satisfaction. Using factor analysis and ordinal logistic regression, the results suggest that arterials perceived as being vibrant are associated with increased residential satisfaction – above and beyond other features of the residential environment – whereas arterials with perceived illicit activity and trash are associated with lower residential satisfaction. Our study includes three different measures of residential satisfaction, and the specific influence of the arterial road depends on whether one focuses more narrowly on satisfaction with the neighborhood street, satisfaction with the neighborhood, or overall sense of happiness living there. The results of this study point to land use policies, enforcement of social norms, and the design of pedestrian and transit environments as measures to maximize the contributions of commercial arterials to neighborhood livability.

The appendices include additional details on the survey and survey methodology as well as examples of how these issues were integrated into assignments for graduate level civil engineering and urban planning classes.

TABLE OF CONTENTS

PA	ON THE NEIGHBORING ARTERIAL ROAD?	
1.	INTRODUCTION	1
2.	BACKGROUND & LITERATURE REVIEW	2
	2.1 The Impact of Traffic on Livability	4
3.	RESEARCH STRATEGY, METHODOLOGY, & DATA	6
	3.1 Site Selection 3.2 Survey	
4.	RESULTS	16
	4.1 The Appleyard Study	
	4.2 A Network-Level Approach to Understanding Livable Streets	16
	4.2.1 Results by High/Low Arterial Traffic & High/Low Urban Design	
	4.2.2 Controlling for Income	
5.	CONCLUSIONS	25
6.	REFERENCES	27
PA	ART 2: CHARACTERISTICS OF COMMERCIAL ARTERIAL ROADS ASSOCIATED WITH RESIDENTIAL SATISFACTION & NEIGHB LIVABILITY	
7.	INTRODUCTION	30
Q	BACKGROUND & LITERATURE	32
0.		
	8.1 Arterial Roads & Livability	
	8.3 Relating Arterial Roads to Residential Satisfaction	
9.	DATA & METHODS	36
	9.1 Study Area & Site Selection	36
	9.2 Residential Survey	
	9.3 Environmental Assessment of Arterials & Neighborhood Streets	
	9.4 Analytical Approach & Variable Descriptions	3939
	9.4.1 Factor Analysis to Create Typology of Arterials	

10. RESULT	S	41
10.1 How F	Residents Perceive & Use Arterial Roads	41
	s Representing what Nearby Residents Like Best & Least about their Arterial	
	cteristics of Arterial Roads Associated with Residential Satisfaction	
11. DISCUSS	ION	48
12. CONCLU	ISIONS	49
13. REFERE	NCES	50
PART 3: API	PENDICES	52
14. SURVEY	MATERIALS	52
14.1 Survey	/ Summary	52
•	/ Methods	
14.2.1	Overview of Survey	
14.2.2	Survey Design	53
14.2.3	Conducting the Survey	
14.2.4	Collecting Surveys & Data Entry	55
14.2.5	Data Clean-up	55
14.2.6	Future Survey Suggestions	55
14.3 Survey	<i>I</i>	56
14.3.1	Promotional Door Hanger	
14.3.2	'Sorry We Missed You' Door Hanger	57
14.3.3	Survey Cover Letter	58
14.3.4	Example Survey	59
14.3.5	Example Spanish Language Survey	
14.3.6	Example of Completed Survey	67
15. TEACHI	NG MATERIALS	71
15.1 Assign	ment from CVEN 5633: Sustainable Transportation	71
	Example of Student Output No. 1 for CVEN 5633	
	Example of Student Output No. 2 from CVEN 5633	
	ment from URPL 6550: Transportation Planning & Policy	
15.2.1	Example of Student Output No. 1 for URPL 6550	
15.2.2	Example of Student Output No. 2 for URPL 6550	
16. STAKEH	OLDER INFORMATION LETTER	163
17. CONFER	ENCE POSTERS	165

LIST OF TABLES

Table 3.1	Arterial Streets & Neighborhood Data	11
Table 4.1	Heavy, Moderate, & Light Residential Street "Appleyard" Results	20
Table 4.2	Results by Adjacency to High or Low Traffic Arterial	21
Table 4.3	Results by Adjacency to High or Low Design Arterial	22
Table 4.4	Selected Results for High/Low Traffic & High/Low Design Arterial by Neighborhood Income Level	23
Table 4.5	Selected Results for Extreme Example	24
Table 9.1	Population Characteristics of the 10 Arterial Sites	37
Table 9.2	Summary of Survey Respondents' Social & Demographic Characteristics	38
Table 9.3	Physical Characteristics of the 10 Arterial Sites	39
Table 10.1	Descriptive Statistics of Selected Survey & Environmental Variables	42
Table 10.2	Unappealing and Appealing Features of the Case Arterials, Factor Loadings Based on Rotated Factor Pattern	43
Table 10.3	Ordered Logit Models of Three Measures of Residential Satisfaction	46
LIST OF	FIGURES	
Figure 2.1	Clarence Perry's "Neighborhood Unit" & Colin Buchanan's "Environmental Area"	2
Figure 2.2	"Good" and "Bad" Neighborhood Designs from FHA Technical Bulletin No. 7: Planning Profitable Neighborhoods circa 1938	3
Figure 3.1	"Park and Boulevard System of Denver" plan from 1894 by Edward Rolladet	8
Figure 3.2	Potential Arterial Sites Studied	9
Figure 3.3	CU Denver Students Collecting Traffic Count Data	10
Figure 3.4	Selected Denver, CO Sites	12
Figure 3.5	Arterial Comparison Example	13
Figure 3.6	Residential Street Examples	14
Figure 3.7	CU Denver Student Surveyors in the Field	15
Figure 8.1	Example Characteristics of Arterial Roads, Denver, Colorado, with Average-Annual Daily Traffic (AADT)	35
Figure 9.1	Site Selection Strategy	36
Figure 10.1	Distribution of the Cases within the Typology of Unappealing & Appealing Composite Features of Arterials	44
Figure 10.2	Distribution of Respondents' Ratings of the Overall Quality of their Residential Street, Arterial Road, & Neighborhood	45

PART 1: DOES THE LIVABILITY OF A RESIDENTIAL STREET DEPEND ON THE NEIGHBORING ARTERIAL ROAD?


1. INTRODUCTION

Can traffic and livability coexist on residential streets? This issue became a concern of the Garden City movement in the early 1900s, was written about by Buchanan and his seminal work Traffic in Towns in the early 1960s, and was later documented by Donald Appleyard's Livable Streets series of works starting in the late 1960s up through the early 1980s (Appleyard, 1978; Appleyard, Gerson, & Lintell, 1981; Appleyard & Lintell, 1972; Appleyard & Lintell, 1975). Elegant in its simplicity, Appleyard's research found those living on high traffic streets tend to have lower perceived livability (in terms of issues such as traffic hazards, noise, pollution, social interactions, and territorial extent) (Appleyard & Lintell, 1972). Trying to preserve such residential livability in the face of increasing motorization and traffic was one of the many challenges that city planners continue to face. The typical response is to push traffic off residential streets and onto nearby major roads (i.e., arterials). As a result, most residential neighborhoods in the U.S. depend heavily on arterials for everyday travel and access to public transit, shopping, and other activities. It is also not uncommon for these arterial roads to carry tens of thousands of cars every day. While not necessarily ideal, the approach is logical and seemingly better than trying to accommodate significant traffic on nearby residential streets. Yet, concentrating heavy traffic onto a small fraction of the overall street network can burden adjacent neighborhoods and create barriers for pedestrians, bicyclists, and transit riders. When traffic congestion becomes a problem on arterials, drivers may choose to cut through residential neighborhoods. With this project, we revisit the livable streets research strand from a broader network perspective. For example, does living near a big, bad arterial road offset the livability benefits of living on a light traffic street? Conversely, would living near a more "livable" arterial neutralize some of the problems associated with living on a heavy traffic street?

Numerous researchers from around the world have attempted to recreate and build off Appleyard's influential study. Some of the more noteworthy papers – such as the 1999 paper "Livable Streets Revisited" by Bosselmann et al. – took into account new factors such as the design elements of multiway boulevards, finding that the effects of traffic can be alleviated with good street design (Bosselmann, Macdonald, & Kronemeyer, 1999). Our work represents a novel take on the livable streets question. The intent of this research is to shed light on the issue of residential livability and vehicle traffic with respect to how this relationship might be moderated by a nearby arterial road. To shed light on these questions, we selected 10 urban arterials in Denver, CO, partitioned along two dimensions: high/low traffic and high/low design quality. Within each of the surrounding neighborhoods, we selected comparable residential roads to fit Appleyard's heavy, moderate, and light traffic descriptions. Via a residential survey, our research team gathered data from 721 respondents living along these 30 residential streets and collected built environment data for these streets as well as the corresponding arterials. The next section presents additional background and literature review, which is followed by a more detailed description of the survey, our methods, and the data collected. We then present our results with an eye toward the implications of this work for planners, engineers, and city dwellers.

2. BACKGROUND & LITERATURE REVIEW

Most streets tend to have moving vehicle traffic, and most people tend to live on such streets. The inevitability of the resulting conflict became a cause for concern as early as 1898 with Sir Ebenezer Howard and the Garden City in the United Kingdom. (Meacham, 1999). Eventually, the Garden City movement made its way to the U.S. in Radburn, NJ, in 1929. Designed by Charles Stein and Henry Wright, Radburn was one of the first U.S. developments to explicitly limit the through movement of traffic on residential streets. Stein labeled cars a "menace to city life" and called the traditional approach to street network design "as obsolete as a fortified town wall" (Southworth & Ben-Joseph, 2003). Radburn not only kicked off an overhaul in U.S. street network design, but it also initiated a hierarchical approach to road typology. This principle was evident in Radburn and the "neighborhood units" of Clarence Perry in 1929 as well as with the "environmental areas" advocated by Colin Buchanan in *Traffic in Towns* in 1963 (Allaire, 1960; Buchanan, 1964). In both cases, shown in Figure 2.1, the design intentionally limits traffic on residential streets and displaces that traffic to the arterial streets and highways that envelop the residential neighborhoods. The underlying thinking of these planners is clear: living on a street with low levels of traffic has livability benefits.






Figure 2.1 Clarence Perry's "Neighborhood Unit" & Colin Buchanan's "Environmental Area" (Allaire, 1960; Buchanan, 1964)

In the U.S., this hierarchical approach to street design was first officially supported by an unlikely entity, the Federal Housing Administration (FHA) (Southworth & Ben-Joseph, 2003). Founded in 1934, the FHA released two publications in the mid-1930s that specifically addressed such design issues. Technical Bulletins No. 5 and No. 7 reinforced the concerns of planners such as Stein and endorsed hierarchical layouts that pushed traffic to major roads. Figure 2.2, which compares a "bad" design and a "good" design example, depicts the unequivocal approach that the FHA took to the matter in these early

publications. Even though the FHA did not possess any regulatory powers, they used these guidelines in approving loans for more than 22 million properties prior to 1950 (Southworth & Ben-Joseph, 2003).




Figure 2.2 "Good" and "Bad" Neighborhood Designs from FHA Technical Bulletin No. 7: Planning Profitable Neighborhoods circa 1938 (Southworth & Ben-Joseph, 2003)

Though hierarchical networks were already prevalent, transportation engineers did not officially document their support of hierarchical networks until 1965 when the Institute of Transportation Engineers (ITE) published "Recommended Practice for Subdivision Streets" (Marshall & Garrick, 2010; Southworth & Ben-Joseph, 2003). Again, the intent was to discourage traffic on residential streets whenever possible. The advent of what is more formally known as the functional classification system came shortly afterward. The functional classification system – which has long been the basis for U.S. guidelines and has now proliferated around the world – is intended to help planners and engineers determine design criteria for a particular roadway via a categorization of that proposed roadway by type. According to AASHTO (the American Association of State Highway and Transportation Officials), two factors comprise the organizational structure of the functional classification system: facility type and land use. These two factors combine to indicate the level of mobility or accessibility one would expect on the road. In an urban setting, the basic facility types include: local streets, collectors, and arterials. Under the functional classification system, local streets theoretically provide relatively high levels of access to land uses and relatively low mobility. In contrast, arterials theoretically support high levels of mobility and low access.

In practice, local roads often accommodate more traffic than intended for what should be a low mobility road; moreover, commercial land users love to locate along high traffic urban arterials, which generate the need for a high level of access. Whereas both examples directly counter the functional classification system, both are also ubiquitous elements of modern city life. This discussion is not meant to debate the merits of the functional classification system; rather, the intent is simply to highlight that the reality of urban street networks rarely aligns with the underlying theory. While an arterial that includes land uses

and design features that promote access breaks the intent of the functional classification system, there could be associated livability benefits. Alternatively, an arterial that fits the functional classification system could overemphasize mobility, fragment a neighborhood, and downgrade livability for those living nearby. In other words, is it better to live on a light traffic residential street near what might be considered a bad arterial or on a heavy traffic residential street near what might be considered good arterial? Whatever the answer, the impact of arterials on the livability of the surrounding neighborhoods is worthy of exploration because this network perspective to understanding livability is one that has yet to be adequately studied.

2.1 The Impact of Traffic on Livability

What makes for a livable residential street? While existing research suggests that a combination of built environment features and social elements contribute to the cause, one of the most commonly cited factors is the level of vehicle traffic. Within the academic research realm, the work of Donald Appleyard first brought this finding to prominence. Out of concern for the intermixing of high traffic streets and residential land uses, the City of San Francisco hired Appleyard and Mark Lintell in the late 1960s to study the relationship between life on residential streets and the traffic on those streets. Appleyard and Lintell selected three parallel streets that differed by traffic levels but matched across as many other dimensions as possible. The "Heavy Street" carried 16,000 cars per day, the "Moderate Street" 8,000, and the "Light Street" less than 2,000. Based upon 12 interviews along each street, Appleyard and Lintell assessed differences in livability for these streets and first published the findings in a 1972 paper (Appleyard & Lintell, 1972). While defining abstract concepts such as sustainability and livability is famously subjective (Lovejoy, Handy, & Mokhtarian, 2010; Marshall, 2013), Appleyard's research focused on a handful of more tangible issues including traffic hazards; stress, noise, and pollution; social interaction; environmental awareness; and privacy/home territory (Appleyard & Lintell, 1972). Those living on the heavy street generally conveyed greater traffic-related safety concerns and higher perceived negative impact from traffic noise and pollution. Residents of the heavy street reported lower social interaction with 3X fewer friends and 2X fewer acquaintances living on their street as opposed to the light street. Street activity was less common on the heavy street, and overall there was a lower sense of community. Heavy Street residents also tended to withdraw from the physical environment (e.g., smaller reported home territories and less feeling of ownership over the street space). The light streets fell at the other end of the spectrum along all of these livability measures with the moderate streets typically in between. With his strand of follow-up research, Appleyard opted for a more formal survey instrument instead of purely open-ended questions. However, the bottom line finding – that vehicle traffic along a residential street diminishes livability and quality of life – never swayed.

Many researchers replicated various elements of Appleyard's study and found similar findings in wide-ranging locations such as New York City and Bristol, England (Hart & Parkhurst, 2011; Transportation Alternatives, 2006). Other researchers looked to extend Appleyard's work in interesting new directions. For instance, Bosselmann et al. compared high-traffic multiway boulevards in Brooklyn and Chico, CA, (24,000 to 44,000 cars per day) to more conventionally designed streets with less traffic (4,000 to 14,000 cars per day) and via 99 interviews and found the multiway boulevards to be at least as livable, if not more so (Bosselmann et al., 1999). The study concluded that street design elements can mitigate the negative impacts of traffic for the residents of that road (Bosselmann et al., 1999). In a more recent study, Koorey et al. conducted residential surveys along streets in New Zealand in a manner similar to Appleyard in order to determine a threshold of traffic needed for streets to be livable (Koorey, Leckie, & Chesterman, 2013). While Appleyard often cited numbers between 2,000 and 3,000 cars per day, the results of Koorey et al. suggest volumes between 1,500 and 2,000 cars per day.

Our research takes Appleyard's work into a heretofore unexplored area: how does the presence of a nearby arterial road – and the relative traffic and design quality of that arterial – impact livability on the surrounding neighborhood? Beyond the existing research on livable streets, this research also draws upon the more general research strand related to measuring and understanding residential satisfaction and quality of place (Andrews, 2001; Lovejoy et al., 2010). The next section describes our methods and the subsequent data collected.

3. RESEARCH STRATEGY, METHODOLOGY, & DATA

3.1 Site Selection

The study city for our work is Denver, CO. Denver is an ideal candidate for this topic due to its development under what was known as the Denver Parks and Parkways System (Goodstein, 1994). Initially inspired by the City Beautiful movement and then later by Garden Cities concepts, Mayor Robert Speer created a system of 34 parkways covering more than 60 miles of roads during the early 1900s (Etter & Etter, 2006). Figure 3.1 depicts the original 1894 plan by Edward Rollandet. This system of parkways now comprises much of today's arterial network in Denver. The result is a vast array of arterial road types to draw upon in attempting to approximate Appleyard's three-street approach and extend it to include arterials and neighborhoods. Simply put, our hope was to select a handful of neighborhoods – each with residential heavy, moderate, and light streets – that differed by the presence of a "good" or "bad" arterial road. This process commenced with the initial selection of 20 prospective arterials. We focused on arterials with commercial nodes that would be more likely to function as a livability amenity to the surrounding neighborhoods. For each of the 20 arterials, shown in Figure 3.2, the research team collected primary built environment data via field visits and secondary data via the U.S. Census, GIS layers from the city and county of Denver, and traffic counts from the Colorado DOT and the regional MPO. The arterials and the surrounding neighborhoods were partitioned along the following dimensions:

- High or low traffic arterial
- High or low urban design arterial
- Higher or lower income surrounding neighborhood

We then inspected the residential streets around each potential arterial in hopes of finding heavy, moderate, and light streets that differed principally by traffic count. Due to a lack of secondary data, this required conducting our own 24-hour traffic counts on these residential streets, as depicted in Figure 3.3. Since some neighborhoods did not possess one or more of the requisite residential street types by traffic volume, this facilitated the elimination of some neighborhoods and helped narrow the dataset down to 10 arterial roads, each with its own set of residential streets that could be classified as heavy, moderate, or light. The residential survey (described it the next section) was conducted on these 30 streets (i.e., 10 heavy streets, 10 moderate streets, and 10 light streets).

Table 3.1 summarizes the data collected for the arterial streets and the surrounding neighborhoods while Figure 3.4 maps the selected sites. The high traffic arterials averaged over 40,000 cars per day while the low traffic arterials averaged fewer than 13,000. Our assessment of the quality of urban design for the arterials derived via the extensive process laid out by Ewing and Clemente in their book *Measuring* Urban Design: Metrics for Livable Places (Ewing & Clemente, 2013). Via a visual assessment survey of 588 street segments by an expert panel, this book details a rigorously validated process for measuring urban design quality (see Ewing & Clemente, 2013, for additional details). The resulting urban design scores measured five qualities: imageability, enclosure, human scale, transparency, and complexity. Imageability refers to the "quality of a place that makes it distinct, recognizable, and memorable" (Ewing & Clemente, 2013). Enclosure describes the "degree to which streets... are visually defined by buildings, walls, trees, and other vertical elements" (Ewing & Clemente, 2013). Human scale is the "size, texture, and articulation of physical elements that match the size and proportions of humans and, equally important, correspond to the speed at which humans walk" (Ewing & Clemente, 2013). Transparency refers to "the degree to which people can see or perceive human activity beyond the edge of a street or other public space" (Ewing & Clemente, 2013). Lastly, complexity is about the "visual richness of a place" in terms of the "numbers and kids of buildings, architectural diversity and ornamentation, landscape elements, street furniture, signage, and human activity" (Ewing & Clemente, 2013).

Combining these quantitative data with our own visual assessment of the arterials – by a single investigator to maximize consistency – facilitated dividing the arterials by high or low urban design. Based upon the statistical analysis presented by Ewing and Clemente, the scores from each urban design category are weighted so they represent the relative contribution to the overall quality of urban design. Figure 3.5 compares images from 23rd Avenue (low traffic, high design) with images from Colfax Avenue (high traffic, low design), while Figure 3.6 depicts examples of our selected residential streets.

The lower section of Table 3.1 displays the block group level census data collected for the surrounding neighborhoods. In neighborhoods with two or more adjoining census block groups coming together, we weighted the data by population and then split the neighborhoods by high or low median household income (with the high group reaching close to \$80,000 and the low just under \$40,000).

3.2 Survey

The primary data source for this analysis was an original survey administered door-to-door in the city and county of Denver by a team of 15 graduate students during summer 2014. During all survey field work, the students dressed in branded university clothing and wore official university ID cards on their shirt, as shown in Figure 3.7. The 33-question survey itself included questions across the following four categories: i) the respondent's residential street, ii) the respondents' nearby arterial road, iii) the respondent's neighborhood, and iv) personal and household social and demographic characteristics. The survey also included two map-based questions where we asked, for example, respondents to define their neighborhood boundaries. Using bright colors and abundant spacing to help make the survey feel accessible, we printed on an 11x17 sheet and folded it in half. Survey respondents were offered a five-dollar gift card for participating. The study was reviewed and approved by our university Institutional Review Board.

For each of the 30 sampled residential streets, we visited all residential units located within one-half mile of the arterial road a minimum of two and sometimes three times. With the first visit, student survey interviewers placed a door hanger at each residence announcing the survey and that interviewers would be coming to their neighborhood on a specified day the following week. During the second visit, teams of two graduate student interviewers rang doorbells and attempted to conduct an in-person survey. If a resident answered the door, they were presented two additional options: i) taking the survey on their own and having a research team member pick it up later in the afternoon, or ii) taking the survey at a later time on their own and returning by mail via a prepaid envelope. If a monolingual Spanish speaker answered the door, students offered an informational flyer regarding the survey in Spanish with the contact information of a bilingual interviewer. The address was recorded in notes so the bilingual interviewer could return during the next round with a Spanish language survey.

If nobody answered the door, the students placed a second door hanger with a "we missed you" message and additional dates when the survey interviewers would be returning and a contact number to schedule a visit, if preferred. Fifteen individuals called for appointments, and they were all interviewed within a one-week time frame. The other houses that received a "we missed you" door hanger were again visited during the third and final visit. Those who answered the door were presented the same options as before (i.e., complete in the moment, complete for pick-up, mail-in, or refuse). For the remaining unanswered doors, survey interviewers left a cover letter, survey, return envelope, and slip giving the option of receiving the incentive by e-mail. In total, we visited 1,849 housing units and received 721 completed surveys for an overall response rate of 39%. Of the completed surveys, 401 (56%) were conducted in person with the student interviewers present, and 319 (44%) were returned by mail.

Six members of the research team then coded the paper surveys into electronic form. The team leader double-checked at least 5% of the surveys coded by each person for consistency purposes. During this data cleaning process, we eliminated eight surveys due to various data discrepancy issues, which left 713 for analysis. With respect to the questions where respondents drew maps, we first translated the results into Google Earth before then transferring them to ArcGIS for analysis. For example, with the question where we asked respondents to draw the boundaries of their neighborhood, we estimated the total area of their defined neighborhood as well as the percentage of that area on the side of the arterial where the respondent lived.




Figure 3.1 "Park and Boulevard System of Denver" plan from 1894 by Edward Rolladet (Etter & Etter, 2006)




Figure 3.2 Potential Arterial Sites Studied




Figure 3.3 CU Denver Students Collecting Traffic Count Data

 Table 3.1 Arterial Streets & Neighborhood Data

		All Arterial Streets	High Traffic Arterials	Low Traffic Arterials	Signif.	High Design Arterials	Low Design Arterials	Signif.	High Income Neighborhoods	Low Income Neighborhoods	Signif.
_	Arterial Street Descriptors	Mean (n=10)	Mean (n=5)	Mean (n=5)	Sig	Mean (n=6)	Mean (n=4)	Sig	Mean (n=6)	Mean (n=4)	Sig
	Average Annual Daily Traffic (AADT)	26,524	40,384	12,663	**	23,595	30,917		30,180	21,040	\blacksquare
	Average No. of Lanes	3.9	5.1	2.6	**	3.3	4.6		4.0	3.6	
	Average Street Width (feet)	63.0	76.6	49.4	*	62.3	64.0		68.2	55.3	
	Average Sidewalk Width (feet)	10.1	12.0	8.2		11.7	7.8		12.7	6.3	*
	Condition of Sidewalk ¹	2.7	2.8	2.6		2.5	3.0		2.8	2.5	
	Presence of Tree Lawn (0, 1)	0.2	0.0	0.4		0.3	0.0		0.3	0.0	
	Condition of Tree Lawn ¹	0.6	0.4	0.8		1.0	0.0		0.7	0.5	
R	Presence of Bike Lanes (0, 1)	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Arterial Street Data	Presence of Median (0, 1)	0.1	0.2	0.0		0.0	0.3		0.2	0.0	
eet	Presence of On-Street Parking (0, 1)	0.8	0.8	0.8		1.0	0.5	*	0.7	1.0	
Str	Percent Tree Canopy	15.3%	11.4%	19.1%		21.6%	5.8%	*	20.7%	7.2%	
eria	Number of Pedestrians per Hour	102.9	128.8	76.9		130.0	62.2		110.5	91.4	
Art	Number of Bicyclists per Hour	18.7	21.0	16.3		20.1	16.5		18.5	18.9	
	Noise Reading at Property Line (db)	54.6	58.8	50.4	**	53.0	57.0		54.0	55.5	
	Urban Design Score: Imageability ²	4.6	4.2	5.0		5.4	3.4		4.4	4.8	
	Urban Design Score: Enclosure ²	0.7	0.9	0.6		0.7	0.8		0.6	1.0	
	Urban Design Score: Human Scale ²	1.9	2.1	1.8		2.3	1.4		2.0	1.8	
	Urban Design Score: Transparency ²	3.1	3.2	3.0		3.4	2.7		3.2	3.0	
	Urban Design Score: Complexity ²	6.9	7.0	6.7		6.8	7.1		6.0	8.3	*
	Sum of 5 Urban Design Scores ²	17.3	17.5	17.1		18.5	15.4		16.2	18.9	
	Neighborhood Descriptors	Mean (n=10)	Mean (n=5)	Mean (n=5)		Mean (n=6)	Mean (n=4)		Mean (n=6)	Mean (n=4)	
	Total Neighborhood Population	3,253	3,949	2,557	*	2,953	3,705		2,551	4,308	*
_	Median Age	37.6	37.1	38.0		38.2	36.6		39.4	34.9	
)ata	Percent of Neighborhood Population 18 and younger	15.9%	11.6%	20.2%	*	18.0%	12.8%		18.9%	11.5%	
el I	Percent of Neighborhood Population 60 and older	15.3%	13.1%	17.6%		14.6%	16.4%		17.7%	11.8%	
Lev	Percent Males	50.8%	51.3%	50.3%		49.0%	53.5%	*	50.0%	52.0%	
-po	Median Household Income	\$63,068	\$63,680	\$62,456		\$76,430	\$43,026		\$79,083	\$39,046	**
rho	Percent Owner Occupied	54.3%	42.7%	66.0%		60.2%	45.5%		67.2%	35.0%	*
Neighborhood-Level Data	Percentage White	12.3%	10.0%	14.6%		9.3%	16.9%		7.1%	20.2%	**
eg.	Percentage Black	7.0%	10.6%	3.3%		9.8%	2.8%		2.9%	13.0%	
\mathbf{Z}	Percentage Hispanic or Latino	78.0%	80.4%	75.6%		81.8%	72.4%		83.2%	70.3%	*
	Average Commute Time (min)	24.9	24.8	25.1		25.6	23.9		25.3	24.3	
_	Gridded Neighborhood Street Network (0, 1)	0.7	0.6	0.8		0.8	0.5		0.5	1.0	

¹(1=poor; 2=fair; 3=good; 4=exœllent)

¹Higher scores are better (see Ewing & Clemente, 2013)

^{*} p < .10; ** p < .05; *** p< .01




Figure 3.4 Selected Denver, CO, Sites

Low Traffic / High Design High Traffic / Low Design Arterial Example: Colfax Avenue Arterial Example: 23rd Avenue

Figure 3.5 Arterial Comparison Example









Figure 3.6 Residential Street Examples



Figure 3.7 CU Denver Student Surveyors in the Field

4. RESULTS

Our 30-street sample of residents on heavy, moderate, and light streets successfully approximated Appleyard's results. On nearly every front, residents of the light streets tended to report the highest livability while those living on the heavy street leaned towards the lowest. However, the arterial street also matters. When accounting for the traffic levels and character of the nearby arterial, we found significant differences on many livability-related questions. Some results even suggest that living on a heavy or moderate street near an arterial road with lower traffic and high design may have greater livability than living on a light street near what could be considered a big, bad arterial. When trying to improve residential livability, planners and engineers can no longer focus entirely on the residential street in question. Livable cities require a network-level approach that looks beyond accounting for the livability of individual streets. The remainder of this section presents the highlights of our results.

4.1 The Appleyard Study

Appleyard's original study explored three streets and 36 residents. We studied 30 streets and over 700 respondents, and our findings only further substantiated Appleyard's work. Other than traffic levels and the average curb-to-curb street width, there were no other statistically significant physical differences between the heavy, moderate, and light streets in our survey. The heavy streets averaged close to 12,000 cars per day, the moderate streets over 3,000, and the light street approximately 550 cars per day. Table 4.1 portrays these results. The last column in the table depicts this level of statistical significance using the Kruskal-Wallis H test, which is similar to a t-test or ANOVA but does not require normal distributions and also allows for the comparison of more than two groups simultaneously (Laerd Statistics; UCLA Statistical Consulting Group).

Organizing ourselves around some of Appleyard's primary measures – traffic hazards, stress, noise and pollution, social interaction, and environmental awareness – we find heavy street respondents at a significant disadvantage across every domain. For instance, when prompted "the amount of traffic is a problem on my street" and presented with a five-point Likert scale, those living on the heavy streets suggested that this was a bigger problem than those on the light streets. Previous research suggests that younger people possess more laissez-faire attitudes toward traffic and traffic-related issues (Koorey et al., 2013; Lovejoy et al., 2010). While our heavy street respondents were significantly younger than other respondents, they still found traffic to be a bigger problem than those on living on the lower traffic streets. With respect to issues such as noise and pollution, we found the same street type trends (i.e., noise, pollution, and trash were perceived to be more of a nuisance to those living on the heavy streets). The same can be said about social interaction (e.g., higher traffic levels corresponded with fewer friends on the street) and environmental awareness (e.g., heavy streets not as well cared for by residents).

If we stopped here, the results were clear and explicitly match Appleyard's findings: high levels of traffic on a residential street detract from livability. However, we wanted to take a broader, network-level look at this issue to see if the type of nearby arterial streets moderates these findings.

4.2 A Network-Level Approach to Understanding Livable Streets

If we hypothesize that the presence of a particularly good or bad arterial has no impact on the livability of those living on the nearby residential streets, then we would expect to see no significant difference in responses when we account for the arterial. For example, if we disaggregate our heavy street residents into two groups – those that live near a high traffic arterial and those that live near a low traffic arterial – our hypothesis would hold true if both groups gave us the same answers. This was not always the case.

4.2.1 Results by High/Low Arterial Traffic & High/Low Urban Design

Table 4.2 disaggregates the findings by adjacency to high and low traffic arterials; Table 4.3 does so by high and low design arterials (both tables present statistical significant using the same Kruskal-Wallis statistical test). On most measures, perceived livability increases when living near a low traffic arterial or an arterial with a higher level of urban design. For instance, when controlling for the level of traffic on residential streets, people are more likely to know their neighbors when living near a low traffic or high design arterial. The same can be said for the street being well cared for as well as for kids being able to play on the street. One interesting divergence was for the heavy street residents' perception of traffic; those who lived near the low traffic arterial suggested that the amount and speed of traffic on their own residential street was worse than those living near the high traffic arterial. This result did not carry over to the moderate and light streets. For the heavy residential streets, this result suggests there might be issues with overflow traffic or cars cutting through these residential neighborhoods instead of using the nearby arterial. Despite the high car volumes on many of these arterials, they are often unpleasant to drive and avoided by many drivers. Looking at the high design arterials, however, the opposite trend for heavy street residents is suggested. When near a high design arterial, those living on heavy streets perceived traffic and vehicle speeds as significantly less of an issue when their arterial was well designed.

Considering the issue of home territory, we asked respondents to define their neighborhood by drawing boundaries onto on a color map provided in the survey. One intention with this question was to compare how much of their home territory falls on one side of the arterial versus the other. Table 4.2 shows that for all types of residential streets, respondents near the high traffic arterial defined a significantly higher percentage of their home territory on the side of the arterial where they lived. In other words, those living near a high traffic arterial defined approximately 90% of their home territory on their home side of the arterial; in contrast, those living near a low traffic arterial defined less than 80% and included a great proportion of the area across the arterial in their defined neighborhood. These results suggest that high traffic arterials serve as a barrier to one's home territory, which could negatively impact businesses located on the other side of an arterial.

A related, yet unexpected, finding from the neighborhood definition question could be found in the total area defined. On average, respondents near the low traffic arterial defined their neighborhood to be over 1.1 square miles (over 700 acres) in size; however, those living near the high traffic arterial typically defined an area of less than 0.75 miles (less than 500 acres) in size. Thus, the barrier that a high traffic arterial is to the extension of one's home territory does not simply shift home territory, it also shrinks it. Again, high versus low arterial design did not play as big of a role as arterial traffic.

We also asked people to rate the quality of their neighborhood on a scale of 1 to 10. Whether the respondent lived near a high or low design arterial seemed to play a much bigger role than the level of traffic. For all three residential street types, living near a high design arterial significantly correlated to improved neighborhood quality.

4.2.2 Controlling for Income

A relatively simple argument against the above results might have to do with income. Living near a low traffic arterial with good urban design is likely to be in higher demand and cost more. Accordingly, it would not be surprising to find the higher income neighborhoods located near low traffic arterials with good urban design qualities; and all else being equal, residents may perceive a higher income neighborhood as more livable than a lower income neighborhood. Are our results due to differences in the traffic levels or design qualities of arterial itself or simply due to differences in neighborhood income levels?

Looking back at Table 3.1 demonstrates that the arterials near the high income neighborhoods actually average both higher traffic levels and lower urban design quality. While this finding is noteworthy in itself and strengthens the case for a nearby arterial playing a key role in livability, we disaggregated the survey a bit further to break down the results by income. Accordingly, Table 4.4 groups the responses into higher and lower income neighborhoods for several representative responses while still disaggregating by: high versus low traffic arterials; high versus low design arterials; and heavy, moderate, or light residential street. If the arterial does not play a role in livability, then the responses should not change significantly while moving from left to right across the table. For instance, the first question asks respondents whether kids play on their street. The left-hand side of the table shows the responses for the higher income neighborhoods and the right-hand side for the lower income neighborhoods. Starting with the second row of data for the heavy streets category, the response increases from 2.4 to 2.7 when going from living near a high traffic arterial with low urban design to a low traffic arterial (still with low urban design). The third data column for the heavy street row drops down to 2.2 for those living near high traffic arterial with high urban design. Then it jumps to 3.9 for those living near a low traffic arterial with high urban design. If arterial traffic or design did not impact neighborhood livability, these results would not change, but they do and the differences with respect to whether kids play on the street are highly significant.

Looking more closely at these results highlights many instances that differ significantly based on arterial traffic or design quality. Generally, living near an arterial with low traffic and/or high urban design suggests higher livability responses across a number of dimensions, including the street being perceived as well cared for, social interaction and knowing one's neighbors, and the overall feeling of community on that street. While we only find a couple instances of significant differences by arterial when asking about the quality of the residential street, we do find some interesting differences in residential duration, particularly in the lower income neighborhoods. Residential duration is often considered a good proxy for perceived livability (Adams, 1992; Ahlbrandt, 1984). Thus, it is instructive to see that those respondents living near a high traffic/low urban design arterial have only lived there about two years (see Table 4.4). Average residential duration jumps significantly in neighborhoods near either a lower traffic arterial or one with a higher level of urban design. It jumps even more when living near an arterial with both lower traffic and higher urban design. In fact, residential duration in lower income neighborhoods near a "good" arterial are the only responses in the vicinity of the higher income neighborhoods. Also, it is interesting to note that residential duration – especially for lower income neighborhoods – varies much more based on the traffic and character of the nearby arterial than on whether one lives on a heavy, moderate, or light street. These results suggest that – while controlling for the income level of the neighborhood – there are significant differences in responses related to livability based on the level of arterial traffic as well as the level of urban design on that arterial.

With the neighborhood questions, we found significant differences in the total area defined for the higher income neighborhoods (e.g., those living near low traffic arterials tend to specify larger home areas) as well as with the percent of the neighborhood on the home side of the arterial for the lower income neighborhoods (e.g., those living near low traffic or high design arterials tend to show more of their home area extends past the arterial). Our results also suggest that low traffic on the arterial and good urban design improve overall neighborhood quality. These differences were particularly important for lower income neighborhoods. The implication of these results for planners and engineers is that improving the livability of the arterial roads in lower income neighborhoods could be as effective, and much less costly, than trying to improve the livability on each and every residential street.

4.2.3 The Instructive Oxymoron: Heavy Traffic on a Livable Street?

Given Appleyard's work, it seems highly unlikely that a heavy residential street could be considered anywhere near as livable as a light residential street. Bosselmann et al. expand upon this line of thinking to show that street design makes a difference based upon their findings that the livability along a multiway boulevard with heavy traffic was generally higher than the livability along a conventionally designed street with moderate traffic. We took this a step further by asking whether a heavy residential street could be as livable as a light residential street due to differences in the nearby arterial. In other words, could a heavy street near a low traffic/high design arterial be perceived as livable as a light residential street near a high traffic/low design arterial? Table 4.5 depicts this example for the same survey questions from Table 4.4.

Looking first at the high income neighborhoods on the left side of Table 4.5, the heavy residential street (near a low traffic, high urban design arterial) is just as livable as the light residential street (near a high traffic, low urban design arterial) across all dimensions except residential duration. While several responses show no significant difference, some insinuate that the heavy Street is actually more livable than the light street. This includes livability measures such as kids playing on the street, social interaction and whether they know their neighbors, and the overall feeling of community. For these livability measures – as well as the questions regarding home territory and overall neighborhood quality – the results suggest that living on a heavy traffic residential street near a low traffic, high design arterial could be preferable over living on a light traffic residential street near a high traffic, low design arterial.

For lower income neighborhoods, the light street respondents (near a high traffic, low urban design arterial) indicate a higher feeling of community and residential street quality as compared with the heavy street respondents (near a low traffic, high urban design arterial). With the home territory questions, those living on the heavy street – near a low traffic, high urban design arterial – defined larger neighborhoods that were more likely to extend across the arterial. The other livability questions did not suggest any significant difference between the heavy street and the light street for the lower income neighborhoods.

Table 4.1 Heavy, Moderate, & Light Residential Street "Appleyard" Results

		s	All		Heavy treets	1	oderate treets	1	Light treets	 Significant
-1	Residential Street Descriptors	Me	an (n=30)	Me	an (n=10)	Me	an (n=10)	Me	an (n=10)	- Si
	Average Annual Daily Traffic (AADT)	5	,160	11	,879	3	5,046		555	***
	Average Street Width (feet)		35.9		40.7		34.9		32.1	**
	Average Sidewalk Width (feet)		5.9		6.3		5.8			
ы	Condition of Sidewalk ¹		2.3		2.2		2.4			
Residential Street Data	Presence of Tree Lawn (0, 1)		0.7		0.5		0.8			
reet	Condition of Tree Lawn ¹		1.8		1.1		2.2			
I St	Presence of Bike Lane (0, 1)		0.1		0.3		0.1		0.0	
n ti:	Presence of Median (0, 1)		0.0		0.0		0.0		0.0	
side	Presence of On-Street Parking (0, 1)		0.8		0.7		0.9		1.0	
푎	Percent Tree Canopy	35	5.8%	29	0.8%	35	5.0%	42	2.5%	atorts.
	Average Vehicle Travel Speed (mph)		25.0		28.0		24.0		23.1	**
	Number of Pedestrians per Hour		64.3		78.4		47.7		66.9	
	Number of Bicyclists per Hour		17.4 50.7		21.6 58.6		13.0 49.0		17.5 44.5	***
_	Avg. Noise Reading at Property Line (db) Survey Results	n	Mean	n	Mean	n	Mean	n	Mean	
_	Age	705	44.3	178	40.1	196	47.7	331	44.5	***
	Percent Female Respondents	645	44.5%	164	42.7%	186	41.4%	295	47.8%	
	Annual Household Income	656	\$83,918	169	\$72,663	178	\$93,048	309	\$84,264	**
	Percent Home Ownership	713	69.6%	181	55.3%	199	78.9%	333	71.5%	***
	Level of Education ²	713	5.9	181	5.6	199	6.0	333	5.9	**
Ęi.	White/Causcasian	713	86.1%	181	82.3%	199	88.9%	333	86.5%	
ma	Black/African-American	713	3.2%	181	3.3%	199	2.5%	333	3.6%	
υĘο	Native American/Alaskan Native	713	1.8%	181	3.9%	199	1.0%	333	0.9%	**
Jt I	Asian/Pacific Islander	713	2.1%	181	1.1%	199	1.0%	333	3.3%	
ode.	Latino or Hispanic Origin	713	10.0%	181	12.2%	199	6.5%	333	10.8%	
Respondent Information	School-aged Children in Household	713	33.8%	181	29.8%	199	38.2%	333	33.3%	
ž	No. of Automobiles in Household	713	1.7	181	1.6	199	1.7	333	1.8	**
	No. of Bicycles in Household	713	1.8	181	1.7	199	1.7	333	1.8	
	Drive to Work Mode Share	713	64.3%	181	66.3%	199	63.3%	333	63.4%	
	Transit to Work Mode Share	713	12.9%	181	16.0%	199	9.6%	333	13.5%	
	Walk to Work Mode Share	713	8.2%	181	11.1%	199	6.0%	333	8.1%	
_	Bicycle to Work Mode Share	713	17.4%	181	22.7%	199	15.1%	333	16.2%	**
	How long have you lived on your street? How satisfied are you with the overall quality of your	713 street? 713	10.6 6.9	181 181	7.6 6.1	199 199	11.8 6.9	333	11.6 7.3	***
000	My street is good for walking ³	713	4.2	181	3.9	199	4.3	333	4.4	***
		713	3.5	181	3.0	199	3.5	333	3.7	***
	My street is good for biking ³									
	The lighting is good on my street ³	713	3.4	181	3.4	199	3.2	333	3.4	**
	My street is well maintained by the city ³	713	3.3	181	3.2	199	3.2	333	3.5	
<u> </u>	My street is well cared for by residents ³	713	3.6	181	3.2	199	3.7	333	3.8	***
esults	The speed of traffic is a problem on my street ³	713	3.2	181	3.6	199	3.3	333	3.1	***
Street Livability Survey R	The amount of traffic is a problem on my street ³	713	3.1	181	3.6	199	3.1	333	2.9	***
nrv(Pollution from traffic is a problem on my street ³	713	2.7	181	3.2	199	2.7	333	2.5	***
ΣÝ	Noise is a problem on my street ³	713	2.9	181	3.5	199	3.0	333	2.6	***
abili	Trash and litter are a problem on my street ³	713	2.7	181	3.2	199	2.7	333	2.5	***
Ľs.	I see people out and about on my street ³	713	4.3	181	4.3	199	4.3	333	4.4	*
eet	Kids play on my street ³	713	3.1	181	2.6	199	3.2	333	3.3	***
S	My street is safe from crime ³	713	3.2	181	3.0	199	3.2	333	3.3	**
	My street is safe from traffic ³	713	2.7	181	2.2	199	2.7	333	2.9	***
	I feel responsible for what happens on my street ³	713	3.5	181	3.3	199	3.5	333	3.5	**
			3.5	181	3.1	199	3.5	333		***
	There is a feeling of community on my street ³	713							3.8	***
	I am very happy to live on my street ³	713	4.1	181	3.8	199	4.2	333	4.2	
	I know my neighbors ³	713	3.8	181	3.5	199	3.9	333	3.9	***
	I have friends or relatives on my street ³ poor: 2=fair: 3=good: 4=exœllent)	713	3.0	181	2.6	199	3.0	333	3.3	***

¹⁽¹⁼poor; 2=fair; 3=good; 4=exœllent)

²(1=HS degree; 2-4=some college/technical training or associate's degree; 5=college degree; 6=master's degree; 7=professional degree; 8=doctorate)

 $^{^{3} (1 =} strongly \ disagree; \ 2 = disagree; \ 3 = neutral; \ 4 = agree; \ 5 = strongly \ agree)$

⁴(1=usually unhappy; 2=sometimes unhappy; 3=happy; 4=very happy; 5=extremely happy)

^{*} p <.10; ** p < .05; *** p< .01

 Table 4.2 Results by Adjacency to High or Low Traffic Arterial

					ALL RESP	ONDE	NTS		HEAVY :	STREE	ETS	Ħ	N	MODERAT	E STR	REETS	Ħ		LIGHT S	TREE	ΓS	Ħ
			All	Near I		Near I	ow Traffic			Near l	Low Traffic	Significant			Near	Low Traffic	Significant			Near I	ow Traffic	ficar
		Res	pondents	A	Arterials Arterials		rterials			А	rterials	gnii			A	Arterials	gni	Arterials		А	rterials	gni
Si	Survey Results		Mean	n	Mean	n	Mean	n	Mean	n	Mean	Si	n	Mean	n	Mean	Si	n	Mean	n	Mean	
	Age	713	44.3	304	42.0	409	46.0	84	35.3	97	44.3	***	71	45.7	128	48.7		149	43.7	184	45.1	
	Percent Female Respondents	645	44.5%	276	48.4%	369	41.6%	78	41.0%	86	44.2%		63	46.0%	123	39.0%		135	54.1%	160	42.5%	**
	Annual Household Income	656	\$83,918	281	\$79,344	375	\$87,387	83	\$60,542	86	\$84,360	**	62	\$87,137	116	\$96,207		136	\$86,820	173	\$82,254	
	Percent Home Ownership	713	69.6%	304	60.2%	409	76.6%	84	39.3%	97	69.1%	***	71	69.0%	128	84.4%	**	149	67.1%	184	75.0%	**
되	Level of Education ¹	713	5.86	304	5.91	409	5.81	84	5.52	97	5.60		71	6.01	128	6.06		149	6.05	184	5.75	
4	White/Causcasian	713	86.1%	304	88.7%	409	84.2%	84	88.1%	97	77.3%	*	71	90.1%	128	88.3%		149	88.6%	184	84.8%	
, Orth	Black/African-American	713	3.2%	304	2.6%	409	3.7%	84	3.6%	97	3.1%		71	2.8%	128	2.3%		149	2.0%	184	4.9%	
Inf	Asian/Pacific Islander	713	2.1%	304	2.9%	409	1.5%	84	1.2%	97	1.0%		71	1.4%	128	0.8%		149	4.7%	184	2.2%	
lent	Native American/Alaskan Native	713 713	1.8% 10.0%	304	1.3%	409	2.2%	84	2.4%	97 97	5.2% 18.6%	**	71 71	0.0% 2.8%	128 128	1.6%		149 149	0.7% 4.7%	184 184	1.1% 15.8%	**
ouc	Latino or Hispanic Origin School-aged Children in Household	713	33.8%	304	4.5% 25.2%	409	14.1% 40.2%	84 84	4.8% 19.1%	97 97	39.2%	**	71	29.6%	128	8.6% 43.0%	*	149	26.9%	184	38.6%	**
SO	No. of Automobiles in Household	713	1.7	304	1.6	409	1.8	84	1.3	97	1.8	***	71	1.6	128	1.8		149	1.7	184	1.8	
_	No. of Bicycles in Household	713	1.8	304	1.6	409	1.9	84	1.4	97	1.9	**	71	1.5	128	1.8		149	1.8	184	1.9	
	Drive to Work Mode Share	713	64.3%	304	60.8%	409	66.9%	84	64.3%	97	68.0%		71	62.0%	128	64.1%		149	57.7%	184	67.9%	
	Transit to Work Mode Share	713	12.9%	304	14.2%	409	11.9%	84	17.9%	97	14.4%		71	9.9%	128	9.4%		149	14.8%	184	12.5%	
	Walk to Work Mode Share	713	8.2%	304	11.7%	409	5.6%	84	16.7%	97	6.2%	**	71	8.5%	128	4.7%		149	10.7%	184	6.0%	
	Bicycle to Work Mode Share	713	17.4%	304	16.8%	409	17.8%	84	21.4%	97	23.7%		71	16.9%	128	14.1%		149	14.8%	184	17.4%	
	How long have you lived on your street?	713	10.6	304	8.8	409	12.0	84	5.0	97	9.9	**	71	10.1	128	12.7		149	10.1	184	12.8	**
	How satisfied are you with the overall quality of your street?	713	6.9	304	7.1	409	6.8	84	6.2	97	6.0		71	6.9	128	7.0		149	7.7	184	7.1	**
	My street is good for walking ²	713	4.2	304	4.2	409	4.2	84	3.9	97	3.9		71	4.2	128	4.3		149	4.4	184	4.3	
	My street is good for biking ²	713	3.5	304	3.4	409	3.5	84	2.8	97	3.2		71	3.5	128	3.5		149	3.8	184	3.6	
	The lighting is good on my street ²	713	3.4	304	3.3	409	3.4	84	3.4	97	3.5		71	3.0	128	3.3		149	3.4	184	3.4	
	My street is well maintained by the city ²	713	3.3	304	3.5	409	3.3	84	3.2	97	3.2		71	3.1	128	3.3		149	3.8	184	3.3	**
	My street is well cared for by residents ²	713	3.6	304	3.6	409	3.7	84	3.0	97	3.4	**	71	3.5	128	3.9	**	149	3.9	184	3.7	
5005000	The speed of traffic is a problem on my street ²	713	3.2	304	3.2	409	3.3	84	3.3	97	3.8	**	71	3.1	128	3.4	•	149	3.1	184	3.0	100
	The amount of traffic is a problem on my street ²	713	3.1	304	3.1	409	3.1	84	3.5	97	3.7	*	71	3.1	128	3.1		149	2.9	184	2.8	
dity	Pollution from traffic is a problem on my street ²	713	2.7	304	2.8	409	2.7	84	3.3	97	3.1		71	2.8	128	2.7		149	2.5	184	2.4	
ivab	2	713	2.9	304	3.0	409	2.8	84	3.6	97	3.4		71	3.2	128	2.8	**	149	2.6	184	2.5	
- 1	Noise is a problem on my street ²	713	2.7	304	2.8	409	2.7	84	3.3	97	3.2		71	2.9	128	2.6	**	149	2.5	184	2.5	
₽	Trash and litter are a problem on my street ²	713	4.3	304	4.4	409	4.3	84	4.4	97	4.2	_	71	4.3	128	4.3	•	149	4.4	184	4.4	
	I see people out and about on my street ²																strate					steate
	Kids play on my street ²	713	3.1	304	2.8	409	3.3	84	2.4	97	2.8	*	71	2.9	128	3.4	ተ-ተ-	149	3.0	184	3.6	**
	My street is safe from crime ²	713	3.2	304	3.1	409	3.2	84	2.9	97	3.1		71	3.1	128	3.2		149	3.3	184	3.2	
	My street is safe from traffic ²	713	2.7	304	2.7	409	2.7	84	2.3	97	2.2		71	2.7	128	2.6		149	3.0	184	2.9	
	I feel responsible for what happens on my street ²	713	3.5	304	3.4	409	3.5	84	3.1	97	3.4	*	71	3.3	128	3.6	**	149	3.6	184	3.5	
	There is a feeling of community on my street ²	713	3.5	304	3.4	409	3.6	84	3.0	97	3.2		71	3.2	128	3.7	***	149	3.7	184	3.8	*
	I am very happy to live on my street ²	713	4.1	304	4.1	409	4.1	84	3.8	97	3.8		71	4.1	128	4.3	**	149	4.3	184	4.1	
	I know my neighbors ²	713	3.8	304	3.6	409	4.0	84	3.2	97	3.8	**	71	3.6	128	4.0	**	149	3.8	184	4.1	**
	I have friends or relatives on my street ²	713	3.0	304	2.8	409	3.2	84	2.5	97	2.8		71	2.7	128	3.2	**	149	3.1	184	3.4	**
	se & Perception of Arterial/Neighborhood																			İ		
	Total Neighborhood Area Defined by Respondent (acres)	554	607.3	237	474.5	317	706.5	62	525.6	72	723.3	**	50	451.6	101	714.1	**	125	458.3	144	692.9	**
	% of Neighborhood on the Side where the Respondent Lives	470	83.4%	219	89.1%	251	78.4%	61	81.2%	53	72.9%	**	42	90.5%	74	81.1%	**	116	92.7%	124	79.2%	***
	How do you rate the overall quality of your neighborhood?	713	7.8	304	7.8	409	7.8	84	7.1	97	7.3	*	71	7.7	128	8.0		149	8.3	184	7.8	**

¹⁽¹⁼HS degree; 2-4=some college/technical training or associate's degree; 5=college degree; 6=master's degree; 7=professional degree; 8=doctorate)

²(1=strongly disagree; 2=disagree; 3=neutral; 4=agree; 5=strongly agree)

³(1=usually unhappy; 2=sometimes unhappy; 3=happy; 4=very happy; 5=extremely happy)

^{*} p <.10; ** p < .05; *** p< .01

Table 4.3 Results by Adjacency to High or Low Design Arterial

				ALL RESPONDENTS			HEAVY STREETS			1	MODERATI	ΓE STREETS			LIGHT		STREETS		nt						
			All	Near High Design Near Low D			ow Design	Near I	High Design	Near I	ow Design	ignificant		High Design	Near Low Design		gnificant		ligh Design	Near I	ow Design	fica			
		Res	pondents			A	rterials			А	rterials	gni			А	rterials	gnij			А	rterials	gnifica			
	urvey Results	n	Mean	n	Mean	n	Mean	n	Mean	n	Mean	S	n	Mean	n	Mean	S	n	Mean	n	Mean	S			
	Age	713	44.3	471	46.0	242	41.1	119	40.5	62	39.3		150	48.7	49	44.4	*	202	47.0	131	40.6	**			
	Percent Female Respondents	645	44.5%	441	44.1%	204	45.4%	110	40.9%	54	46.3%		142	42.3%	44	38.6%		189	47.6%	106	48.1%				
	Annual Household Income	656	\$83,918	433	\$95,723	223	\$60,781	111	\$76,081	58	\$66,121		137	\$103,777	41	\$57,195	***	185	\$100,878	124	937,T/O	***			
	Percent Home Ownership	713	69.6%	471	77.2%	242	54.7%	119	54.6%	62	56.5%		150	86.0%	49	57.1%	***	202	83.2%	131	53.4%	***			
되	Level of Education ¹	713	5.86	471	6.16	242	5.26	119	5.86	62	5.00	**	150	6.30	49	5.25	**	202	6.21	131	5.39	**			
natic	White/Causcasian	713	86.1%	471	90.2%	242	78.2%	119	85.7%	62	75.8%	*	150	93.3%	49	75.5%	**	202	90.1%	131	80.9%	**			
Respondent Information	Black/African-American	713	3.2%	471	3.1%	242	3.3%	119	2.5%	62	4.8%		150	3.3%	49	0.0%		202	3.5%	131	3.8%				
Inf	Asian/Pacific Islander	713	2.1%	471	0.8%	242	4.5%	119	0.8%	62	1.6%		150	0.0%	49	4.1%	**	202	1.5%	131	6.1%	**			
ent	Native American/Alaskan Native	713	1.8%	471	1.5%	242	2.5%	119	3.4%	62	4.8%		150	0.7%	49	2.0%	-to-to-	202	0.5%	131	1.5%	.t.t.			
puc	Latino or Hispanic Origin	713	10.0%	471	6.7%	242	16.5%	119 119	10.9%	62	14.5%		150	3.3%	49 49	16.3%	**	202	6.9%	131	16.8%	**			
cs L	School-aged Children in Household	713	33.8%	471 471	35.9%	242 242	29.6%	119	27.7%	62 62	33.9%	÷	150	40.7%	49	30.6%	**	202	37.1%	131	27.5%	***			
~	No. of Automobiles in Household No. of Bicycles in Household	713 713	1.7	471	1.8 1.9	242	1.5 1.6	119	1.7 1.7	62	1.4 1.7	Τ.	150 150	1.8 1.8	49	1.5 1.4	**	202	1.9 2.0	131		***			
	Drive to Work Mode Share	713	64.3%	471	67.7%	242	57.6%	119	73.1%	62	53.2%	**	150	64.7%	49	59.2%		202	66.3%	131	58.8%				
	Transit to Work Mode Share	713	12.9%	471	11.5%	242	15.6%	119	15.1%	62	17.7%		150	8.7%	49	12.2%		202	11.9%	131	16.0%				
	Walk to Work Mode Share	713	8.2%	471	4.8%	242	14.8%	119	8.4%	62	16.1%		150	3.3%	49	14.3%	**	202	4.0%	131		**			
	Bicycle to Work Mode Share	713	17.4%	471	17.6%	242	16.9%	119	22.7%	62	22.6%		150	16.0%	49	12.2%		202	16.3%	131	16.0%				
_	How long have you lived on your street?	713	10.6	471	11.3	242	9.3	119	7.4	62	8.0		150	12.4	49	9,9		202	12.8	131		**			
	How satisfied are you with the overall quality of your street?	713	6.9	471	7.0	242	6.7	119	6.1	62	6.1		150 7.0	49	6.7		202	7.5	131		**				
***	My street is good for walking ²	713	4.2	471	4.3	242	4.0	119	4.1	62	3.5	**	150	4.3	49	4.1	•	202	4.5	131	4.2	**			
	My street is good for biking ²	713	3.5	471	3.5	242	3.5	119	3.1	62	2.8		150	3.5	49	3.6		202	3.7	131	3.7				
	The lighting is good on my street ²	713	3.4	471	3.4	242	3.3	119	3.5	62	3.3		150	3.2	49	3.1		202	3.4	131	3.3				
	My street is well maintained by the city ²	713	3.3	471	3.3	242	3.5	119	3.1	62	3.3		150	3.1	49	3.5	**	202	3.5	131	3.5				
	My street is well cared for by residents ²	713	3.6	471	3.8	242	3.3	119	3.4	62	3.0	**	150	3.8	49	3.4	**	202	4.0	131	3.5	***			
-	The speed of traffic is a problem on my street ²	713	3.2	471	3.3	242	3.2	119	3.4	62	3.9	**				150	3.4 49	49	49 3.2	-	202	3.1	131	2.9	•
	_	713	3.1	471	3.2	242	3.0	119	3.5	62	3.9	**	150	3.2	49	2.7	**	202	2.9	131	2.8				
<u>Ility</u>	The amount of traffic is a problem on my street ²	713	2.7	471	2.7	242	2.7	119	3.1	62	3.3		150	2.8	49	2.6		202	2.5	131	2.5				
vab	Pollution from traffic is a problem on my street ²			471		242		119		62	3.7		150		49			202		131	2.6				
Street Livability	Noise is a problem on my street ²	713	2.9		2.9	1	3.0		3.4	}		**		3.0		2.9			2.5			**			
#Tee	Trash and litter are a problem on my street ²	713	2.7	471	2.7	242	2.9	119	3.1	62	3.5	**	150	2.7	49	2.7		202	2.4	131					
93	I see people out and about on my street ²	713	4.3	471	4.4	242	4.2	119	4.4	62	4.0	**	150	4.3	49	4.3		202	4.5	131	1.2	**			
	Kids play on my street ²	713	3.1	471	3.3	242	2.8	119	2.7	62	2.3	**	150	3.3	49	3.0		202	3.6	131	3.0	**			
	My street is safe from crime ²	713	3.2	471	3.2	242	3.1	119	3.1	62	2.8	*	150	3.1	49	3.4	*	202	3.3	131	3.2				
	My street is safe from traffic ²	713	2.7	471	2.6	242	2.8	119	2.3	62	2.0	**	150	2.6	49	2.8		202	2.8	131	3.1	**			
	I feel responsible for what happens on my street ²	713	3.5	471	3.5	242	3.3	119	3.2	62	3.3		150	3.5	49	3.3	**	202	3.7	131	3.3	**			
	There is a feeling of community on my street ²	713	3.5	471	3.7	242	3.2	119	3.3	62	2.8	**	150	3.7	49	3.0	**	202	4.0	131	3.4	***			
	I am very happy to live on my street ²	713	4.1	471	4.2	242	3.9	119	3.9	62	3.5	**	150	4.2	49	4.1		202	4.3	131	4.0	***			
	I know my neighbors ²	713	3.8	471	3.9	242	3.6	119	3.5	62	3.6		150	4.0	49	3.6	**	202	4.1	131	3.6	***			
	I have friends or relatives on my street ²	713	3.0	471	3.2	242	2.7	119	2.8	62	2.3	**	150	3.1	49	2.5	**	202	3.5	131	2.9	**			
	Ise & Perception of Arterial/Neighborhood		2.0																		/				
	Total Neighborhood Area Defined by Respondent (acres)	554	607.3	372	628.1	182	564.6	92	628.1	42	640.0		118	660.8	33	507.1		162	604.3	107	552.8				
	% of Neighborhood on the Side where the Respondent Lives	470	83.4%	295	85.1%	175	80.4%	77	77.2%	37	77.6%		84	85.4%	32	82.1%	*	134	89.6%	106		**			
	How do you rate the overall quality of your neighborhood?	713	7.8	471	8.1	242	7.2	119	7.7	62	6.3	***	150	8.1	49	7.4	**	202	8.4	131		***			
1/1-	HS degree; 2-4=some college/technical training or associate's degree; 5=o																			-					

¹⁽¹⁼HS degree; 2-4=some college/technical training or associate's degree; 5=college degree; 6=master's degree; 7=professional degree; 8=doctorate)

²(1=strongly disagree; 2=disagree; 3=neutral; 4=agree; 5=strongly agree)

³(1=usually unhappy; 2=sometimes unhappy; 3=happy; 4=very happy; 5=extremely happy)

^{*} p < .10; ** p < .05; *** p< .01

Table 4.4 Selected Results for High/Low Traffic & High/Low Design Arterial by Neighborhood Income Level

	I	Iigher Income	Neighborhood	ls	nt	Lo	ower Income	Neighborhood	s	nt
	Low Urba	n Design	High Urb	an Design	ifica	Low Urba	n Design	High Urb	an Design	ifica
	High Traffic Arterial	Low Traffic Arterial	High Traffic Arterial	Low Traffic Arterial	Significant	High Traffic Arterial	Low Traffic Arterial	High Traffic Arterial	Low Traffic Arterial	Significant
Kids play on my stre	eet ¹									
ALL STREETS	2.8	3.3	3.1	3.7	***	1.8	3.1	3.0	3.0	***
HEAVY	2.4	2.7	2.2	3.9	***	1.9	2.1	2.9	1.9	**
MODERATE	3.5	3.1	3.2	3.6		2.0	3.1	2.6	3.2	**
LIGHT	2.7	3.7	3.6	3.6	**	1.8	3.5	3.3	3.8	***
Street is well cared	for by reside	nts ¹								
ALL STREETS	3.6	3.6	3.7	3.7	*	3.4	3.0	3.5	3.9	***
HEAVY	2.8	3.1	2.9	3.9	***	3.4	2.8	3.3	3.2	
MODERATE	3.9	3.3	3.9	4.0		3.0	3.4	3.2	4.1	**
LIGHT	3.8	4.0	4.2	3.8		3.6	3.0	3.9	4.2	***
I know my neighbor	rs ¹									
ALL STREETS	3.7	3.8	3.8	4.1	**	3.1	3.7	3.3	4.0	***
HEAVY	3.4	3.0	3.0	4.1	**	3.1	3.7	3.1	3.5	
MODERATE	4.2	4.1	4.0	4.1	**	2.5	3.9	3.5	4.0	**
LIGHT	4.0	4.4	4.2	4.2	**	3.3	3.5	3.4	4.4	***
There is a feeling of	f community	1								
ALL STREETS	3.0	3.4	3.7	3.9	***	3.2	3.2	3.2	3.7	**
HEAVY	2.7	2.8	3.1	4.0	***	2.9	2.8	2.9	2.8	
MODERATE	2.7	3.3	3.8	3.9	**	3.0	3.2	2.9	3.8	**
LIGHT	3.4	4.0	4.1	3.8	**	3.4	3.3	3.7	4.4	***
Residential Duration	n (years)									
ALL STREETS	11.8	14.3	10.1	12.9		2.1	9.0	8.0	12.4	***
HEAVY	6.6	10.5	4.7	8.7	*	2.5	10.4	5.5	10.7	**
MODERATE	11.0	19.5	14.1	13.0		1.0	9.1	8.9	12.8	**
LIGHT	14.8	14.7	11.7	15.0		1.7	8.4	8.8	13.1	***
Quality of Resident	ial Street (1-	10)								
ALL STREETS	7.0	7.3	7.3	6.9		7.1	6.1	6.8	7.0	**
HEAVY	6.3	5.6	6.6	6.5		6.6	5.9	6.9	7.1	
MODERATE	7.1	7.9	7.1	7.0		6.0	6.3	6.9	7.1	
LIGHT	7.4	8.2	7.8	7.0	*	7.7	6.2	7.6	7.9	***
Respondent Define	d "Neighboi	hood" (acre	es)							
ALL STREETS	611	824	389	823	***	497	458	503	673	
HEAVY	855	653	369	836	**	490	511	632	745	
MODERATE	491	871	334	780	**	447	418	558	720	
LIGHT	532	921	421	849	***	516	453	393	556	
% of "Neighborhoo	od" on Hom	e Side of Ar	terial							
ALL STREETS	94.4%	79.1%	86.8%	82.5%	**	90.8%	66.0%	87.0%	87.0%	***
HEAVY	86.4%	98.2%	77.3%	77.4%		95.2%	55.3%	79.0%	73.1%	**
MODERATE	99.1%	76.8%	87.2%	81.8%		94.1%	71.2%	89.1%	90.9%	**
LIGHT	97.0%	73.5%	92.8%	85.7%	***	88.5%	67.9%	91.3%	90.3%	***
Quality of Neighbo	rhood (1-10)									
ALL STREETS	7.6	7.7	8.1	8.2	**	7.6	6.5	7.7	8.2	***
HEAVY	6.5	6.8	7.3	8.5	***	6.7	5.7	7.3	7.3	**
MODERATE	7.8	8.0	8.0	8.2		7.9	6.9	7.4	8.4	***
LIGHT	8.1	8.2	8.6	8.1	*	7.9	6.6	8.2	8.6	***

¹(1=strongly disagree; 2=disagree; 3=neutral; 4=agree; 5=strongly agree)

^{*} p <.10; ** p < .05; *** p< .01

 Table 4.5 Selected Results for Extreme Example

	HEAVY	LIGHT		HEAVY	LIGHT	
	RESIDENTIAL	RESIDENTIAL		RESIDENTIAL	RESIDENTIAL	
	STREET	STREET		STREET	STREET	
	Higher Income	Neighborhoods	cant	Lower Income I	Neighborhoods	ant
	High Urban Design	Low Urban Design	Signific	High Urban Design	Low Urban Design	Significant
	Low Traffic Arterial	High Traffic Arterial	Sig	Low Traffic Arterial	High Traffic Arterial	Sig
Kids play on my street ¹	3.9	2.7	**	1.9	1.8	
Street is well cared for by residents ¹	3.9	3.8		3.2	3.6	
I know my neighbors ¹	4.1	4.0	**	3.5	3.3	
There is a feeling of community ¹	4.0	3.4	**	2.8	3.4	**
Residential Duration (years)	8.7	14.8	*	10.7	1.7	***
Quality of Residential Street (1-10)	6.5	7.4		7.1	7.7	***
Respondent Defined "Neighborhood" (acres)	836	532	**	745	516	*
% of "Neighborhood" on Home Side of Arterial	77.4%	97.0%	***	73.1%	88.5%	**
Quality of Neighborhood (1-10)	8.5	8.1	*	7.3	7.9	**

¹(1=strongly disagree; 2=disagree; 3=neutral; 4=agree; 5=strongly agree)

^{*} p < .10; ** p < .05; *** p < .01

5. CONCLUSIONS

It has long been a nearly universally held truth that high levels of fast-moving traffic on the street where you live detract from livability. We do not want to dispute this conceptualization; rather, it is our hope to simply show that what is happening on the surrounding major roads also makes a significant difference when it comes to livability. In other words, living near a big, bad arterial detracts from the livability of nearby residential streets while living near what could be a considered a good arterial (lower traffic with higher urban design quality) enhances livability. Based on our findings, the marching orders are clear. If planners and engineers really want to promote livability on residential streets, they can no longer push all the traffic out to the arterial and hope for the best. Livable residential streets can only be part of the solution. If we want livable cities, we also need to plan for livable arterial roads.

Far too often, urban arterials have become de facto barriers between neighborhoods and considerable obstructions to walking and biking. With respect to arterials in this research, we focused on the quality of the urban design and the relative traffic levels on the arterial. For planners and engineers, there are often major obstacles to taking on either issue.

While improving street design often becomes a funding issue, many cities attempting to redesign an arterial run into conflicts with state DOTs that have designated these arterials as state highways. Such roads often fall under a different set of design guidelines that make such improvements more difficult – but not impossible. In the past, it was not uncommon for DOTs to cede control of the road (as well as the maintenance) over to the city. This arrangement would usually provide cities enough design flexibility to improve the arterial without having to contend with DOT guidelines. Today, federal transportation agencies have formally approved manuals – such as the NACTO Urban Street Design Guide and the CNU/ITE Designing Walkable Urban Thoroughfares Recommended Practice – that already provide such flexibility if a planner or engineer is willing to take on a new approach to street design. Also, if residing on a multiway boulevard is more livable than a conventionally designed street, as the research of Bosselmann et al. suggests, it stands to reason that livability on the residential streets near such a boulevard design would also improve. These kinds of innovative arterial designs that have the ability to improve livability deserve more research.

Traffic levels are typically a more difficult issue for planners and engineers to tackle. For instance, many cities rely upon regional traffic models to tell them how much traffic to expect at some distant future time horizon. The not-so-subtle implication is that it is up to the city to accommodate these future cars. As a result, it was not uncommon for cities to widen arterials for some future traffic demand in hopes of staving off the ill effects of congestion. The result? Unfortunately, there is little evidence to support the assumption that increasing capacity reduces traffic congestion in the long run. A growing body of literature demonstrates that attempts to relieve congestion with additional vehicle lane-miles typically induce more demand, and this additional capacity fills far earlier than expected (Cervero, 2002; Cervero & Hansen, 2002; Downs, 1992, 2006; Duranton & Turner, 2011; Jorgensen, 1947; Noland, 2001, 2007). Many cities now realize that you cannot build your way out of congestion and focus more on performance metrics revolving around moving people and not cars.

The bottom line is that the livability differences between a heavy residential street and a light one are nowhere near what they were when accounting for the presence of a "good" or "bad" arterial. Understanding livability for a residential street requires more than looking at just that residential street. Planners and engineers need to take a network-level approach to examining the issue of livable streets. We do not intend for this to be a call for trying to shift traffic off arterials and onto residential streets; rather, it should be a call to make our arterials more livable and better understand the implications of network-level design decisions. Compact and connected street networks, which have been shown to

reduce VMT, increase walking and biking, and improve health outcomes (Marshall & Garrick, 2010, 2012; Marshall, Piatkowski, & Garrick, 2014), can still move people efficiently at safe speeds. In contrast, large arterials – and in particular, the intersection of two large arterials – too easily result in difficulties trying to accommodate pedestrians and bicyclists (Bern & Marshall, 2013; Kulash, 1990).

For far too long, our focus with residential livability was solely on the residential street itself. While the Appleyard findings still hold, we now know that what impacts residential livability requires accounting for the nearby arterial street as well. Awareness of this disconnect should lead planners and engineers to consider a combination of network-level strategies when trying to design more livable streets. When it comes to livability, the *Tale of Two Cities* approach to city planning – where we surround walkable and bike-friendly, low traffic residential streets with car-centric, high traffic arterials – leaves much to be desired. We need a broader, more comprehensive perspective if we really want to achieve more livable cities. Arterial streets in cities are both our greatest obstacle and our greatest opportunity.

6. REFERENCES

- Adams, R. E. (1992). "Is Happiness a Home in the Suburbs the Influence of Urban Versus Suburban Neighborhoods on Psychological Health." *Journal of Community Psychology*, 20(4), 353-372. doi:Doi 10.1002/1520-6629(199210)20:4<353::Aid-Jcop2290200409>3.0.Co;2-Z
- Ahlbrandt, R. S. (1984). Neighborhoods, people, and community. New York: Plenum Press.
- Allaire, J. R. (1960). *Neighborhood Boundaries* (Vol. Information Report No. 141). Chicago, IL: American Society of Planning Officials.
- Andrews, C. J. (2001). "Analyzing quality-of-place." *Environment and Planning B-Planning & Design*, 28(2), 201-217. doi:DOI 10.1068/b2714
- Appleyard, D. (1978). "Livable Streets Protected Neighborhoods." *Ekistics-the Problems and Science of Human Settlements*, 45(273), 412-417. Retrieved from <Go to ISI>://WOS:A1978HK31900002
- Appleyard, D., Gerson, M. S., & Lintell, M. (1981). *Livable streets*. Berkeley: University of California Press.
- Appleyard, D., & Lintell, M. (1972). "The Environmental Quality of City Streets: The Residents' Viewpoint." *Journal of the American Institute of Planners*, 38(2), 84-101. doi:10.1080/01944367208977410
- Appleyard, D., & Lintell, M. (1975). "Streets Dead or Alive." *New Society, 33*(665), 9-11. Retrieved from <Go to ISI>://WOS:A1975AH76200003
- Bern, B., & Marshall, W. E. (2013). "Capacity Analysis of Pedestrian Treatments at Large Arterial Intersections and Comparison with a Lane-Equivalent, Small Intersection Gridded Network." *Journal of Urban Planning and Development, 139*(4), 241-249. doi:10.1061/(Asce)Up.1943-5444.0000156
- Bosselmann, P., Macdonald, E., & Kronemeyer, T. (1999). "Livable streets revisited." *Journal of the American Planning Association*, 65(2), 168-180. doi:Doi 10.1080/01944369908976045
- Buchanan, C. (1964). Traffic in Towns. London: Penguin Books.
- Cervero, R. (2002). "Induced travel demand: Research design, empirical evidence, and normative policies." *Journal of Planning Literature*, 17(1), 3-20. doi:Doi 10.1177/088122017001001
- Cervero, R., & Hansen, M. (2002). "Induced travel demand and induced road investment A simultaneous equation analysis." *Journal of Transport Economics and Policy*, *36*, 469-490. Retrieved from <Go to ISI>://WOS:000179941400005
- Downs, A. (1992). Stuck in Traffic. Washington, D.C.: Brookings Institute.
- Downs, A. (2006, April 6, 2014). "Can Traffic Congestion Be Cured?" *The Washington Post.* June 30, 2006. Retrieved from http://www.brookings.edu/research/opinions/2006/06/30transportation-downs

- Duranton, G., & Turner, M. A. (2011). "The Fundamental Law of Road Congestion: Evidence from US Cities." *American Economic Review*, 101(6), 2616-2652. doi:DOI 10.1257/aer.101.6.2616
- Etter, C., & Etter, D. (2006). *City of Parks: The Preservation of Denver's Park and Parkway System*. Denver, CO: Denver Public Library.
- Ewing, R. H., & Clemente, O. (2013). *Measuring urban design: metrics for livable places*. Washington, D.C.: Island Press.
- Goodstein, P. H. (1994). *Denver streets: names, numbers, locations, logic* (1st ed.). Denver: New Social Publications.
- Hart, J., & Parkhurst, G. (2011). "Driven To Excess: Impacts of Motor Vehicles on the Quality of Life of Residents of Three Streets in Bristol UK." World Transport Policy and Practice, 17(2), 12-30.
- Jorgensen, R. E. (1947). "Influence of Expressways in Diverting Traffic from Alternate Routes and in Generating New Traffic." *Highway Research Board Proceedings*, 27(7), 322-330.
- Koorey, G., Leckie, A., & Chesterman, R. (2013). Assessing the Environmental Capacity of Local Residential Streets. Paper presented at the Transportation Research Board, Washington, D.C.
- Kulash, W. (1990). Traditional Neighborhood Development: Will the Traffic Work? Retrieved from http://user.gru.net/domz/kulash.htm
- Laerd Statistics. Kruskal-Wallis H Test using SPSS Statistics. Retrieved from https://statistics.laerd.com/spss-tutorials/kruskal-wallis-h-test-using-spss-statistics.php
- Lovejoy, K., Handy, S., & Mokhtarian, P. (2010). "Neighborhood satisfaction in suburban versus traditional environments: An evaluation of contributing characteristics in eight California neighborhoods." *Landscape and Urban Planning*, 97(1), 37-48. doi:10.1016/j.landurbplan.2010.04.010
- Marshall, W. E. (2013). "An evaluation of livability in creating transit-enriched communities for improved regional benefits." *Research in Transportation Business & Management*, 7, 54-68. doi:10.1016/j.rtbm.2013.01.002
- Marshall, W. E., & Garrick, N. W. (2010). "Effect of Street Network Design on Walking and Biking." *Transportation Research Record*(2198), 103-115. doi:10.3141/2198-12
- Marshall, W. E., & Garrick, N. W. (2012). "Community design and how much we drive." Journal of Transport and Land Use, 5(2). doi:10.5198/htlu.v5i2.301
- Marshall, W. E., Piatkowski, D. P., & Garrick, N. W. (2014). "Community design, street networks, and public health." *Journal of Transport & Health*, *1*(4), 326-340. Retrieved from <Go to ISI>://WOS:000349568700016
- Meacham, S. (1999). *Regaining paradise: Englishness and the early garden city movement*. New Haven: Yale University Press.
- Noland, R. B. (2001). "Relationships between highway capacity and induced vehicle travel." *Transportation Research Part A: Policy and Practice*, 35(1), 47-72. doi:Doi 10.1016/S0965-8564(99)00047-6

- Noland, R. B. (2007). "Transport Planning and Environmental Assessment: Implications of Induced Travel Effects." *International Journal of Sustainable Transportation*, 1(1), 1-28. doi:Doi 10.1080/15568310601095131
- Southworth, M., & Ben-Joseph, E. (2003). *Streets and the shaping of towns and cities*. Washington, DC: Island Press.
- Transportation Alternatives. (2006). *Traffic's Human Toll: A Study of the Impacts of Vehicular Traffic on New York City Residents*. Retrieved from New York:
- UCLA Statistical Consulting Group. Statistical analyses using SAS. Retrieved from http://www.ats.ucla.edu/stat/sas/whatstat/whatstat.htm

PART 2: CHARACTERISTICS OF COMMERCIAL ARTERIAL ROADS ASSOCIATED WITH RESIDENTIAL SATISFACTION & NEIGHBORHOOD LIVABILITY

7. INTRODUCTION

Nearly everywhere, arterials – or major roads – thwart cities' attempts to build transportation systems that serve multiple purposes and multiple users. Efforts to enhance public transit service, create well-connected bicycle and pedestrian networks, and revitalize neighborhoods – functions that cities increasingly want streets to serve – implicate arterials as a critical part of the strategy. Conflicts occur because arterials carry fast, heavy motorized traffic, and with the exception of certain boulevards and parkways, they do not have designs that accommodate a range of activities beyond this.

Arterials' special function in hierarchical transportation networks contributes to their complicated nature. In theory, they provide mobility by aggregating local traffic and moving it as quickly as possible across cities and regions, sometimes channeling it to limited-access highways. In practice, however, arterials provide more than this. Arterials give access to surrounding land uses. They are often the location of drive-through restaurants, gas stations, auto repair shops, car dealerships, dive bars, dollar stores, and various hole-in-the-wall establishments. Occasionally, these buildings have the architectural flair of an older motor age, with jetting angles or futuristic curves (Wachs and Crawford, 1992). Providing access to these places creates a tradeoff with mobility. In response to the competing demands placed on them, arterials lined with commercial land uses are frequently the object of interventions to increase their traffic capacity, either through traffic operations or through their physical design.

However, certain arterials, usually those located in gentrified or affluent areas, can adapt differently. Although they still allow for relatively high traffic volumes, they can become neighborhood main streets. Neighborhood main streets can typically serve the dual demand for travel and leisure activities (e.g., shopping). These arterials manage to support a vibrant street life, and they can be designed to support multiple travel modes.

Thinking about arterial roads helps understand a larger problem facing contemporary transportation systems – "balancing the tension between place and node" – or how streets contribute to a sense of place while at the same time functioning as part of a regional network (Belzer et al., 2004: 45). Arterials advance (or hinder) urban policies such as infill housing, enhanced transit service, and transit-oriented development because these initiatives benefit from streets that perform both place and transportation network functions (Cherry et al., 2006; Mejias and Deakin, 2005).

Research about one specific kind of arterial – residential arterials with a boulevard design – found that residents living on them are happy despite the traffic, and that these major roads can be more livable than nearby streets with lower traffic volumes (Bosselmann et al., 1999). Yet, residential arterials with a boulevard design are relatively rare, and they are less problematic than commercial arterials. What is not known is whether commercial arterials can also have a positive effect on neighborhood livability, and if they do, under what conditions.

Our study aims to learn what specific design, social, and traffic-related features of commercial arterial roads make them "livable" from the perspective of nearby residents. We also investigate the hypothesis that residents' satisfaction reflects not only the quality of their own residential street but also the quality of the arterial roads in their neighborhood. This study contributes critical knowledge about how the design and planning of arterial roads can mitigate some of the negative externalities of their traffic.

Our cross-sectional study includes 10 cases of commercial arterial roads in Denver, Colorado – each with a node of clustered retail but with varying amounts of traffic and differing street designs. For each case, we administered a door-to-door residential survey to learn about neighbors' residential satisfaction and how they use their local arterial road. In addition, for each of the 10 cases, we collected information about the engineering and urban design characteristics of the streets.

We use three outcome variables that capture different dimensions of residential satisfaction. We found that arterial streets are associated with residential satisfaction for all three variables, above and beyond other factors. Arterials' association varies depending on the specific dimension of residential satisfaction. Arterials have more associations with respondents' neighborhood satisfaction than with their satisfaction with their residential street, for example. Based on these results, we suggest that interventions focusing on land uses that foster a vibrant street life, maintenance of social norms, and enhancements to the pedestrian environment would benefit arterials' residential neighbors.

Section 8 presents a review of literature and discusses how and why arterial roads were once considered the *solution* to livability problems and how they became so challenging. Section 9 describes our research design and methods, including the design and implementation of our survey. Section 10 presents results of the analysis, and Section 11 presents our interpretation of the results. Section 12 concludes with further discussion of the implications for transportation policy, planning, and practice with an emphasis on how arterials roads can and should be included in comprehensive approaches to city planning to improve their performance with respect to their residential neighbors.

8. BACKGROUND & LITERATURE

8.1 Arterial Roads & Livability

In this research, we place arterial roads in the context of livability. This is because the concept of livability highlights the connection between tangible aspects of places – blocks, streets, and buildings – and broader concepts of sustainability such as economic development, environmental protection, and equity (Godschalk, 2004).

Our framing of the problem of livable arterials draws upon decades of interest in managing the negative spillovers of motorized traffic. Since cars became commonplace in the early twentieth century, planning, urban design, and traffic engineering have been used in combination to protect residents from the noise, pollution, and speed of motorized traffic. In cases of new development, superblocks and single-use residential subdivisions separated automobile traffic and residents, with many examples drawing inspiration from the urban form and street network modeled by Radburn (Birch, 1980). In these designs, arterials were the *solution* to the traffic-livability problem. In places such as London, where major new development was impossible, traffic engineering could be used to approximate the superblock by establishing a hierarchical street network to create "environmental areas" that were protected from high volumes of motorized traffic (Buchanan, 1963).

In the 1970s, Appleyard's work on livable streets changed the discourse (1972, 1973). He mostly accepted the idea that neighborhoods should be protected from traffic, but he isolated the problems created by the hierarchical street network and associated land use policies. In particular, roads with heavy traffic take a toll on livability. To Appleyard, traffic produced the feeling of vulnerability, and his concept of livability emphasized protection from traffic: "a…place where one can live in reasonable safety (especially for children), comfort, health, without excessive crowding, noise, pollution, and hazards" (Appleyard, 1983).

The main contribution of *Livable Streets* was to introduce the street itself – in contrast to only dwellings or neighborhoods – as an appropriate unit of analysis for livability. Just as streets with heavy traffic could take away from livability, streets could also contribute to it through their design and also through their use as quasi-private spaces. One of Appleyard's illustrations – a convertible car used as a planter and play space – exemplifies how he imagined streets as an intimate part of daily life.

Extending this idea, Jacobs (1993), Jacobs et al. (2002), and Bosselmann et al. (1999) acknowledge the conflict between traffic and livability but assert that they are not mutually exclusive. Traffic can make certain streets dynamic and interesting, despite also being a source of noise and pollution. In particular, street design can be used to buffer neighbors and road users from noise, pollution, and other negative effects of traffic.

In this way, accepting car traffic as an element of neighborhood vitality allows one to ask questions that are critical for contemporary transportation policy, such as how to design for transit-oriented and residential infill development in settings where cars remain a priority. Certain important questions have not been answered, such as what positive and negative characteristics of commercial arterials extend into surrounding neighborhoods. In this study, we are interested specifically in livability as perceived by residents in surrounding neighborhoods, in contrast to prior work that has investigated the experience of residents who live on the arterial itself (Bosselmann et al., 1999).

8.2 Characteristics of Arterial Roads

The difficulties of urban arterial roads have been documented in planning, engineering, urban design, and public health literature (Mindell and Karlsen, 2012; Dumbaugh and Rae, 2009; Dowling et al., 2008; Hebbert, 2005; Miles-Doan and Thompson, 1999). These difficulties range from travel delay and travel time unreliability to exposure to traffic safety hazards, direct exposure to noise and near-roadway pollution, and physical barriers that limit access and lead to community severance.

The specific design features of arterial roads vary and have implications for their livability. Figure 8.1 presents examples of the range of arterial designs from Denver. The arterials in (a) and (b) both carry more than 25,000 vehicles per day, but the design of (b) includes one edge with a pedestrian-focused design that uses parking and trees to create a buffer between the traffic lanes and sidewalk. A similar contrast exists for smaller scale arterials too. Examples (c) and (d) carry only about 13,000 vehicles per day, but (d) creates a feeling of enclosure because it does not have building setbacks and it includes a bus stop with street furniture. The final example offers a more extreme contrast. Arterial (e) carries 60,000 per day, whereas (f) carries only about one-tenth that amount of traffic (even though it is an officially designated arterial by the City of Denver). The smaller arterial functions as a neighborhood main street, whereas the larger one is an important link to the interstate highway.

In addition to their role as travel corridors, previous studies of arterial roads highlight their importance as neighborhood assets (McAndrews and Marcus, 2014; McAndrews et al., 2006; Bosselmann et al., 1999). In particular, they are places that nearby residents use with some frequency, despite their traffic and related hazards.

For example, residential arterials designed as boulevards were used for exercise such as walking, jogging, and bicycling, and they were used as parks where people would walk dogs, interact, or sit and watch the activity. In comparison to conventional neighboring streets with light traffic, these boulevards were less often used by children, with or without their parents (Bosselmann et al., 1999).

With respect to physical aspects of the street, traffic volumes, traffic speed, noise levels, the potential to support transit and the attractiveness of the streetscape are all important characteristics (Seto et al., 2007; McAndrews et al., 2006; Mejias and Deakin 2005).

Social interactions on the street and norms of its use are interconnected. For example, along one such arterial road, San Pablo Avenue in California, street activity increased and criminal activity decreased. This decline in criminal activity was favorable for infill development because lenders were more willing to finance projects as the neighborhoods became safer (Mejias and Deakin, 2005).

8.3 Relating Arterial Roads to Residential Satisfaction

Research consistently finds that traffic has a negative effect on residential satisfaction (Hur and Morrow-Jones, 2008). But living close to roads could have accessibility benefits. Hamersma et al. (2014) investigated residential satisfaction of households living near highways in seven different neighborhoods in the Netherlands (N=1,225). This study accounted for easy access to the highway as a possible positive feature and nuisance (noise, air pollution) as the primary negative features.

One challenge for measuring residential satisfaction is heterogeneity in how people perceive and value built and social environments. For instance, the value placed upon physical characteristics varies with the background of respondents, and social factors such as crime and discrimination may be more important to some residents than physical characteristics (Hur and Morrow-Jones, 2008). This finding reflects a

fundamental issue: satisfaction reflects both endogenous psychological processes and exogenous factors that affect one's life (Dissart and Deller, 2000). Therefore, residential satisfaction research needs to establish a connection between objective measures of environments with subjective perceptions of well-being (Andrews, 2001).

The literatures about the quality of place, residential satisfaction, and streets discuss the probable characteristics of livable arterials. These literatures focus on four categories of variables that capture information about the relationship between residential environments and streets, including: 1) objectively measured environmental characteristics of the road, 2) residents' perceptions of social characteristics of the road and street activities, 3) residents' use of the road and attitudes toward cars and travel, and 4) objectively measured environmental characteristics of the neighborhood. In addition to these characteristics, studies consider personal and household characteristics such as length of residence and the presence of children in the household.



(a) Emphasis on travel lanes AADT = 25,000



(b) Parking, trees buffer pedestrian-focused edge AADT = 35,750



(c) Sidewalks, lacking pedestrian-focused design AADT = 13,214



(d) Buildings create enclosure, design of bus stop AADT = 12,700



(e) Intensity and speed of traffic AADT = 62,493



(f) Parking, sharrows, turn lane, scale of buildings AADT = 6,203

Figure 8.1 Example Characteristics of Arterial Roads, Denver, Colorado, with Average-Annual Daily Traffic (AADT)

9. DATA & METHODS

9.1 Study Area & Site Selection

The study area is the city of Denver, Colorado. Within Denver, our goal in site selection was to capture a range of commercial arterials' potentially good and bad qualities, such as high/low traffic volumes and good/bad urban design, while maintaining their comparability with respect to their commercial nodes and surrounding residential neighborhoods.

We began the site selection process by identifying all street segments in Denver officially designated as an "arterial" that also have commercial nodes. To further narrow down our list of potential sites, we considered a variety of factors including the features of the arterials (e.g., average annual daily traffic, number of lanes), their surrounding land uses, the surrounding street types, and comparability with other sites within the pool. For example, we excluded sites that were dominated by hospitals, schools, or industrial land uses. We conducted field visits at 34 potential sites and selected 10 cases that represented differences in traffic, urban design, and income characteristics of the surrounding census blocks (see Figure 9.1).

	High Traffic	Low Traffic
High urban	Higher socio- economic status	Higher socio- economic status
design	Lower socio- economic status	Lower socio- economic status
	High Traffic	Low Traffic
Low urban	Higher socio- economic status	Higher socio- economic status
Low urban _ design	Lower socio- economic status	Lower socio-

Figure 9.1 Site Selection Strategy

For each of the 10 sites, we selected three nearby residential streets on which to administer a residential survey. These nearby streets were selected based on their traffic volumes (high, medium, and low). Table 9.1 presents socio-demographic information about the sites' residential populations.

Table 9.1 Population Characteristics of the 10 Arterial Sites

Arterial Street	Population	Proportion non- Hispanic white	Proportion Hispanic	Average median household income	Proportion homeowner	Proportion college graduate
23rd Ave	1,714	0.84	0.01	104,479	0.95	0.48
44th St	3,451	0.81	0.16	46,240	0.74	0.38
So. Broadway Ave	1,590	0.79	0.16	65,893	0.42	0.49
Upper Broadway	4,663	0.77	0.11	39,504	0.28	0.47
Colfax Ave node	1,553	0.81	0.08	81,275	0.63	0.52
E Colfax Ave	5,923	0.73	0.13	43,419	0.32	0.46
Colorado Blvd	4,087	0.81	0.08	66,334	0.45	0.42
Holly St	2,876	0.81	0.07	53,516	0.91	0.44
Santa Fe Ave	3,193	0.50	0.41	27,021	0.26	0.24
University Ave	3,484	0.92	0.02	133,826	0.88	0.58

9.2 Residential Survey

We developed an original survey and administered it door-to-door for each of the 10 sites during the summer of 2014. The survey included 33 questions across four categories, including questions regarding: 1) the respondent's residential street, 2) the respondent's neighborhood, 3) the respondents' nearby arterial street, and 4) personal and household social and demographic characteristics. The study was reviewed and approved by our university Institutional Review Board.

For each of the three sampled streets for the 10 sites (30 streets total), we administered the survey to all residential units located within 0.5 miles of the arterial road. For the first visit, a team of survey interviewers placed a door hanger at the residence to announce the survey and inform residents that interviewers would be coming to their neighborhood on a specified day. For the second visit, teams of two interviewers rang doorbells and attempted to conduct the survey in person at that moment. If a resident came to the door, they were also given the option of taking the survey privately and having it picked up later in the afternoon, or taking the survey privately and returning it by mail in a prepaid envelope. Survey respondents were offered a five-dollar gift card for participating.

If a resident did not answer, a different door hanger was placed at their door with a "we missed you" message and additional dates when the survey interviewers would be returning as well as a contact number to schedule a visit, if preferred. Those who called for appointments were interviewed within one week.

If a monolingual Spanish speaker answered the door, he or she was given an informational flyer about the survey in Spanish with the contact number of a bilingual interviewer. The address was recorded in notes so that the bilingual interviewer could return during the next round with a Spanish language survey.

During the third and final visit, interviewer teams visited all the units that had not answered the door. A resident who came to the door had the same options as before (i.e., complete in the moment, complete for pick-up, mail-in, or refuse). If no one responded at the door, survey interviewers left a cover letter, survey, return envelope, and slip giving the option of receiving the incentive by e-mail.

We visited a total of 1,849 housing units and received 721 completed surveys. Of these, 319 (44%) were returned by mail and 401 (56%) were conducted in person. The overall response rate was 39%.

Table 9.2 presents a summary of the socio-demographic characteristics of the survey respondents. The sampling strategy to include streets with high, medium, and low traffic volumes resulted in certain types of variation among respondents. Respondents on streets with higher traffic were more likely to have household incomes below \$45,000 per year and they were more likely to be younger. Residents on high-traffic streets were also less likely to have a college degree and less likely to own their unit. Residents on streets with medium traffic volumes were less likely to be Hispanic.

 Table 9.2
 Summary of Survey Respondents' Social & Demographic Characteristics

	1			ic level esidentia	of samp	led		
	N	Min/max	Pooled	Low	Med	High	KW test ^a	Sig
Socio-demographic variables								
Respondent is female	675	0/1	56%	55%	57%	57%	0.858	
Respondent's HH income < \$45k/year	664	0/1	26%	28%	18%	33%	0.004	**
Respondent has bachelor's degree or higher	712	0/1	78%	78%	83%	72%	0.025	*
Children under age 18 in household	723	0/1	29%	30%	31%	26%	0.647	
Respondent is white	717	0/1	87%	86%	90%	84%	0.506	
Respondent is Hispanic	661	0/1	12%	13%	7%	14%	0.199	
Respondent owns (versus rents) current unit	702	0/1	70%	69%	82%	57%	< 0.0001	***
Respondent is Millennial	713	0/1	34%	34%	25%	46%	< 0.0001	***
Respondent is Gen X	713	0/1	36%	36%	38%	31%	0.101	
Respondent is Baby Boomer	713	0/1	25%	25%	32%	18%	0.016	*
Respondent is Greatest Generation	713	0/1	5%	4%	5%	5%	0.918	
Mean number of years lived on one's street	716	0/70	11	11	12	9	0.075	

⁽a) Kruskal-Wallis test

9.3 Environmental Assessment of Arterials & Neighborhood Streets

To create a measurement of the urban design of the 10 arterial sites, we used a methodology developed by Ewing and Clemente (2013). This method disaggregates urban design into five categories: imageability, enclosure, human scale, transparency, and complexity. For each category, the method is operationalized through numerous metrics, or items to count and measure, resulting in an urban design "score."

We used administrative data for information about traffic counts, street width, number of lanes, and tree canopy of each arterial site. We conducted our own two-hour pedestrian counts at the 10 sites. In addition, we conducted 24-hour traffic counts of the sampled high, medium, and low traffic residential streets on which we conducted surveys. Table 9.3 presents information about the physical characteristics of the sites.

Table 9.3 Physical Characteristics of the 10 Arterial Sites

Arterial street	24-hour traffic count	Number of lanes	Curb-to-curb width (ft)	Percentage tree canopy	Urban design score (higher is better)
23rd Ave	6,203	2	50	0.33	17.4
44th St	6,200	2	46	0.20	16.4
So. Broadway					
Ave	35,750	4	75	0.15	19.6
Upper					
Broadway	35,259	5,6	72	0.10	17.1
Colfax Ave					
node	30,000	4	66	0.09	16.8
E Colfax Ave	25,000	4	80	0.28	17.9
Colorado Blvd	62,493	8	113	0.13	10.8
Holly St	13,214	2	34	0.22	8.5
Santa Fe Ave	12,700	3	37	0.11	25.2
University Ave	38,418	4	57	0.31	23.1

9.4 Analytical Approach & Variable Descriptions

9.4.1 Factor Analysis to Create Typology of Arterials

We interpreted questions about what respondents like best about their neighborhood arterial (e.g., good for walking) and what they like least about it (e.g., not good for walking) using principle factor analysis. The factors produced by the analysis capture common variance among the respondents' selection of "good" and "bad" characteristics and describe latent constructs of arterial quality.

We used principle factor analysis with a varimax rotation to separately analyze 15 original variables describing positive attributes of arterials, and another 15 variables describing the negative aspects of arterials. The Kaiser measure of sampling adequacy (MSA) for the analysis of positive attributes was 0.80, and the MSA score for the analysis of negative attributes was 0.70; both were sufficiently high to indicate the viability of factor analysis. We selected factors based on scree plots and interpretability. In addition, we estimated factor scores and use these as explanatory variables in regression analyses.

9.4.2 Ordinal Logistic Regression of Residential Satisfaction

Our study includes three dependent variables that capture different dimensions of residential satisfaction:
1) whether one is happy living on their street (1=strongly disagree, 5=strongly agree); 2) one's perception of the overall quality of their residential street (1=lowest, 10=highest); and 3) one's perception of the overall quality of their neighborhood (1=lowest, 10=highest). These ordinal categorical variables rank respondents' perceptions of quality, but the true intervals representing perceived quality are not known.

Following previous studies of residential satisfaction, we estimated models for each of the outcome variables by sequentially adding categories of explanatory variables (i.e., socio-demographic, residential quality factors, arterial quality factors, built environment characteristics) (Lovejoy et al., 2010; Lu, 1999). We made decisions about model specification based on bivariate relationships between explanatory and outcome variables, AIC, and the interpretability of the model results.

All analyses were carried out in SAS 9.4.

10. RESULTS

10.1 How Residents Perceive & Use Arterial Roads

Across all three street types, survey respondents highlighted the utility of their local arterial street. The majority of respondents (66%) said their local arterial is good for walking, and nearly half said it has good sidewalks and amenities such as shopping (49% and 48%, respectively). These perceptions align with residents' use of their local arterial. The vast majority of respondents go to restaurants on their arterial (88%) and nearly three-quarters of respondents (73%) said they shop at stores on the arterial. More than half of the residents report visiting the arterial at least three times per week, and 64% report that they walk to destinations on the arterial.

With reference to the arterial's role in the larger transportation network, 42% said their arterial offers good access to highways. The majority of respondents (57%) said they use the arterial simply by "passing through."

With respect to the arterials' negative qualities, more than half of the respondents said the speed of traffic on the arterial is too fast (52%). Noise (50%) and trash (40%) on the arterials were also problematic. Notably, only 33% of respondents said parking is a problem.

 Table 10.1 Descriptive Statistics of Selected Survey and Environmental Variables

			Tra	affic level	of samp	led		
				residenti	al street			
						_	$\mathbf{K}\mathbf{W}$	
	N	Min/max	Pooled	Low	Med	High	testa	Sig
Residents' perception of arterial								
Good for walking	721	0/1	66%	66%	64%	68%	0.551	
Good sidewalks	721	0/1	49%	47%	52%	50%	0.208	
Good amenities and shopping	721	0/1	48%	49%	44%	51%	0.285	
Good access to highways	721	0/1	42%	43%	40%	44%	0.372	
Good lighting	721	0/1	42%	44%	41%	41%	0.774	
Traffic too fast	721	0/1	52%	48%	52%	58%	0.125	
Too much noise	721	0/1	50%	44%	49%	60%	0.002	**
Too much trash	721	0/1	40%	34%	41%	46%	0.049	
Lack of parking	721	0/1	33%	35%	28%	34%	0.325	
Lack of trees	721	0/1	27%	24%	29%	28%	0.450	
Poor for bicycling	721	0/1	27%	24%	28%	29%	0.402	
Mean rating of arterial quality	696	1/10	6.2	6.3	6.0	6.2	0.396	
Residents' use of arterial								
Go to restaurants	721	0/1	88%	89%	90%	87%	0.891	
Shop	721	0/1	73%	73%	74%	74%	0.977	
Passing through	721	0/1	57%	58%	59%	54%	0.800	
Auto-related services	721	0/1	43%	43%	41%	45%	0.817	
Bars, clubs, discos	721	0/1	42%	38%	40%	49%	0.103	
Visits at least three times in a								
typical week	712	0/1	52%	48%	56%	55%	0.091	
Respondent walks to destinations								
on arterial	721	0/1	64%	66%	65%	59%	0.220	
Characteristics of arterial								
Mean 24-hour traffic count	N/A	6,200/62,493	26,524	25,473	22,036	25,340	0.014	
Mean percentage tree canopy								
coverage	N/A	9%/33%	19%	19%	20%	18%	0.366	
Mean urban design score	N/A	8.5/25.2	17.3	17.9	17.7	17.5	0.443	
on arterial Characteristics of arterial Mean 24-hour traffic count Mean percentage tree canopy coverage	N/A N/A	6,200/62,493 9%/33%	26,524 19%	25,473 19%	22,036 20%	25,340 18%	0.014 0.366	

⁽a) Kruskal-Wallis test

10.2 Factors Representing what Nearby Residents Like Best & Least about their Arterial

Factor analysis of what survey respondents like best about their neighborhood arterial yielded two factors. The factor analysis of what respondents liked least about their arterial also yielded two factors. Table 10.2 presents the factor loadings for a typology of arterial streets based on these unappealing and appealing composite features.

Negative composite features associated with streets include those that are noisy, unpleasant, and dominated by traffic. The second negative factor indicates that unappealing arterials may also be socially sketchy, not safe from crime, and dirty.

With respect to positive features of arterials, neighbors like those with a quiet and clean environment, as well as features associated with places that are vibrant and busy with transportation services such as


sidewalks and transit access. These two factors seem to indicate a trade-off between being vibrant or calm.


Table 10.2 Unappealing and Appealing Features of the Case Arterials, Factor Loadings Based on Rotated Factor Pattern

Unappealing	composite featu	ıres	Appealing composite features				
				_	2. Vibrant		
	1.Unpleasant	2. Socially		1. Quiet	with		
Variable	environment	sketchy	Variable	and calm	transportation		
Not pedestrian-							
friendly	0.61	0.07	Quiet, calm	0.55	0.06		
Not bike-friendly	0.51	-0.02	Clean, no trash	0.53	0.16		
Lack of sidewalks	0.43	0.02	Bike-friendly	0.46	0.19		
Empty, no							
atmosphere	0.35	0.10	Trees	0.45	0.14		
Noisy	0.34	0.16	Safe from crime	0.38	0.30		
			Pedestrian-				
Lack of trees	0.32	0.13	friendly	0.35	0.33		
			Speeds				
Inadequate transit	0.30	0.15	acceptable	0.27	0.22		
Inadequate lighting	0.25	0.24	Ample parking	0.21	0.08		
			Sidewalks				
Speeds too fast	0.22	0.09	adequate	0.12	0.49		
			Lighting				
Crime, not safe	0.11	0.52	adequate	0.11	0.48		
			People on the				
Trashy, dirty street	0.12	0.51	street	0.34	0.42		
People on the street	0.09	0.44	Transit access	0.10	0.40		
Poor highway			Vibrant				
access	0.05	0.23	atmosphere	0.14	0.40		
Poor amenities,			Amenities,				
shops	0.20	0.21	shopping	0.14	0.36		
			Access to				
Lack of parking	0.02	0.19	highway	0.17	0.25		

Figure 10.1 uses the factor scores to distribute each of the 10 cases within matrices of the appealing and unappealing features of arterials. The most extreme unappealing case, East Colfax Avenue, has relatively high scores for both negative factors and low scores for both positive features; it is a case of a bad arterial with no good qualities. The other example of an arterial with high scores for both negative factors is the "Colfax node," which is also on Colfax Avenue, but in this case it is vibrant and therefore has an appealing feature.

No case has the combination of high scores for both positive factors and low scores for both negative factors (i.e., a good arterial with no bad qualities). Two cases, 44th Ave and 23rd Ave, had low scores for each of the negative factors, and in this way there was nothing "bad" about these two arterials. With respect to appealing features of arterials, two cases, South Broadway and the Bonnie Brae node, have high scores for both of the positive factors.





(a) Unappealing features

(b) Appealing features

Figure 10.1 Distribution of the Cases within the Typology of Unappealing & Appealing Composite Features of Arterials

10.3 Characteristics of Arterial Roads Associated with Residential Satisfaction

Three variables in our survey measure aspects of residential satisfaction. These include respondents' scoring of the overall quality of their residential street and their neighborhood (scale for both is 1 to 10), and their level of agreement with the statement, "I am happy to live on my street."

The distributions of scores rating the overall quality of respondents' residential streets and neighborhoods are presented in Figure 10.2, with their ratings of their arterial road for comparison. All three variables skew toward higher scores, with neighborhood quality receiving the highest scores (mean= 7.8), arterials receiving the lowest scores (mean=6.2), and residential streets in between (mean=7.2).




Figure 10.2 Distribution of Respondents' Ratings of the Overall Quality of their Residential Street, Arterial Road, & Neighborhood

Table 10.3 shows results for ordered logit models of the three different residential satisfaction variables. All three models include explanatory variables representing the socio-demographic characteristics of respondents and their households, features of respondents' residential streets, and features of respondents' arterial roads.

Table 10.3: Ordered Logit Models of Three Measures of Residential Satisfaction

<u> </u>	I am hap on my			ality of my ial street		quality of aborhood
Variables	β-hat	p-value	β-hat	p-value	β-hat	p-value
Low to moderate income	-		0.13	0.228	-0.16	0.151
Homeowner						
Long tenure	0.19	0.113			0.14	0.193
Millennial age group						
Overall happiness in life	0.26	0.038	0.30	0.007	0.31	0.005
Residential street - too much traffic factor	-1.09	<.0001	-1.12	<.0001	-0.43	<.0001
Residential street - good infrastructure factor	0.71	<.0001	1.20	<.0001	1.01	<.0001
Residential street - feeling of community factor	1.62	<.0001	0.79	<.0001	0.81	<.0001
Residential street - trash, lack of care factor			-0.34	0.008	-0.42	0.001
Arterial street - quiet factor						
Arterial street - vibrant factor	0.52	0.000	0.20	0.112	0.37	0.003
Arterial street - unpleasant environment factor						
Arterial street - socially sketchy factor			-0.22	0.090	-0.28	0.030
Log of tree canopy					0.81	0.000
Urban design score of arterial					-0.04	0.053
Intercept – 10			-4.57	<.0001	-2.05	0.002
Intercept – 9			-2.75	<.0001	-0.08	0.901
Intercept – 8			-0.79	0.220	1.67	0.009
Intercept - 7			0.81	0.212	3.28	<.0001
Intercept – 6			1.90	0.004	4.42	<.0001
Intercept – 5	-1.83	0.014	3.21	<.0001	5.61	<.0001
Intercept – 4	1.86	0.012	3.64	<.0001	6.29	<.0001
Intercept – 3	4.42	<.0001	4.69	<.0001	7.05	<.0001
Intercept - 2	6.42	<.0001	5.81	<.0001	8.19	<.0001
N		497		486		500
AIC		813.0		1537.9		1509.5
Max-rescaled R-square (Cox-Snell)	1	0.542		0.521		0.462

The table presents information for variables with p-values <0.25.

Of the four factor variables representing respondents' perceptions of their local arterial roads – vibrant, quiet, unpleasant environment, and socially sketchy – being vibrant and having good access to transit has a positive association with all three outcome variables. This relationship is true when controlling for characteristics of the residential streets and socio-demographic characteristics of respondents. Living close to a vibrant arterial has a relatively stronger statistical association with the outcome variables that capture broad satisfaction, such as being happy to live on one's street and the overall quality of the neighborhood. It has a relatively weaker statistical association with one's perception of the overall quality of their own residential street.

The arterial factor variable representing a lack of enforcement of social norms (i.e., socially sketchy) has a negative association with residential satisfaction. This variable has a stronger statistical association with respondents' perceptions of the overall quality of their street and the overall quality of their neighborhood, and a weak statistical association with their happiness to live on their street.

The built environment characteristics of the arterial roads are also statistically associated with residential satisfaction but only for the variable expressing respondents' perception of the overall quality of their neighborhood. Having a high proportion of tree canopy is a positive feature. The urban design score also

has a statistical association with neighborhood quality, but its sign is negative and its effect size is relatively smaller.

Arterials that are relatively quiet and clean and those that have unpleasant environments do not have strong statistical associations with any of the three outcome variables.

Socio-demographic and residential street-level variables are also associated with residential satisfaction, primarily whether one is generally happy or satisfied with life (positive association) and whether there is too much traffic on one's residential street (negative association). Having a feeling of community among neighbors on one's street has a larger effect size when thinking about one's happiness, whereas having good infrastructure has a larger effect size when thinking about one's satisfaction with the street itself.

11. DISCUSSION

Most residential neighborhoods in the U.S., and many throughout the world, depend heavily on arterial or major roads – roads that carry high volumes of fast traffic – for everyday travel and access to public transit, nearby shopping, and other activities. This analysis shows how the nature of these arterial roads matters for neighbors' perception of the quality of their residential street, including their happiness to live there and their perception of the overall quality of their neighborhood.

Overall, arterial roads are associated both positively and negatively with residential satisfaction. Living close to a vibrant arterial with transit, sidewalks, and activities is associated with higher levels of residential satisfaction, above and beyond the characteristics of one's own residential street. Similarly, living close to an arterial that is socially sketchy, with possible crime and lack of enforcement of social norms, is associated with lower levels of residential satisfaction.

The patterns of these associations depended on the outcome variable used to measure residential satisfaction. Vibrant arterials had the most robust result, with statistically significant association across all three of the outcome variables. The effect size was larger for outcome variables that expressed a broader sense of satisfaction (i.e., happiness, neighborhood quality) than for the variable expressing satisfaction with the residential street itself. This may indicate that, for these cases, the vibrant arterials do not directly influence nearby residential streets, but that they do contribute to a sense of place in positive ways. Therefore, arterials' specific influence varies depending on the construct used to represent residential satisfaction.

The effects of other explanatory variables, such as the perception there is too much traffic on one's residential street, also varied depending on the construct used to represent residential satisfaction. Traffic had a stronger negative effect on the sense of being satisfied with one's residential street, and a weaker effect when considering the neighborhood. It was also true for having a sense of community among neighbors. This effect was most relevant to one's happiness to live on their street and was somewhat less relevant to the perceived quality of their neighborhood.

These associations cannot be interpreted as causal, as residents have selected dwelling, streets, and neighborhoods that satisfy them. However, it is noteworthy to observe how arterials operate as part of the larger set of social and environmental factors that make certain places appealing.

These results are also meaningful because they outline the parameters of arterials' performance with respect to their residential neighbors. Arterial roads are important because of their land use and social features, not only because of their traffic. Understanding streets and traffic as part of a larger system of "nodes and places" is a critical step for advancing sustainable transportation policy and practice.

12. CONCLUSIONS

Since the 1920s, traffic engineers and planners have systematically removed traffic from residential streets and channeled it onto major roads because people want to live on quiet residential streets, and arterial roads can be designed to accommodate high traffic flows. Yet, creating networks of single-purpose streets has produced a new set of conflicts. Arterials concentrate heavy traffic into one place, which can burden adjacent neighborhoods and create barriers for pedestrians, bicyclists, and transit riders. Traffic congestion is also a problem on arterials, and drivers may choose to cut through residential neighborhoods when streets are not designed to protect from this kind of through-traffic. In response, policy makers, engineers, and designers search for strategies to help make traffic more livable.

In this research, we investigated the hypothesis that residents' perception of the quality of their residential street reflects not only the quality of their own residential street but also the quality of the arterial roads in their neighborhood. Decades of qualitative and quantitative research have looked at the livability of residential streets, but these studies have not analyzed residential streets in the context of their networks.

We used surveys of neighboring residents to provide information about perceptions of the arterial road and residential satisfaction, and combined this individual-level information with environmental measures such as urban design scores and measures of tree canopy. Using residential surveys provides relatively comprehensive and systemic information about the interaction between traffic, urban development, and quality of life. It is also a source of information that complements what is learned in public forums, where discussions of traffic can incite controversy, and where many residents do not participate.

Our results point to three types of interventions that could enhance the livability of commercial arterials in ways that matter to surrounding neighbors: 1) land uses that foster street life, 2) maintenance of social norms, and 3) enhancements to the pedestrian environment, particularly those that support transit access. These are interventions that could be advanced by both city governments and markets.

Arterials are places with heavy motorized traffic, and that is not likely to change. But they can have other characteristics such as being interesting, useful, and vibrant places that attract people. These positive characteristics are associated with residential satisfaction. The positive attributes of arterials lie within the realm of public policy to advance.

13. REFERENCES

- Andrews, Clinton J. 2001. "Analyzing quality-of-place." *Environment and Planning B: Planning and Design*, 28:201-217.
- Dena Belzer, Gerald Autler, Judith Espinosa, Sharon Feigon, and Gloria Ohland. 2004. "The transitoriented development drama and its actors." In *The new transit town: Best practices in transitoriented development*, Hank Dittmar, Gloria Ohland, eds. Washington, DC: Island Press.
- Birch, Eugenie Ladner. 1980. "Radburn and the American Planning Movement: The Persistence of an Idea." *Journal of the American Planning Association*, 46(4):424-439.
- Bosselmann, Peter, Elizabeth Macdonald, and Thomas Kronemeyer. 1999. "Livable Streets Revisited." *Journal of the American Planning Association*, 65(2):168-180.
- Cherry, Christopher R., Elizabeth Deakin, Nathan Higgins, and S. Brian Huey. 2006. "Systems-Level Approach to Sustainable Urban Arterial Revitalization: Case Study of San Pablo Avenue, San Francisco Bay Area, California." *Transportation Research Record*, 1977: 206-213.
- Dissart, J.-C., and Steven C. Deller. 2000. "Quality of Life in the Planning Literature." *Journal of Planning Literature*, 15(1):135-161.
- Dowling, Richard, David Reinke, Aimee Flannery, Paul Ryus, Mark Vandehey, Theo Petritsch, Bruce Landis, Nagui Rouphail, and James Bonneson. 2008. *Multimodal Level of Service Analysis for Urban Streets*. National Cooperative Highway Research Program Report 616. Washington, D.C.: Transportation Research Board.
- Dumbaugh, Eric, and Robert Rae. 2009. "Safe Urban Form: Revisiting the Relationship between Community Design and Traffic Safety." *Journal of the American Planning Association*, 75(3):309-329.
- Godschalk, David R. 2004. "Land Use Planning Challenges: Coping with Conflicts in Visions of Sustainable Development and Livable Communities." *Journal of the American Planning Association*, 70(1):5-13.
- Hamersma, Marije, Taede Tillema, Joseph Sussman, and Jos Arts. 2014. "Residential Satisfaction Close to Highways: The Impact of Accessibility, Nuisances, and Highway Adjustment Projects." *Transportation Research Part A*, 59:106-121.
- Hebbert, Michael. 2005. "Engineering, Urbanism and the Struggle for Street Design." *Journal of Urban Design*, 10(1):39-59.
- Hur, Misun, and Hazel Morrow-Jones. 2008. "Factors that Influence Residents' Satisfaction with Neighborhoods." *Environment and Behavior*, 40(5):619-635.
- Jacobs, Allan B. 1993. *Great Streets*. Cambridge, MA: MIT Press.
- Jacobs, Allan B, Elizabeth Macdonald, and Yodan Rofé. 2002. *The Boulevard Book: History, Evolution, Design of Multiway Boulevards*. Cambridge, MA: MIT Press.
- Lovejoy, Kristin, Susan Handy, and Patricia Mokhtarian. 2010. "Neighborhood satisfaction in suburban versus traditional environments: An evaluation of contributing characteristics in eight California neighborhoods." *Landscape and Urban Planning*, 97:37-48.
- Lu, Max. 1999. "Determinants of Residential Satisfaction: Ordered Logit vs. Regression Models." *Growth and Change*, 30:264-287.

- Mejias, Luis, and Elizabeth Deakin. 2005. "Redevelopment and Revitalization along Urban Arterials: Case Study of San Pablo Avenue, California, from the Developers' Perspective." *Transportation Research Record*, 1902:26-34.
- McAndrews, Carolyn, Josefina Florez, and Elizabeth Deakin. 2006. "Views of the Street: Using Community Surveys and Focus Groups to Inform Context-Sensitive Design." *Transportation Research Record*, 1981:92-99.
- McAndrews, Carolyn, and Justine Marcus. 2014. "Community-based advocacy at the intersection of public health and transportation: The challenges of addressing local health impacts in within a regional policy process." *Journal of Planning Education and Research*, 34(2):190-202.
- Miles-Doan, Rebecca, and Gregory Thompson. 1999. "The Planning Profession and Pedestrian Safety: Lessons from Orlando." *Journal of Planning Education and Research*, 18(3):211-220.
- Mindell, Jennifer S., and Saffron Karlsen. 2012. "Community Severance and Health: What Do We Actually Know?" *Journal of Urban Health*, 89(2):232-246.
- Wachs, Martin, and Margaret Crawford. 1992. *The Car and the City: The Automobile, the Built Environment, and Daily Urban Life*. Ann Arbor, MI: University of Michigan Press.

PART 3: APPENDICES

14. SURVEY MATERIALS

14.1 Survey Summary

The Livable Arterials Study

The Denver Neighborhood Connections Survey is one of the key elements of a wider *Livable Arterials* project being conducted by researchers at the University of Colorado Denver. The aim of the study is to better understand how arterial streets – those with fast and heavy traffic – impact local neighborhoods around Denver. In addition to the survey, the project will also look at design features, traffic speeds, and other built environment features of Denver streets.

Description of Survey

The Denver Neighborhood Connections Survey takes about 10 to 15 minutes to complete. The survey asks residents to answer questions about their neighborhood, their travel patterns, their local street, and about an arterial street located near their residence. The survey asks questions about how residents use their streets and about their opinions and perceptions of their neighborhood.

Where the Survey will be Conducted

The survey was conducted door-to-door in neighborhoods that are near major streets in 10 areas of Denver.

Study areas include:

- 1. South University Blvd. between Exposition Ave. and Ohio Ave.
- 2. East 23rd Ave. between Cherry St. and Dexter St.
- 3. South Broadway St. between 1st Ave. and Bayaud Ave.
- 4. 44th Ave. between Meade St. and King St.
- 5. South Holly St. between Ivanhoe Way and Gunnison Pl.
- 6. East Colfax Ave. between Elm St. and Forest St.
- 7. South Colorado Blvd. between Louisiana Ave. and Mexico Ave.
- 8. Broadway St. between 8th Ave. and 12th Ave.
- 9. Santa Fe Dr. between 12th Ave. and 7th Ave.
- 10. East Colfax Ave. between York St. and Cook St.

How Neighborhoods were Selected

These residential neighborhoods were selected because they are located near arterial streets with some existing commercial development. We chose arterial streets with a variety of features, such as varying levels of traffic, speeds, and design features such as sidewalks, road widths, and street trees. The intent is to better understand how these different characteristics might influence the way that nearby residents perceive their streets as well as how they use them or choose not to use them.

Expected Findings:

After the survey, we expect to see some connections between street characteristics and how residents report using the streets and how residents feel about their local streets. For example, we may see that residents are more likely to walk to a nearby commercial area if there are wide sidewalks available. Findings from the study could help create streets that serve many users comfortably, safely, and efficiently.

14.2 Survey Methods

14.2.1 Overview of Survey

The researchers used an original survey, which was conducted in Denver, CO, in the summer of 2014. The survey contained 33 questions, which were divided into four sections containing questions about the respondents' street, neighborhood, nearby arterial street, and household demographics. Each survey was accompanied by a cover letter explaining the survey background and research intent.

14.2.2 Survey Design

Survey design was guided by a desire to measure street and neighborhood perceptions using a variety of question types and techniques. Donald Appleyard's San Francisco work was an influence. The researchers included two map sections that asked respondents to define their neighborhood and write notes about their favorite places. A second map asked about places along their nearby arterial street. In the survey design stage, the team used a question table to identify the research aim that would be achieved with each survey question. This also allowed the team to build in redundancy on important concepts. The table included question, question type, aim of question, and relationship to research question. This helped keep the survey shorter by avoiding redundancy on less important aspects. The team also paid attention to question type, priming, and question order. The team put more straightforward questions first and left thought-provoking and open-ended questions to the end of each section. We included a mix of open-ended and closed-ended questions and allowed spaces for residents to input additional comments. The final section was a page of demographic questions.

The physical design of the survey was an 11x17 two-sided sheet that divided the survey into the four content areas (street, neighborhood, arterial, household). We used bright colors and abundant spacing to make the survey feel accessible and tested a pilot survey with various student groups on campus.

14.2.3 Conducting the Survey

We recruited students from the College of Engineering and the College of Architecture and Planning to participate as survey interviewers. One of the graduate research assistants served as the survey coordinator field organizer. Survey interviewers were trained in four key areas before going into the field:

- Methodology (i.e., correct sampling while in the field, avoiding bias, not leading questions, etc.)
- Aims and scope of project
- Safety (i.e., spatial awareness, going in groups of two, not entering homes, not revealing personal information, setting boundaries, going during daylight hours)
- Confidentiality (i.e., correct way to address respondents, not recording identifying information, not discussing participants to anyone outside of research team, etc.)

The project was divided into 10 sites with each containing three streets (i.e., 30 total). The surveying process had three stages, and the interviewing team visited each street three times. Teams wore university shirts and clipped on student IDs to increase perceived legitimacy. For each street visit, the interviewer team used a paper map of the street produced by the research team with building outlines and exact home addresses marked. These residences were chosen because they were within a half-mile of the arterial street. The house number on the map also indicated the number of units expected to be there (i.e., 1500-3 would indicate a triplex at 1500 X Street). This helped the survey interviewers leave the correct number of surveys at the door. In some cases, the number of units was incorrect, and the survey team took notes to correct this. The team also noted vacant buildings or misidentified buildings (commercial rather than residential). These were rare but did occur. The team also noted when direct access was impossible, such as a locked external fence or a loose dog in the front yard.

In the first visit, a team of survey interviewers used the street maps and placed a door hanger that announced the survey with basic information and the project logo. The door hanger announced that interviewers would be coming to their neighborhood and gave a date range for their return. There was no doorbell ringing at this stage and generally no direct interaction with residents.

At the second visit, in teams of two, the survey interviewers rang doorbells or knocked on doors and attempted to conduct the survey in person. If a resident came to the door, they were also given the option to take the survey and have it picked up later in the afternoon or to be given a postage-paid envelope to return the survey by mail. Survey respondents were offered a five-dollar gift card for participating.

If a resident did not answer, a different door hanger was placed at their door with a "we missed you" message and additional dates when the survey interviewers would be returning as well as a contact number to schedule a visit, if preferred. Those who called for appointments were answered and scheduled by the graduate research assistant. Those appointments usually took place in the week following the visit. These calls were not frequent (roughly 15 total across sites) but did give residents an option to interact with the survey team in a different manner and may have increased the response rate.

The same street map was used as a guide, and survey interviewers checked off houses visited on the map. Additionally, survey interviewers carried a clipboard with a form where they recorded each house visit by house number and then recorded the type of response:

- No answer left door hanger
- Answered and took survey to mail back
- Answered and completed survey
- Answered and refused to participate

If a monolingual Spanish speaker answered the door, he or she was given an informational flyer about the survey in Spanish with the contact number of the bilingual graduate research assistant. The household was also marked in the notes section so that the bilingual survey interviewer could return at the next round with a Spanish language survey. In practice, this only happened a handful of times, and the Spanish language surveys had to be left at the door because no one answered. In a few cases, the Spanish speaker preferred to take an English language survey in the moment and had an English-speaking family member fill out the survey and return by mail.

At the third and final visit, survey interviewer teams revisited all of the houses on the map that had not had a resident come to the door at the second visit. New maps were prepared in advance with the houses that needed a second visit circled, and houses already visited crossed out. The same type of form was used to record notes of the visits. These sheets were later used to calculate the response rate.

If residents came to the door, they had the same options as before (complete in the moment, complete for pick-up, mail-in, or refuse). If no one responded to the door, survey interviewers left a cover letter, survey, return envelope, and slip giving the option of receiving a gift card by email.

14.2.4 Collecting Surveys & Data Entry

After surveys were collected in person, we put them into files at the end of the day. Surveys returned by mail went to a campus box, where they were collected periodically and added to the files. All of the returned surveys (by mail and in person) were labeled in the top right corner with a unique ID number composed of the site ID number, the street ID letter, and the numbered survey (i.e., 1m15). We noted which surveys were collected in person and which were collected by mail, and this was included in the data entry. Each survey was coded into Excel. Checked boxes on the survey were converted into a numeric system for coding. Each written response was included in Excel exactly as it appeared. Six students participated in the coding. The lead survey research assistant double-checked approximately 5% of each student's data entry to check for consistency.

14.2.5 Data Clean-up

The main research assistant did the first stage of data cleanup. The first piece was to spot-check data entry, which did not uncover any major errors or issues. She then looked at the entire dataset to seek out erroneous entries, sorted each section ascending, and then scanned for values outside the range as well as text or double entries. If there was an unusual entry, she went to the original survey to check and correct the value. When two categorical answers were selected when this was not an option in the survey, or both yes and no were selected, the answers were removed (values thrown out) and replaced with a blank. This was recorded in the notes section. When a numerical value such as a scale was chosen twice, we averaged the two answers. Likewise, when someone chose an option between two numbers (i.e., marking an X between 8 and 9), we averaged the two numbers. When the question asking about highest level of education was chosen twice (this happened infrequently but more than once), we left the higher value because the question asks for the highest level. This was also recorded in the notes section.

14.2.6 Future Survey Suggestions

This intensive on-the-street survey method likely increased participation and created more positive responses when residents opened the door, since most were aware of who we were and what we were doing. Even though the door hangers were labor intensive, we estimate that they helped the response rate. In the future, we would not put a blank for writing in dates (as this was labor intensive also) and instead simply state that a team would stop by in the next week. This could also be done for the round two door hangers, which would also help the reuse value.

Allowing mail-in surveys together with in-person surveys also likely increased participation by meeting differing preferences. We also had good responses from people who wanted to fill it out and have us come back an hour later to fill it out. This was a hybrid between conducting in person and by mail but allowed us to guarantee completion.

Because the survey was designed to be used both in person and by mail, it was critical to design questions that could be understood easily for a self-administered response. We believe this was generally the case.

It also might be good in the future to have a place for survey interviewers to record additional in-person comments from residents that came up during the in-person interaction. There are a few questions that could be tweaked, such as the number of children (needs an N/A option). It may be worthwhile to also capture household size.

For the emailed gift cards, the process was labor intensive to download and then also to email out. There may be a way to do emailed gift cards more easily and efficiently through a different provider.

14.3 Survey

14.3.1 Promotional Door Hanger



We will be in your neighborhood during the week of _____ to learns your opinions about your street, traffic, and how they could be improved.

Each survey taker will recieve a \$5 gift card for participating.

Your participation is greatly appreciated. We look forward to seeing you soon!



14.3.2 'Sorry We Missed You' Door Hanger




We are sorry we missed you!
We came by today to conduct
a survey to learn your
opinions about your street,
neighborhood, and how they
could be improved.

We will be returning the week of ______
To schedule an appointment call Laia 303, 532,9734

Each survey taker will recieve
a \$5 gift card for
participating.
University of Colorado

14.3.3 Survey Cover Letter





June 2014

Dear Resident,

The University of Colorado Denver is conducting a study about neighborhoods, streets, and traffic in Denver communities. We request your participation in this survey, which will take about 10-15 minutes of your time. Your participation is completely voluntary. If you choose to participate, you may take the survey now, complete it later and return it by mail, or schedule an appointment for another time.

One adult (age 18 or older) per household is eligible to participate.

If you participate in the survey, you will receive a \$5.00 gift card.

If you have any questions about this survey, please contact the project principal investigators: Dr. Wes Marshall by phone at (303) 352-3741 or by e-mail wesley.marshall@ucdenver.edu, or Dr. Carolyn McAndrews by phone at (303) 315-0028 or by e-mail at carolyn.mcandrews@ucdenver.edu. Questions, concerns, or feedback about this survey may also be shared with the Colorado Multiple Institutional Review Board by phone at (303) 724-1055 or by e-mail at comirb@ucdenver.edu.

Description of the Survey

The Denver Neighborhood Connections Survey asks questions about your neighborhood, how you travel, and your local streets. We are collecting this information to better understand how streets and traffic affect local neighborhoods around Denver.

Confidentiality and Consent

This survey is completely voluntary. You may decide not to participate, and if you do participate, you may skip questions or stop the survey at any time.

This survey is completely confidential. Your name will not be collected, nor will your address be linked to your responses. We will record the name of your street only to identify which neighborhood you live in.

By filling in the survey you agree to share your responses for research and planning purposes. Findings from the study could help create streets that serve many users comfortably, safely, and efficiently.

Thank you!

Kind regards,

Carolyn McAndrews and Wesley Marshall


14.3.4 Example Survey

Denver Neighborhood
Connections Survey

Please help us learn about the community to plan for neighborhood improvements, survey is conducted by the University of C	but they are	e strict	ly confid	lentia	al. We do not			
Instructions: The survey should be filled in by a turn by mail to: Carolyn McAndrews, Departm	ny adult (age	2 18 or 0	older) in t	he ho	usehold and re			
Your Street								
1. How long have you lived on your street?								
YearsMonths								
2. On a scale of one to ten, how satisfied are you	with the <u>ove</u>	rall qua	ality of yo	ur str	eet? Circle your	answer		
Lowest quality 1 2 3	4	5	6		7 8	9	10 Highe	st quality
3. Thinking about your street, mark the box that	best represen	ts how	much you	agree	or disagree wit	h the statement	t:	
	Strongly agree		Agree		Neither agree nor disagree	Disagree	Strongly disagree	N/A
My street is good for walking								
My street is good for biking				┸				
The lighting is good on my street								
My street is well maintained by the city		\perp		\perp				
My street is well cared for by residents								
The speed of traffic is a problem on my street		\perp		\perp				
The amount of traffic is a problem on my street								
Pollution from traffic is a problem on my street		\perp		_				
Noise is a problem on my street				۰				
Trash and litter are a problem on my street								
4. Thinking about the social life on your street, n	nark the box t		t represen Agree	1	Veither agree	ee or disagree w Disagree	Strongly	ent:
	agree		. 19. 22		nor disagree	Disagree	disagree	,,,,
I see people out and about on my street								
Kids play on my street								
My street is safe from crime				•				
My street is safe from traffic		-						
I feel responsible for what happens on my street								
There is a feeling of community on this street								
I am very happy to live on my street								
I know my neighbors I have friends or relatives on this street								
I have friends or relatives on this street								
5. What are some things you like or dislike about	your street?							

Your Neighborhood

 Looking at this map, what are the boundaries of the area that you consider to be your neighborhood? Please draw a line showing the boundary



Laurellaur Conne	3	1 2	MARKAGO S			7.		2002			
Less than 1 year		1-3	years	4-	- 6 years	/)	ears or m	iore			
3. On a scale of one to te	en, how	do you ra	ite the <u>ov</u>	erall qual	ity of your ne	ghborh	ood? Circ	le your a	nswer		
Lowest quality	1	2	3	4	5	6	7	8	9	10	Highest qualit
 On the map above, mo Examples: parks, school 									0007833333		
5. Thinking about the pl			20-10-16-X 13-10-16-10						our nome.		
			20-10-16-X 13-10-16-10	ap, how o		get to		ces?	Rarely		Never
	laces yo	ou marked	on the m	ap, how o	do you usually	get to	those pla	ces?			Never
5. Thinking about the pla	laces yo	ou marked	on the m	ap, how o	do you usually	get to	those pla	ces?			Never

If you walk or bike in your neighborhood:
 Using the map above, circle the locations where you avoid crossing the street.

Transit

7. What are the <u>best</u> features of you	our neighborhood?		
8. What are the <u>worst</u> features of y	our neighborhood?		
Calfay Ayanya			
Colfax Avenue			
	you rate the <u>overall quality</u> of Colfa	•	
Lowest quality 1 2	3 4 5 6	7 8 9	10 Highest quality
2. Which of the following activities	s do you do on Colfax Avenue in your	neighborhood? Choose all that	apply
Work/school Shopping Child care	Restaurant/café Religious services Community activity	Bars, clubs, or disco Passing through Recreation, games	Auto repair, gasoline None of these Other
3. How often do you visit places o	n Colfax Avenue in your neighborhoo		
4. What are the best features of Co	olfax Avenue in your neighborhood?	Choose all that apply	
TreesWalkableBikeableQuiet/calmClean, no trash 5. What are the <u>worst</u> features of C	Ample parkingCars go at acceptable speedsThe people on the streetVibrant atmophereSafe from crime	Nice amenities/ shopping Adequate transit Good access to highway	None of these Other
Lack of treesNot walkableNot bikeableNoisyTrash, dirty street	Lack of parking Cars going too fast The people on the street Empty/no atmophere Crime/ not safe	Inadequate lighting Inadequate sidewalks Poor amenities Inadequate transit Poor access to highway	None of these Other
6. If you go to Colfax Avenue mark	and label where you go and how you	get there (car, walk, bike, etc):	
COLF	The Elm Cafe Africana Cafe XXXX AX AVENUE	FLEERT	Mercedes-Clinic saao
The Amersto	erdam Sale:	At Hand Marczyk Fine Foods	Colorado Care Facility
7. Is there anything else you like o	r dislike about Colfax Avenue?		

Household Information

This information is for statistical purposes only, and like all of your responses, will be confidential.

Are there any children in your household in t 0 - 4 years old5 - 9 years old		ply years old	
2. What is your gender?			
3. What was your 2013 household annual incomLess than \$15,000\$15,000 to \$24,999\$25,000 to \$44,999	ne before taxes? \$45,000 to \$74,999 \$75,000 to \$99,999 \$100,000 to \$124,999	\$125,000 to \$149,999 \$150,000 or more	
4. What is your highest level of education?			
Some high school High school graduate or GED Some college	Trade/technical/vocational training Associate degree Bachelor's degree	Master's degree Professional degree Doctorate degree	
5. Do you consider yourself: Check all that apply	,		
White/Caucasian Black/African-American	Asian/Pacific Islander Native American/Alaskan Native	Other	
6. Do you consider yourself to be of Latino, or H	ispanic orgin?YesNo		
7. What is your age?			
18-24 years old 25-34 years old 35-44 years old	45-54 years old 55-64 years old	65-74 years old 75 years or older	
8. Do you own or rent your home?Rent	Own		
9. I consider myself engaged in my community.	(I.e. attend city/school meetings, neighbo	orhood association, community (events, etc.).
Strongly agreeAgree	Neither agree or disagreeDisagree	eStrongly disagree	N/A
10. How many automobiles, vans, and trucks ar	re kept at home for use by members of this _3 or more	s household?	
11. How many bicycles are kept at home for use	e by members of this household?		
None12	_3 or more		
12. If you work outside the home, how do you	get to work?		
Don't work/work at homeDriv	re aloneCarpoolPubli	c transportationBicycle	Walk
13. Thinking about your life in general these da	ys, how happy or unhappy are you on the	whole?	
Extremely happyVery h	парруНарру	Sometimes unhappy	Usually unhappy

Thank you for completing this community survey! Your input is valuable and greatly appreciated.


Site 12____

14.3.5 Example Spanish Language Survey

		000000	\	/ecindari	io de De	enve
			E1	ncuestas	de Con	exic
favor, ayúdanos a aprender acerca de la comu izadas para la investigación, y para planificar ogemos su nombre o dirección. Esta encuesta	mejorias en o	el vecindario,	pero son estricta	amente confid	lenciales. No	partic
rucciones: La encuesta debe ser completada por d devolver por correo a: Carolyn McAndrews, Caro 17-3364						e la en
Su calle						
1. ¿Cuánto tiempo hace que vive en su	ı calle?					
Años Meses						
2. En una escala del uno al diez, ¿qué	tan satisfec	ho está uste	d con la calid	ad general d	e su calle?	
Circule su respuesta						
mas baja 1234	4 5	6 7	8	9 10	Calida	d ma
Pensando en su calle, marque la caja qu	ue mejor rep	resente su g	grado de acue	rdo o en des	acuerdo	
n la siguiente afirmación:	1					
	Totalmente De acuerdo	De acuerdo	Ni de acuerdo ni desacuerdo	Desacuerdo	Totalmente Desacuerdo	١
Mi calle es buena para caminar	Deacación		TH desired ends		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Mi calle es buena para el ciclismo						
La iluminación es buena en mi calle						
Mi calle está bien mantenida por la ciudad						
Mi calle está bien cuidado por los residentes						
						_
La velocidad del tráfico es un problema en mi calle	e					
La velocidad del tráfico es un problema en mi calle La cantidad de tráfico es un problema en mi calle	2					
La cantidad de tráfico es un problema en mi calle	2					
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle	e					
La cantidad de tráfico es un problema en mi calle	2					
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle	lle, marque	la caja que De acuerdo	mejor represe Ni de acuerdo Ni desacuerdo	nte su grado	l Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen Mi calle está libre de tráfico	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen Mi calle está libre de tráfico Me siento responsible por lo que sucede en mi calle	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen Mi calle está libre de tráfico Me siento responsible por lo que sucede en mi calle Hay un sentimiento de comunidad en esta calle	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen Mi calle está libre de tráfico Me siento responsible por lo que sucede en mi calle Hay un sentimiento de comunidad en esta calle Estoy muy feliz de vivir en mi calle	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı
La cantidad de tráfico es un problema en mi calle La contaminación del tráfico es un problema en mi calle El ruido es un problema en mi calle La basura y los desechos son un problema en mi calle 4. Pensando en la vida social en su ca desacuerdo con la siguiente afirmació Veo a la gente andar en mi calle Los niños juegan en mi calle Mi calle está libre de crimen Mi calle está libre de tráfico Me siento responsible por lo que sucede en mi calle Hay un sentimiento de comunidad en esta calle	ille, marque ón:		Ni de acuerdo	ı	Totalmente er	ı

Su Vecindario

En cuanto a este mapa, ¿cuáles son los límites de la zona que usted considera que su vecindario?
 Favor de dibujar una linea mostrando los limites



2. ¿Cuánto tier	¿Cuánto tiempo ha vivido en este vecindario?										
Menos de	1 año	1 - 3 a	ños	4-6	años	7	iños o más	S			
3. En una esca	la del u	no al diez,	¿cómo	califica	ía la c	calidad ç	jeneral	de su v	ecindario	? Cir	cule su respuesta
Calidad más baja	1	2	3	4	5	6	7	8	9	10	Calidad m ás alta

- 4. En el mapa de arriba, marque <u>y etiquete sus lugares favoritos en su vecindario</u>
 Ejemplos: parques, escuelas, tiendas, restaurantes, casas de amigos, bibliotecas, iglesias, etc. No marque su hogar.
- 5. Pensando en los lugares que ha marcado en el mapa, ¿cómo llega generalmente a esos lugares?

5 99	La mayoría del tiempo	Algunas veces	Rara Vez	Nunca
Vehículos de motor (coche, camión, motocicleta, etc.				
Bicicleta				
Caminando				
Tránsito			8	

 Si usted camina o anda en bicicleta en su vecindario: Utilizando el mapa de arriba, circule las ubicaciones en las que evitar cruzar la calle.

4.	¿Cuáles son las mejores características de su vecindario?
5.	¿Cuáles son las peores características de su vecindario?
U	Iniversity Boulevard
1.	En una escala del uno al diez, ¿cómo_calificaría la calidad general de la University Blvd? Circule su respuesta
	Calidad más baja 1 2 3 4 5 6 7 8 9 10 Calidad m ás alta
2.	¿Cuál de las siguientes actividades hace en la University Boulevard en su vecindario?
Se	eleccione todas las que apliquen Restaurante/café Bares, clubs, or discos Reparaciones de auto/gasolina
	Trabajo/EscuelaServicios Religiosos De pasadaNinguno de estos Compras Actividades Comunitarias Recreacion, partidos Otros
3.	¿Que tan seguido visita lugares en la University Boulevard en su vecindario, en una semana normal?
	Nunca1-2 veces3-4 veces5 o mas veces
4.	¿Cuáles son las mejores características de la University Boulevard en su vecindario? Seleccione todas las que apliquen árboles Suficiente estacionamiento illuminación adecuada Ninguno de estos Transitable Coches van a velocidades aceptables Banquetas adecuadas Otros
5.	¿Cuáles son las peores características de la University Boulevard en su vecindario? Seleccione todas las que apliquen Falta de árboles
6.	Si vas por la University Blvd, marca y etiqueta a donde y como llegas alli. (coche, a pie, en bicicleta, etc):
	Bonnie Brae Ice Cream Wine & Liquor Mart Noodle UNIVERSITY BLVD Eugene Field Library Bank of the West Bonnie Brae Tavern 730 South Bar & Grill
7.	¿Hay algo más que te gusta o disgusta de la University Boulevard?

Información del Hogar

Esta información es sólo para fines estadísticos, y al igual que todas sus respuesta<u>s, serán confi</u>denciales.

2. ¿Cuál es su sexo?		_	
3. ¿Cuál fue su ingreso anua			*******
Menos de \$15,000 \$15,000 a \$24,999	\$45,000		\$125,000 a \$149,999 \$150,000 o mas
\$15,000 a \$24,999 \$25,000 a \$44,999		a \$124,999	\$130,000 0 Illas
. ¿Cuál es su nivel de educ	ación?		
Algo de secundaria/prepara		on técnica/capacitación voca	
Graduado de la preparatori			título profesional
Algo de colegio	Licenciat	ura	Doctorado
i. ¿Se considera usted: Mar	que todas las que cor	respondan	
Blanco / Caucásico	Asiático	/ Islas del Pacífico	Otro
Negro / Afro-Americano		mericano / Nativo de Alaska	
. ¿Se considera ser de org	in latino o hispano?	SiNo	
. ¿Cuál es su edad?			
18-24 años de edad	45-54 añ	os de edad	65-74 años de edad
25-34 años de edad	55-64 añ	os de edad	75 años o mayor
35-44 años de edad			
. gas anone e anquita en en	sa?Alquila		
). Me considero activo en n asociación de vecinos, evel	ni comunidad. (Es deci ntos comunitarios, etc	.)	
o. Me considero activo en n asociación de vecinos, evel	ni comunidad. (Es deci ntos comunitarios, etc	.)	nes de la ciudad / de la es
D. Me considero activo en na asociación de vecinos, ever Totalmente de acuerdo	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac	uerdo ni en desacuerdo	DesacuerdoTotalme
O. Me considero activo en nasociación de vecinos, ever	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac	uerdo ni en desacuerdo	DesacuerdoTotalme
D. Me considero activo en na asociación de vecinos, ever Totalmente de acuerdo	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac	uerdo ni en desacuerdo	DesacuerdoTotalme
O. Me considero activo en nasociación de vecinos, evel Totalmente de acuerdo O. ¿Cuántos automóviles y Ni uno 1	ni comunidad. (Es decintos comunitarios, etc. De acuerdoNi de accemionetas hay en c. 23 o mas	.) uerdo ni en desacuerdo asa para uso de los n	DesacuerdoTotalmo
O. Me considero activo en nasociación de vecinos, evel Totalmente de acuerdo O. ¿Cuántos automóviles y Ni uno 1	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas	.) uerdo ni en desacuerdo asa para uso de los n	DesacuerdoTotalmo
O. Me considero activo en nasociación de vecinos, ever totalmente de acuerdo O. ¿Cuántos automóviles yNi uno1 1. ¿Cuántas bicicletas hay	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas	.) uerdo ni en desacuerdo asa para uso de los n	DesacuerdoTotalmo
O. Me considero activo en nasociación de vecinos, ever la	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas	uerdo ni en desacuerdo asa para uso de los n os miembros de este	DesacuerdoTotalmo
O. Me considero activo en nasociación de vecinos, ever la	ni comunidad. (Es decintos comunitarios, etc. De acuerdoNi de ac camionetas hay en c3 o mas en casa para uso de l3 o mas e casa, ¿cómo llega al	.) uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo?	DesacuerdoTotalmo
O. Me considero activo en nasociación de vecinos, ever la cuerdo O. ¿Cuántos automóviles y la cuerdo I. ¿Cuántas bicicletas hay la cuerdo Ni uno la cuerdo O. ¿Cuántas bicicletas hay la cuerdo O. ¿Cuántos automóviles y la cuerdo O. ¿Cuántas bicicletas hay la cuerdo	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas e casa, ¿cómo llega al arConducir solo	uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo? Comparte coche	DesacuerdoTotalmeniembros de este hogar? hogar?Transporte publico
O. Me considero activo en nasociación de vecinos, ever la cuerdo O. ¿Cuántos automóviles y la cuerdo I. ¿Cuántas bicicletas hay la cuerdo Ni uno la cuerdo O. ¿Cuántas bicicletas hay la cuerdo O. ¿Cuántos automóviles y la cuerdo O. ¿Cuántas bicicletas hay la cuerdo	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas e casa, ¿cómo llega al arConducir solo	uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo? Comparte coche	DesacuerdoTotalmeniembros de este hogar? hogar?Transporte publico
O. Me considero activo en nasociación de vecinos, ever la cuerdo O. ¿Cuántos automóviles y la cuerdo I. ¿Cuántas bicicletas hay la cuerdo Ni uno la cuerdo O. ¿Cuántos automóviles y la cuerdo O. ¿Cuántos bicicletas hay la cuerdo O. ¿Cuántos	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas e casa, ¿cómo llega al arConducir solo	uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo? Comparte coche que tan feliz o infeliz	DesacuerdoTotalminiembros de este hogar? hogar?Transporte publico
O. Me considero activo en nasociación de vecinos, ever la cuerdo O. ¿Cuántos automóviles y la cuerdo I. ¿Cuántas bicicletas hay la cuerdo Ni uno la cuerdo O. ¿Cuántos automóviles y la cuerdo O. ¿Cuántos bicicletas hay la cuerdo O. ¿Cuántos	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas e casa, ¿cómo llega al arConducir solo	uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo?Comparte coche que tan feliz o infeliz	DesacuerdoTotalm niembros de este hogar? hogar?Transporte publico
9. Me considero activo en nasociación de vecinos, evel Totalmente de acuerdo 10. ¿Cuántos automóviles y Ni uno 11. ¿Cuántas bicicletas hay Ni uno 12. Si usted trabaja fuera de	ni comunidad. (Es decintos comunitarios, etc De acuerdoNi de ac camionetas hay en c 3 o mas en casa para uso de l 23 o mas e casa, ¿cómo llega al arConducir solo	uerdo ni en desacuerdo asa para uso de los n os miembros de este trabajo? Comparte coche que tan feliz o infeliz	DesacuerdoTotalmeniembros de este hogar? hogar?Transporte publico

Gracias por completar esta encuesta de su comunidad Su opinión es valiosa y muy apreciada.

14.3.6 Example of Completed Survey




survey is conducted by the University of C Instructions: The survey should be filled in by an	ny adult (ag	e 18 or older) in t	he household and i	returned to the		
turn by mail to: Carolyn McAndrews, Departm	ent of Plann	ing and Design, (Campus Box 126, P	O Box 173364,	Denver, CO, 80	0217-336
Your Street		[65]A]				
How long have you lived on your street?						
2. On a scale of one to ten, how satisfied are you	with the ove	erall quality of you	ur street? Circle you	r answer		
Lowest quality 1 2 3	4	5 (6)	7 8	9	10 Highe	st quality
This king shout your street made the how that he				lah ah		
3. Thinking about your street, mark the box that b	est represen	ts now much you	agree or alsagree w	ith the statemen	ıt:	
	Strongly agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree	N/A
My street is good for walking	X			COLUMN TO SERVICE STATE OF THE PARTY OF THE		1
My street is good for biking	1					
The lighting is good on my street		1	1	A REAL PROPERTY.		1750
My street is well maintained by the city			1/4	X		
My street is well cared for by residents	The same of	X		F. G. 1923	Was Breakly	
The speed of traffic is a problem on my street				X		
The amount of traffic is a problem on my street	BASSET.	The same		×		5110
Pollution from traffic is a problem on my street				×		
Noise is a problem on my street	305000	Walter French		×	WAS SETTLE	Bill
Trash and litter are a problem on my street				*		
				20		
. Thinking about the social life on your street, me	ark the box t	hat best represent	ts how much you ag	ree or disagree v	vith the stateme	ent:
	Strongly agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree	N/A
see people out and about on my street		×				
Kids play on my street			1			
My street is safe from crime	A CONTRACTOR OF THE PARTY OF TH	1			GREET THE	
My street is safe from traffic			*			
feel responsible for what happens on my street	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1			1000
There is a feeling of community on this street		1	- 10			
am very happy to live on my street	PROPERTY.	+				
		1				
know my neighbors have friends or relatives on this street		The second secon				

Dislike -	quality/condition	of streets	*	sidewalks

Your Neighborhood

 Looking at this map, what are the boundaries of the area that you consider to be your neighborhood? Please draw a line showing the boundary



How long have you li	ived i	n this neigh	borhood	?							
Less than 1 year	ar	X1-3	years	4	- 6 years	_	7 years o	r more			
3. On a scale of one to t	en, h	ow do you r	ate the <u>o</u>	verall qual	ity of you	neighbo	rhood? (ircle your a	nswer		
Lowest quality	1	2	3	4	5	6	7	(8)	9	10	Highest quality
4. On the map above, π Examples: parks, scho								not mark yo	ur home.		

5. Thinking about the places you marked on the map, how do you usually get to those places?

	Most of the time	Sometimes	Rarely	Never
Motor vehicle (car, truck, motorcycle, etc.)		X	10 14 17 18 11	No.
Bicycle	I I I I I I I I I I I I I I I I I I I		X	
Walk	X	ME AL DAY	CONTRACTOR SERVICE	1000
Transit				X

If you walk or bike in your neighborhood:
 Using the map above, circle the locations where you avoid crossing the street.

	4\4=1		The state of the s
What are the worst features of y			
marijuana a	ispensary		51,3751.0
The same of the sa			
	- V		
olfax Avenue	Marie Contraction	47	
	you rate the <u>overall quality</u> of	Colfax Avenue? Circle your answer	
Lowest quality 1 2	3 4 3	6 7 8 9	10 Highest quality
Which of the following activities	do you do on Colfax Avenue i	n your neighborhood? Choose all tha	nt apply
Work/school	X Restaurant/café	Bars, clubs, or disco	Auto repair, gasoline
Shopping	Religious services	Passing through	None of these
Child care	Community activity	Recreation, games	Other
How often do you visit places or	Colfax Avenue in your neighb	oorhood in a <u>typical week</u> ?	
Never X1-2 times	3-4 times5 o	or more times	
What are the best features of Co	lfax Avenue in your neighborh	ood? Choose all that apply	
Trees	Ample parking	Adequate lighting	X None of these
Walkable	Cars go at acceptable s		Other
Bikeable	The people on the stre		
Quiet/calm	Vibrant atmophere	Adequate transit	
Clean, no trash	Safe from crime	Good access to highway	
What are the worst features of Co	olfax Avenue in your neighbor	hood? Choose all that apply	
Lack of trees	Lack of parking	Inadequate lighting	None of these
Not walkable	Cars going too fast	Inadequate sidewalks	Other
Not bikeable	The people on the stree	etPoor amenities	
Noisy	Empty/no atmophere	Inadequate transit	
Trash, dirty street	Crime/ not safe	Poor access to highway	
you go to Colfax Avenue mark o	and label where you go and ho	w you get there (car, walk, bike, etc):	
	Africana		IX SAUCE DE
	The Eirn Cafe		WHEN THE PARTY OF
	ASSESSED TO SELECTION OF THE PARTY OF THE PA	Abber) / =
N N	Y AVENUE WAR	(Nugge	Mercedes-Clinic is wa
COLFA	X AVENUE		Ť N
TO SERVICE HOLD TO SERVICE HOL	Metomorrania and American	X	- LN
100 TO 10		Brown At Hand Marczyk Fine	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	3	Power At Hand Marczyk Fine	Colorado Care Facility
The Amerster	dam	Sales and Foods Service	
EUDORA			
ACCOUNT OF THE PARTY OF THE PAR		100000	
	dislike about Colfax Avenue?		

Household Information

This information is for statistical purposes only, and like all of your responses, will be $c_{\underline{onfidential}}$.

0 - 4 years old5 - 9 yea	ars old10 - 14 years old15-18 years	s old
What is your gender? MALE	L. Carrier	
What was your 2013 household annua	al income before taxes?	
Less than \$15,000	\$45,000 to \$74,999	× \$125,000 to \$149,999
\$15,000 to \$24,999	\$75,000 to \$99,999	\$150,000 or more
\$25,000 to \$44,999	\$100,000 to \$124,999	
What is your highest level of education	n?	
Some high school	Trade/technical/vocational training	Master's degree
High school graduate or GED	Associate degree	Professional degree
Some college	Bachelor's degree	Doctorate degree
Do you consider yourself: Check all tha	at apply	
White/Caucasian	Asian/Pacific Islander	Other
Black/African-American	Native American/Alaskan Native	
Do you consider yourself to be of Latin	o, or Hispanic orgin? Yes XNo	Y Y
What is your age?		
18-24 years old	45-54 years old	6E 74 waste old
	45-54 years old	65-74 years old
25-34 years old	55-64 years old	75 years or older
25-34 years old 35-44 years old		
25-34 years old 35-44 years old Oo you own or rent your home?	55-64 years old	75 years or older
25-34 years old 35-44 years old Oo you own or rent your home? consider myself engaged in my commStrongly agreeAgree		75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Oo you own or rent your home? consider myself engaged in my commStrongly agreeAgree	Rent XOwn nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Oo you own or rent your home? consider myself engaged in my commStrongly agreeAgree		75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Do you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12	Town The strength of this hour strength of	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Do you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12	Town The strength of this hour strength of	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Do you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and tru None12 How many bicycles are kept at home f	Rent Own nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou 3 or more 3 or more 3 or more	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old 20 you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12 How many bicycles are kept at home for12 If you work outside the home, how do	Rent Own nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou 3 or more for use by members of this household? 3 or more	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A
25-34 years old 35-44 years old Co you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12 How many bicycles are kept at home for a limit of the limit	Rent Own nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou 3 or more for use by members of this household? 3 or more by you get to work? Drive alone Carpool Public transport	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A usehold?
25-34 years old 35-44 years old Do you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12 How many bicycles are kept at home for a limit of the limit o	Rent Own nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou 3 or more for use by members of this household? 3 or more	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A usehold?
25-34 years old 35-44 years old Do you own or rent your home? I consider myself engaged in my comm Strongly agreeAgree How many automobiles, vans, and truNone12 How many bicycles are kept at home for a limit of the limit o	Rent Own nunity. (I.e. attend city/school meetings, neighborhoo Neither agree or disagree Disagree ucks are kept at home for use by members of this hou 3 or more for use by members of this household? 3 or more by you get to work? Drive alone Carpool Public transport	75 years or older od association, commmunity events, etc.). Strongly disagreeN/A usehold?

Thank you for completing this community survey! Your input is valuable and greatly appreciated.

Site 12

15. TEACHING MATERIALS

This following first shows the livable arterials assignment from CVEN 5633: Case Studies in Sustainable Transportation, followed by two examples of student work. It then does the same with an assignment from URPL 6650: Transportation Planning and Policy.

15.1 Assignment from CVEN 5633: Sustainable Transportation

Case Study No. 1 - Livable Arterials?

CVEN 5633: Case Studies in Sustainable Transportation Dr. Wes Marshall, University of Colorado Denver

Due Date

March 13th; please upload your report and presentation in Canvas before class.

Overview

This case study project will have you investigate and compare some major roads with commercial development— and the neighborhoods that surround them — in Denver.

So the basic intent is to first conduct a paired comparison of two arterial roads, through two methods:

- 1. Using conventional traffic engineering measures such as traffic counts and speed data; and
- 2. Via more comprehensive measures that illustrate concepts of sustainability and livability.

In terms of what I am looking for with the first task, you should initiate your work by investigating what secondary data is already available for your sites (e.g. traffic counts, speed data, crash data, etc.). Such information will help you determine what data you will need to collect yourself. While I do not want to be overly explicit about what data you need to have, here are a handful of ideas to get you started:

- Functional classification street map showing your site and the area within a quarter-mile or so (i.e. identifying what streets are local roads, collectors, arterials, or highways)
- Traffic counts (vehicles/hour), ideally taken during a peak weekday time (e.g. 4 PM to 6 PM), although you may be able to find Average Daily Traffic values (vehicles/day) or delay
- Vehicle speed data (I have several radar guns you can borrow)
- · Percent of on-street parking occupied
- Corner radii dimension at intersections

Also, please measure a typical cross-section for each of your sites, and create some representative graphics using http://streetmix.net. "Streetmix" is a fairly easy to use and intuitive tool for illustrating a street, as shown below (although taking some actual pictures would be good too).



With respect to the second task and trying to conduct a more comprehensive assessment, I again do not want to be too set about specific requirements. The intent is for you to determine what are some appropriate measures as well as how to interpret them, but here are some initial thoughts:

- · Pedestrian, bicycle, and bus counts
- Crash data (both the City and DRCOG have such data available)
- Crime data (available from the City)
- Noise level data (there are free apps available for this) which may measure, for instance, the perfect of the time the noise level is above 65 decibels

Based on your *data* whenever possible, but also your own *observations*, I want you to answer questions such as the following:

- How do these streets function and compare in terms of mobility?
- 2. How do they function and compare in terms of accessibility?
- 3. How are these sites similar and how do these sites differ in terms of sustainability?
- 4. How are these sites similar and how do these sites differ in terms of livability?
- 5. How are these sites similar and how do these sites differ in terms of street vitality?
- 6. What is the differing impact of these arterials on the residential neighborhoods around them? (e.g. do they serve as a destination; do they function as a barrier?)
- 7. How do the surrounding neighborhoods differ in terms of sustainability and livability?
- 8. What else did you learn about these sites and how to measure their impact, both conventionally and more comprehensively for broader goals?
- 9. What additional data would be good to have but wasn't feasible to collect?

Deliverables

Everybody should produce the following:

- A final report:
 - There are no minimum or maximum lengths with the report, although ideally it would be less than 10 pages of text (not including pictures, data, tables, or figures)
 - Please cite and reference all sources properly (see the syllabus for more info.)
- 2. A final presentation:
 - This presentation (no more than 15 minutes per person) coincides with the final report due date on Thursday, March 13th.

To complete this assignment, everybody will need to select one of the following pairs of Denver sites (that you can see in greater detail on this map that I created: http://bit.ly/1nvgOrt):

PAIR	SITE A	SITE B
1	University (btw. Exposition & Ohio)	Holly (btw. Ivanhoe Way & Gunnison)
2	Broadway (btw. 1 st & Bayaud)	Colorado (btw. Louisiana & Mexico)
3	23 rd (btw. Cherry & Dexter)	44 th (btw. Meade & King)
4	Broadway (btw. 8 th & 12 th)	Broadway (btw. 1st & Bayaud)
5	Colfax (btw. York & Cook)	Holly (btw. Ivanhoe Way & Gunnison)
6	Santa Fe (btw. 12 th & 7 th)	Alameda (btw. Grant & Washington)
7	Colorado (btw. Louisiana & Mexico)	Colorado (btw. 6 th & 9 th)



http://bit.ly/1nvgOrt

This case study will require background research, independent thought, field work, and creativity...


When linking your data or observations with a particular outcome (such as sustainability), be sure to explain the connection.

For instance, if you are trying to connect crash data to sustainability, you could note how crashes are a measure of human health and, in turn, an indicator of social sustainability.

Best of luck!
I'm looking forward to seeing your work...

15.1.1 Example of Student Output No. 1 for CVEN 5633





"The streets of our cities and towns are an important part of the livability of our communities. They ought to be for everyone, whether young or old, motorist or bicyclist, walker or wheelchair user, bus rider or shopkeeper. But too many of our streets are designed only for speeding cars, or worse, creeping traffic jams.

Now, in communities across the country, a movement is growing to "complete" the streets. States, cities, and towns are asking their planners and engineers to build roads that are safer, more accessible, and easier for everyone. In the process, they are creating better communities for people to live, play, work, and shop."

- National Complete Streets Coalition


Livable Arterial Study

Study Areas in Denver



This is an examination of two similar corridors in Denver. They were platted and developed at nearly the same point in history and have similar street network design. However development, engineering and transportation decisions over time have resulted in different outcomes with respect to sustainability, walkability, safety, and other factors. This study will identify the distinctions between these two corridors and how that affects place.

Official Route of Denver Tramway Corporation



Source: Daniel Smith Company. Official Route Map of Denver Tramway Company. Circa 1933.

http://digital.denverlibrary.org/cdm/ref/collection/p15330coll8/id/674

Denver's beginnings were in gold found in the sands of the South Platte River and Cherry Creek in 1858, but greater financial rewards for Denver residents were in the creation of transportation networks and supply provision for the productive mines in the nearby mountains. As the use of irrigation spread, the surrounding agricultural plains were also a financial source benefitting the city. When the city industrialized and boosters promoted the semi-arid climate, the population grew quickly. Before 1890, it held over 100,000 residents, and over 200,000 by 1910. The city's footprint grew to accommodate this growth, and by 1903 it encompassed over 60 square miles.

The areas of this study are in the Park Hill and Berkeley neighborhoods. Both integrated into Denver in the first decade of the 1900's. Primarily residential neighborhoods, they share a similar street network design, residential home styles, and are almost an equal 3 miles distant from the heart of downtown Denver. Both neighborhoods were impacted by the City Beautiful movement, although proposed designs were completed to a greater degree in the Park Hill area. City Park near Park Hill and Rocky Mountain Lake Park near Berkeley are classic examples of City Beautiful parks.

The neighborhoods were developed with similar transportation networks. 44th Ave in Berkeley and 23rd Ave in Park Hill were both streetcar routes, presumably with stops near 23rd Ave and Dexter St and 44th Ave and Lowell Blvd that supported the small commercial nodes that developed along the intersections

Denver Context & Neighborhood Similarites

The area surrounding 44th Avenue between King Street and Meade Street is one of juxtaposition. When approaching from the east along 44th Ave, well-kept bungalows beside tree-lined streets lend a pleasant and safe perception. The area has seen a resurgence over the past decade, as an urbanist lifestyle has become preferred by young families and baby boomers. Nearby Highland neighborhood is becoming increasingly expensive and this area further west is more affordable for those seeking an older home in a walkable area.

Continuing west along 44th Ave, change occurs abruptly west of the Lowell Blvd intersection. The commercial land use changes from zero setbacks with on-street parking to deep setbacks and off-street parking.

The area is home to Mount St. Vincent Children's Home, as seen in the grassy area toward the center bottom of the aerial photo. Safeway stores purchased the land at the corner of 44th Ave and Lowell Blvd, building their first store in that location in 1955. The current store at that location was built in 1983.

Aerial Photo, Study Area Outlined



Source: Google Earth

Safeway Parking Lot with a Monument Discussing a **Historic Site**



Photo credit: Lisa Ritchie

Mount St. Vincent Home



ource: http://www.msvhome.org/referrals-and-admissions/families.html

Background

Aerial Photo, Study Area Outlined

Park Hill School, 1929



Source: Hyskill, Roy. Park Hill School. 1929 http://cdm16079.contentdm.oclc.org/cdm/singleitem/collection/p15330coll23/id/10178/rec/4

W.H. Ferguson Park



Source: http://www.walkscore.com/score/4716-e-23rd-ave-denver-co-80207



23rd Avenue feels cohesive in many aspects in contrast to the 44th Avenue area. The residences and commercial architecture blend well, as they have not been modified to a great degree since the neighborhood was established. The scale of all neighborhood elements blend well, with the commercial area's structures balancing well with residences immediately adjacent. The area is served almost entirely with on-street parking, buffering the pedestrians on every corridor from traffic. The small park at the corner of 23rd and Dexter provides a place to gather for families and was observed to be well used on nice weather weekends.

Figure 1. Figure Ground of Quarter Mile Area





Figure 2. Figure Ground of Quarter Mile Area

Figure Ground

44th Avenue: King to Meade

The functional street classifications for the areas are shown on these maps, reflecting a similar grid pattern of primarily local streets with residential development. The 44th Ave arterial study area is bisected by a street with a collector classification, whereas 23rd Ave is only crossed by locals in the vicinity of the study area.

The age of construction for buildings (shown by parcel) is also reflected on these maps. This reveals these areas developed over time, with the most recent construction in a study area occuring at the Safeway site along 44th Ave.



Data.Denver.gov




Figure 4. Age of Construction & Street Classification

44th Avenue: King to Meade

Age of Construction & Streets


23rd Avenue: Cherry to Dexter

MONTVIEW

The City of Denver's Land Use map reveals differences in the scale of land uses areas along the arterials. Along 23rd Ave, commercial uses are compact. The previous page reflected older construction of these buildings. In contrast, the commercial areas along 44th Ave vary from east to west. Older, smaller, street-oriented buildings front 44th Ave east of Lowell Blvd, while deeply set back and larger buildings are west of Lowell.

Figure 5. Land Use Classifications

Commercial/Retail
Mixed-Use
Multi-family Low Rise
Office



Source: Data.Denver.gov

Figure 6. Land Use Classifications

44th Avenue: King to Meade

Land Use

23rd Avenue: Cherry to Dexter

Often the case in Denver and other cities, current transit lines mirror historic streetcar routes. This is accurate for both 23rd and 44th Avenues. Both are served by Local bus routes. Route 20 serves 23rd Ave and route 44 serves 44th Ave. Each route has average hourly boardings of around 24.5* and include stops in downtown Denver.

*For 2012, 24.4 boardings per hour for Route 44 and 24.8 boardings per hour for Route 20.

INTERSTATE 70





Source: Data.Denver.gov & rtd-denver.com

Figure 10. Bus Routes & Bus Stops

43RD

44th Avenue: King to Meade

Transit

Street Sections

23rd Avenue: Cherry to Dexter

Source: Streetmix.net

Figure 11. Street Section




Figure 12. Street Section



4' 12' 16' 16' 8' 5' 61 feet. Total Width

Figure 13. Street Section

Due to their simultaneous historical development timing, each arterial has areas that are very similar. 23rd Ave along the entire study area and 44th Ave east of Lowell Blvd are nearly identical. As previous discussion examined the differences along 44th Ave west of Lowell Blvd, another is revealed on the street section illustrations. Travel lane width, a lack of on-street parking, and off-street parking immediately adjacent to the sidewalk result in a dramatically different street section.

44th Avenue: King to Meade

Street Sections

Figure 14. Traffic Counts




Figure 15. Traffic Counts

Traffic Counts

44th Avenue: King to Meade

Traffic accident rates are substantially different when comparing the two arterials and their quarter mile radius study areas. The City of Denver recorded 38 accidents in the 44th Ave study area between 2008 and 2013. During the same time period, the 23rd Ave area recorded only 19 accidents.

SOUTH

INTERSTATE 70

Figure 16. Accidents by Location



Figure 17. Accidents by Location

43RD 42ND

44th Avenue: King to Meade

Accidents

Source: Data.Denver.gov

23rd Avenue: Cherry to Dexter

These maps show the extent to which the neighborhoods are affected by crime. The 44th Ave area suffered 320 crimes from 2009 through early 2014. During the same time frame, the 23rd Ave area suffered 222 crimes. Additionally, the 44th Ave area experienced greater rates of violent crime, including a vehicular homicide directly in the study area at 44th Ave and Lowell Blvd. Admittedly, there is more to crime rates than street design, however the higher crime rates are sure to impact the area.

INTERSTATE 70



Figure 19. Crime Types by Location

43RD

42ND

Data.Denver.gov

44th Avenue: King to Meade

Crime

Source:

44th Avenue: King to Meade

Photo Study




Photo Study

23rd Avenue: Cherry to Dexter











3.





Photos: Lisa Ritchie

- 1. Bungalows facing Dexter St 2.W. H. Ferguson Park, 23rd and Dexter 3. Commercial storefronts, 23rd Ave 4. Residences facing Cherry St 5. 44th and Lowell intersection, with cyclist 6. Commercial storefronts, 23rd Ave 7. Multi-Modal corridor, 23rd Ave 8. Commercial storefronts, 23rd Ave 9. Commercial storefronts, 23rd Ave

Comparisons Other Observations



Corner Radii	
44th Ave	12 ft typ
23rd Ave	6 ft typ

Study Distances	
23rd Ave, Cherry to Dexter	694 ft (both sides)
Sidewalks	79% - 546 ft
Alleys/Intersections/Drives	21% - 148 ft
44th Ave, King to Meade	1,370 ft (both sides)
Sidewalks	82% - 1,118 ft
Alleys/Intersections/Drives	18% - 251 ft

Impressions of these places are very different, despite their many similarities. Clearly, auto travel is prioritized to a great degree in both areas, as evidenced by arterial street status and design. However, the pedestrian experience is pleasant throughout the 23rd Avenue study area. The pedestrian experience within the 44th Avenue area varies, with areas east of Lowell feeling much like 23rd Ave with areas cleary fostering pedestrian comfort. In contrast, on 44th Avenue west of Lowell Blvd, the pedestrian space is sandwiched between the arterial street and parking lots, both oriented to auto use.

On multiple visits, particularly on weekends, the areas were observed to be well traveled by those on foot, and somewhat by bicycle. The commerical node at 23rd Ave is smaller in scale, and feels very neighborhood oriented, with many walking to the coffee shop, restaurant and market. In contrast, 44th Ave had both smaller scale commercial as well as a large concept grocer, with abundant off-street parking that most patrons traveled to via auto. There are a few smaller restaurants and shops that residents in the surrounding neighborhoods easily access on foot. Overall, in spite of their differences, both areas were generally pleasant places to be.

Sustainability

23rd Avenue: Cherry to Dexter

23rd Avenue: Positives

Walkable - encourages non-motorized transport

Tree Cover - provides air quality, climate, and comfort benefits

Multi-Modal Access - allows transportation in addition to the auto

Relatively Dense Single Family Land Use - when compared to suburbs

Original Architecture - using existing buildings is generally more sustainable that tearing down and constructing new

Gathering Places - encourages relationships and community by allowing mingling of residents where conversations and connections can occur.

Neighborhood Oriented Commercial - fosters a sense of place for those who reside there.

44th Avenue: Positives

Areas that are Walkable - encourages non-motorized transport

Tree Cover - provides air quality, climate, and comfort benefits

Multi-Modal Access - allows transportation in addition to the auto

Relatively Dense Single Family Land Use - when compared to suburbs

Gathering Places - encourages relationships and community by allowing mingling of residents where conversations and connections can occur.

Neighborhood Oriented Commercial - fosters a sense of place for those who reside there.


23rd Avenue: Areas for Improvement

High Traffic Speeds - safety concerns and acts as a barrier

Quality of Built Environment - infrastructure and amenities are falling into disrepair, could create safety hazards and economic decline

Lack of Energy Efficient Structures - while older buildings can be more sustainable, energy efficiency efforts should be made

Lack of Permeable Surfaces - the streetscape should incorporate materials other than concrete as a primary material



Source: http://developing-sustainable-entrepreneurship.com/index.php/define-sustainable-development/

44th Avenue: Areas for Improvement

High Traffic Speeds - safety concerns and acts as a barrier

Overabundance in Off-Street Parking - parking lots are underutilized, with stormwater quality effects, areas not safe or pleasant for walking, and create missed economic opportunities.

High Rates of Crime - safety and perceptions of safety affect residents' stress levels and degree to which they will walk and interact with their neighbors.

High Accident Rates - the higher rates of accidents create public health and safety concerns.

44th Avenue: King to Meade

Sustainability

Sources

National Complete Streets Coalition. *Fundamentals*. NP, ND. Retreived March 2, 2014 at http://www.smartgrowthamerica.org/complete-streets/complete-streets-fundamentals

Smiley, Jerome C. The History of Denver. Denver, Colorado. The Denver Times Press. 1901. http://digital.denverlibrary.org/u²/p15330coll2

Tumlin, Jeffrey. Sustainable Transportation Planning, Tools for Creating Vibrant, Healthy and Resilient Communities. Wiley & Sons, Hobeken, NJ. 2012. Print.

Wilson, William H. The City Beautiful Movement. Baltimore, Maryland. Johns Hopkins University Press. 1989. Print

15.1.2 Example of Student Output No. 2 from CVEN 5633

Case Study No. 1 – Livable Arterials? Colfax Between York & Cook vs. S. Holly Between Ivanhoe & Gunnison








Introduction to Arterials, Methodology & Data Collection

This study examines and compares segments of two arterials in Denver, Colorado—Colfax between York & Cook and Holly between Ivanhoe & Gunnison. Primary and secondary data collection methods were used to examine characteristics including the degree of mobility, accessibility, sustainability, livability and vitality for each arterial. The Complete Streets movement and its criteria as articulated by the National Complete Streets Coalition were loosely used as a framework for evaluating the aforementioned characteristics of each street.

By using the ruler tool in Google Earth, it was established that the segment of Colfax studied is 0.67 miles in length (as shown in Figure 1), and the segment of Holly studied is 0.21 miles in length (as shown in Figure 2). Determining the length of the study segments for each arterial was particularly helpful in normalizing data so that the two data sets could be compared in an apples-to-apples manner on a per mile basis whenever appropriate.



Source: Google Earth¹



Source: Google Earth²

Site visits revealed the most representative cross section of each arterial, as well their street level characteristics. For each representative cross section, Google Earth's ruler tool was also used to determine the widths of various right of way components for each cross section, including street, travel lane, on street parking lane and sidewalk widths. Streetmix was used to graphically represent the typical components of a typical cross section for each street.

Before any primary data was collected, research revealed many secondary data sets from the City of Denver Open Data Catalogue and DR COG Regional Data Catalogue that proved helpful for map creation and data isolation in GIS, as well as data extraction for further analysis in excel. These secondary data sets were used to create maps and/or analyze data in excel for Functional Street Classification, Speed Limits, Land Uses, Surrounding 2010 Census Block Populations, Tree Canopy, Bike

^{1 &}quot;Colfax"

^{2 &}quot;Holly"

Facilities (including routes, bike racks and B-cycle stations), Crashes in 2006, Crimes from 2009 to present, RTD Bus Stops, and Average Daily Traffic Volumes.

Primary data was collected from each arterial for traffic signal intervals, noise levels (measured for 10 minutes using the iPhone DecibelMeter app), speeds for 50 vehicles (using a radar gun on a non-peak Sunday afternoon with little congestion), one-hour pedestrian and bike counts (as observed from each arterial segment's most active retail development on a warm Sunday afternoon), number of curb cuts, and sidewalk amenities. Table 1 shows the dates, times and weather for each of the site visits.

Table 1: Arterial Data Collection Times, Dates and Weather

9.	Colfax 1	Holly 1	Colfax 2	Holly 2
Date	21-Feb	28-Feb	9-Mar	9-Mar
Time	11am-2pm	11am-2pm	3:15pm-4:45pm	1:30pm-3pm
Weather	Sunny; Low 40s	Sunny; Mid 40s	Sunny; Low 70s	Sunny; Low 70s

Degree of Mobility, Accessibility, Sustainability, Livability and Vitality as Measured by Complete Streets Criteria


Incomplete streets are almost solely designed to benefit the automobile and allow for its easy movement; they often completely lack accommodations for pedestrians, cyclists and transit riders³. A 'complete' street is designed for safe, comfortable, and convenient movement both along and across the right-of-way by people of all ages and abilities, using multiple modes"⁴. Complete Streets can provide many benefits to all road users and the surrounding community, including high mobility and accessibility (at least when all modes are considered); sustainability; livability; and vitality. Below, the degree to which the Colfax and Holly arterial segments represent these desired elements are examined through the lens of complete street characteristics that "focus on accommodating the full range of mobility options and consider the entire right of way"⁵.

Are the Arterials Providing High Access and Mobility for All Transportation Modes and Users?

Typically, the access and mobility transportation measures are auto-centric, gaging the degree to which vehicles are easily able to access properties at each end of their trip and whether they are easily and quickly able to move through the route without significant delays⁶. Figures 3 and 4 indicate that Colfax and Holly are functionally classified as arterials, meaning that they should be providing automobiles "the highest level of service at the greatest speed for the longest uninterrupted distance [referring to mobility], with some degree of access control [referring to access]"⁷.

Figure 3

Colfax Between York and Cook Functional Street Classification



³ Trumlin, 46

⁴ Trumlin, 46

⁵ Trumlin, 46

^{6 &}quot;Flexibility in Highway Design"

^{7 &}quot;Flexibility in Highway Design"

^{8 &}quot;Functional Street Classification"

Figure 4

Holly Between Ivanhoe & Gunnison Functional Street Classification




Source: City and County of Denver

Remaining auto-centric for a moment, there are several data sets that help to determine whether Colfax and Holly are high-performing arterials according to the definition. To determine whether Colfax and Holly are highly mobile for automobiles, or whether they are providing for the "greatest speed for the longest uninterrupted distance," the speed limit, number of traffic signals, and average daily traffic volumes data sets were examined.

Figures 5 and 6 show the respective speed limits, indicating that Colfax's speed limit allows vehicles to move 5 miles per hour faster than Holly (30 miles per hour for Colfax vs. 25 miles per hour for Holly). Therefore, Colfax provides a higher degree of mobility for automobiles.

Figure 5


Colfax Between York and Cook Speed Limits



^{9 &}quot;Speed Limit"

Figure 6

Holly Between Ivanhoe & Gunnison Speed Limits



Source: City and County of Denver

Table 2 helped to determine which arterial provides the "longest uninterrupted distance;" when compared per mile, Colfax had 47% more traffic signals, or opportunities for traffic to be interrupted, thereby decreasing mobility. Figures 7 and 8 show the placement of the signals.

Table 2: Traffic Signals

	Colfax	Holly	% Difference
Number of Traffic Signals	6		1 83%
Number of Traffic Signals Per Mile	9		5 47%

Source: City of Denver¹⁰

10 "Traffic Signals"

Figure 7

Colfax Between York and Cook Traffic Signal




Figure 8

Holly Between Ivanhoe & Gunnison Traffic Signals



Source: City and County of Denver

"Level of Service" refers in part to traffic volumes, implying that arterials providing high levels of mobility move high volumes of traffic through with few delays due to congestion. Table 3 indicates that on average, Colfax moves twice as much traffic through when compared to Holly on a daily basis, potentially indicating a higher degree of mobility for Colfax. It was not feasible to collect data that would have represented traffic delays associated with congestion, but that information could also have been helpful in determining which arterial provides greater mobility for automobiles.

Table 3: Average Daily Traffic Volumes

Traffic Volume	Date
28,526	10/18/11
32,115	4/15/10
30,321	
15,119	9/21/11
	28,526 32,115 30,321

*0.75 Miles S of Study Area

Source: DRCOG11

"Some degree of access control" suggests that access would typically be fairly limited for arterials. To examine the level of access to properties for automobiles beginning and ending trips, number of curb cuts were examined. Table 4 indicates that on a per mile basis, Colfax has 84% fewer than Holly, suggesting that Colfax provides a lower degree of access for automobiles, which is fairly typical of an arterial.

Table 4: Arterial Curb Cuts

	Colfax	Holly	% Difference
Number of Curb Cuts	26	15	42%
Number of Curb Cuts Per Mile	39	71	-84%

Source: City and County of Denver¹²

An examination of parking options adds an interesting element to the mix, however, as frequent onstreet parking opportunities provide greater access to properties along the street, especially to those that do not have dedicated parking lots. Colfax provided a lot of on-street parking, while Holly provided none (save for a few spots intended for an apartment unit just southeast of the intersection of Holly and Florida), potentially indicating a higher degree of access for Colfax.

Table 5

Summary: Colfax vs. Holly on Which is Most "Arterial-Like" (High Mobility, Low Access)		
	Colfax	Holly

^{11 &}quot;Average Daily Traffic Volumes"

^{12 &}quot;Traffic Signals"

High speed limit (high mobility)	/	
Few traffic signals (high mobility)		1
High traffic volumes (high mobility)	/	
Few curb cuts (low access)	/	
Few on-street parking opportunities (low access)		1
Totals	3	2

A quick tally of the high mobility, low access elements that are most typical of arterials reveals that Colfax is the most arterial-like, but a more comprehensive approach is needed to examine access and mobility in the eyes of the Complete Streets criteria.

More "complete" definitions of mobility and accessibility are not auto-centric; mobility is "physical movement... provided by [driving], walking, cycling, public transit, [etc.]"¹³. Accessibility is "the ability to reach desired goods, services, activities and destinations," and should be inclusive of all transportation modes as well as all user ages and abilities¹⁴. Access also accounts for "the generalized costs (time, money, discomfort and risk) needed to reach activities"¹⁵. The answer to the original question—"Are the Arterials Providing High Access and Mobility for All Transportation Modes and Users?"—is better answered using other Complete Streets criteria throughout the remainder of this case study.

Are the Arterials Providing Transportation Options (i.e. Multiple Modes)?

Complete streets are designed for multiple modes and include dedicated amenities for cars, pedestrians, bikes, and public transit. Streets that offer non-vehicle and non-motorized options contribute the following benefits: encouraging healthy living by inspiring higher activity levels through walking and biking; reducing carbon dioxide emissions by incorporating low-to-no emission modes; offering greater access for those with age and ability limitations; and lowering transportation costs for families by offering the opportunity to replace car trips with more inexpensive options¹⁶.

Representative cross sections, photos, and RTD Bus Stops and Bike Facilities data helped to determine which modes are being served by each arterial. Figures 9 and 10 show the photo and graphical representation of a typical Colfax cross-section at its intersection with Adams. The right of way includes two drive lanes in each direction, parking lanes on both sides (that, in addition to providing parking for cars creates a barrier from street traffic for pedestrians, especially because spots are typically occupied at a rate of 80% or higher), as well as pleasantly street-scaped, wide 16' sidewalks for pedestrians that incorporate street trees, benches, streetlights, and wastebaskets. Bike amenities such as bike racks are present, indicating some level of accommodation for that mode. No dedicated bus lane exists, but bus stops are present, indicating the accommodation of a public transit mode.




^{13 &}quot;Accessibility and Mobility Differences"

^{14 &}quot;Accessibility and Mobility Differences"

^{15 &}quot;Accessibility and Mobility Differences"

^{16 &}quot;Fact Sheets"



Figures 11 and 12 show the photo and graphical representation of a typical Holly cross-section at its intersection with Florida. The right of way includes one drive lane in each direction. The sidewalks for pedestrians are of varying lengths and are barren except for streetlights, which does not provide for a pleasant walking environment. No bike amenities exist and no dedicated bus lanes or bus stops are present, indicating a lack of accommodation for those modes.



S. Holly

S. Holly

S. Holly

S. Holly

Solution


Soluti

^{17 &}quot;Cross-Section

Source: Streetmix

The RTD Bus Stops maps (Figures 13 and 14) for each arterial confirm their commitment or lack thereof to incorporating a public transit mode. The segment of Colfax studied has 8 stops, which translates to 12 stops per mile, while Holly does not have any stops and its closest stops are over a half mile away.


Figure 13



Source: DRCOG18

Figure 14

Holly Between Ivanhoe & Gunnison RTD Bus Stops



Source: DRCOG

The Bike Facilities maps (Figures 15 and 16) for each arterial further confirm their commitment or lack thereof to incorporating bikes as a transit mode. While the segment of Colfax studied is not included in the City's bike routes, it intersects with one bike route at Adams and has another route accessible less than a block away near the intersection of Elizabeth. It also has many bike racks and two B-Cycle Stations, indicating a moderate level of commitment to bicycles. Holly is not included in the City's bike routes either, but Florida is included and intersects with Holly. No bike racks or B-Cycle stations are present, indicating a very low level of commitment to bikes.

^{18 &}quot;RTD Bus Stops"

Figure 15

Colfax Between York and Cook Bike Facilities



Source: City and County of Denver¹⁹

19 "Bike Facilities

Figure 16

Holly Between Ivanhoe & Gunnison Bike Facilities



Table 6

Summary: Colfax vs. Holly on Providing Transit Options (i.e. Multiple Modes)			
	Colfax	Holly	
Car travel lanes	✓ /	1	
Car on-street parking lanes	✓ /		
Wide sidewalks for pedestrians	✓	1	
Streetscaped sidewalks for pedestrians	✓		
Bike lane	,		
Access to bike routes		/	

Bike racks	✓	
B-Cycle stations	✓	
Dedicated bus lane		
Bus stops	✓	
Totals	8 out of 10	3 out of 10

Are the Arterials Accessible to More Vulnerable Populations Including Elderly, Disabled, and Youth?

Complete Streets are accessible to everyone, regardless of age or ability²⁰. The elderly, disabled and youth segments of the population are particularly vulnerable when streets are not designed to meet their needs. All three segments can face physical and cognitive challenges that can threaten their ability to be mobile and independent, isolating them from their communities if they are unable to drive due to age or ability limitations²¹.

Complete Streets are easily navigable for all users and easy to travel by foot, bike and public transit. Both arterials were examined to determine whether they met the following Complete Streets criteria: crossings should be frequent, crossing signals should be timed to account for slower walking speeds, sidewalks should have curb ramps installed, sidewalk pavement should be in good condition, mid-block medians or sidewalk bulb outs should be provided to shorten crossing distances, and places to sit should be readily available, especially near transit stops²².

As Table 2 and Figures 7 and 8 indicated earlier, Colfax has nearly twice as many crossings per mile than Holly (9 versus 5), indicating that Colfax is far more pedestrian friendly in that sense. That being said, there is one four block stretch on Colfax that does not have a pedestrian crossing, which should be remedied at some point, especially since there are many lively retail amenities along that stretch that pedestrians should have access to without having to walk long distances on one side of the street in order to find a crossing to the other side and then essentially double back.

Crossing signal intervals were examined at one major intersection for each arterial; measurements were taken for both crossing the arterial as well as the intersecting street. While Figure

17 suggests that when compared to their intersecting streets, Total Walk Intervals are much shorter for the arterials, accounting for about 25% of the total light cycle for both Colfax and Holly, all intersection walk signal intervals allot ample time for slower walking speeds. A study of 7,123 pedestrians revealed that pedestrians over 65 move at an average rate of 4.11 feet per second, while those younger than 65 move at an average rate of 4.95 feet per second²³. Thus, timing signals so that pedestrians walking at an average pace of 4 feet per second can complete their crossing before the walk signal ends, even if they begin crossing as the DON'T WALK signal begins to flash should be sufficient to account for the slower speeds of more vulnerable populations. Using this criterion, as Table 7 shows, all the intersections allow enough time for a 4 feet per second walking rate.




Table 7: Arterial Walk Signal Interval Sufficiency for Slower Pedestrians

	Crossing Colfax	Crossing York	Crossing Holly	Crossing Florida
Flashing Signal to Red Stop Signal				
(Seconds)	14	12	15	10
Street Width to Cross (Feet)	50	34	30	30
Distance Traveled at Rate of				
4'/Second of Flash to Stop				
Interval (Feet)	56	48	60	40
Time Sufficient?	Yes	Yes	Yes	Yes

^{23 &}quot;Study Compares"

^{20 &}quot;Fact Sheets"

^{21 &}quot;Fact Sheets"

^{22 &}quot;Fact Sheets"

No non-visual signal cues are provided at any of the intersections along any of the arterials, which makes crossing difficult for blind pedestrians.

Curb ramps were observed at the intersections on both Colfax and Holly. Additionally, sidewalk conditions are good along both arterials. It's worth noting, however, that just north of the retail center and school near Holly & Florida, the sidewalk width decreases to about 3.5 feet in front of the single family residential homes making up the surrounding neighborhood, which would be hard for a wheelchair to navigate.

Neither mid-block medians nor sidewalk bulb outs were observed at either site, meaning that all pedestrians must cross the full expanse of the arterials' intersections in one walk interval without any special amenities to assist them.

As Figure 18 shows, ample seating is frequently available along Colfax's sidewalks and at transit stops (shelter is also available at transit stops); no seating amenities are available on Holly.





Table 8

Summary: Colfax vs. Holly on Being Accessibl Elderly, Disabled and Youth	e to More Vulnerable Populatior	s Including
	Colfax	Holly

Totals	5 out of 7	3 out of 7
Readily available seating	/	
Presence of mid-block medians or sidewalk bulb outs		
Sidewalk pavement in good condition	1	/
Sidewalk curb ramps installed	1	1
Pedestrian signals provide non-visual cues, too		
Walk signal interval accommodates slower walking speeds	1	1
Frequent street crossings	/	

Are the Arterials Improving Safety?

Pedestrians and bicyclists are particularly vulnerable to injury and death on arterial roadways, which are typically designed to be wide and fast. Complete Streets help reduce crashes for all road users²⁴. One of the major ways that Complete Street roadway design and engineering approaches does this is by calming traffic and reducing speeds²⁵. This has the impact of decreasing injuries and fatalities when collisions do occur.

As Table 9 and Figures 19 and 20 show, the study segment of Colfax had 86% more crashes in 2006 and 56% more crashes per mile in 2006 than Holly. Additionally, Colfax had 3 collisions with pedestrians and one fatality, while Holly had none. Holly did, however, have a bike crash. Colfax also had 80% more crash injuries than Holly did. Most of these figures indicate that, at least in terms of numbers of crashes, Colfax is less safe than Holly. One interesting figure to note, however, is that when speed data was analyzed for any vehicle that was in motion during the crash, only 1% of Colfax crashes involved vehicles that were going over the speed limit, versus Holly wherein 33% of vehicles involved were going over the speed limit. This figure indicates that Colfax is doing a better job of limiting vehicle speeds to the posted speed limits.

^{24 &}quot;Fact Sheets"

^{25 &}quot;Fact Sheets"

Table 9: Arterial 2006 Crashes (DRCOG)

	Colfax	Holly	% Difference
Number of Crashes in 2006	110	15	86%
Number of Crashes Per Mile in 2006	164	71	56%
Number of Collisions with Pedestrians	3	0	100%
Number of Collisions with Bikes	0	1	#DIV/o!
Number Killed	1	0	100%
Number Injured	10	2	80%
Percentage of Moving Vehicle's Speed Over Speed Limit	1%	33%	-32%

Source: DRCOG²⁶

Figure 19





Source: DRCOG

²⁶ "Traffic Accidents

Figure 20
Holly Between Ivanhoe & Gunnison Traffic Accidents (DR COG 2006)



Source: DRCOG

This assumption was further backed by measuring and analyzing the speeds of 50 cars on each arterial. As Table 10 and Figure 21 show, the average speed of Colfax's measured vehicles was 12 percent less than the posted speed limit, while Holly's was 17 percent more. As for Colfax's most common measured speed, or mode, it was 20% less than the posted speed limit, while Holly's was 22% more.

Table 10: Arterial Speed Limits vs. Speed Measures for 50 Car

	MPH Difference from Speed Limit	% Difference from Speed Limit	
Colfax Average Speed	-3	-12%	
Colfax Mode Speed	-5	-20%	
Holly Average Speed	5	17%	
Holly Mode Speed	7	22%	

Figure 21 Arterial Speed Limits v. Speed Measures for 50 Cars 45 40 ■ Speed Limit 35 Average 30 25 Mode 20 Median 15 10 Minimum Maximum Colfax Holly

Table 11

Summary: Colfax vs. Holly on Being Safer			
	Colfax	Holly	
Low frequency of crashes per year		1	
Low frequency of crashes per mile		1	
Higher frequency of lower speeds	✓		
Totals	1 out of 3	2 out of	

Are the Arterials Fostering Strong, Social and Livable Communities?

Low density, sprawling communities and incomplete streets force Americans into their cars, eroding the social cohesion and livability of communities. Safe and pleasant pedestrian environments linking home, work, school, and retail services in buildings that front the street encourage a lively and social public realm that facilitate friendly and strong communities. Streets that cater to a variety of transportation options allow everyone, regardless of age, income, or ability level to get out and stay connected with their communities.²⁷.

When the 2010 population density of the Census Blocks within 2 blocks of all boundaries of the study segment of each arterial is compared on a per mile basis as (as show in Table 12), it is revealed that Colfax is over 60% more dense. This means that there are far more residents to service within a short distance of the commercial retail nodes along Colfax, which can lead to a particularly lively street setting.

Table 12: 2010 Population of Census Blocks Within 2 Blocks of All Boundaries


	Colfax	Holly	% Difference
Population	6,363	768	729%
Population Per Mile	9,479	3,657	61%

Source: City and County of Denver²⁸

Figures 22 and 23 show the most active retail centers along each arterial; non-motorized counts for pedestrians, bikes and dogs were taken for one hour from a central spot near each retail center on the warm Sunday afternoon of March 9, 2014 to capture data at a peak time for non-vehicular road users. The Colfax retail center fronts the street and is a good pedestrian scale of one story. All of its buildings are in good condition, have high transparency, and many have sidewalk café space. As discussed earlier, the sidewalks are wide, well streetscaped, provide some amenities for bicyclist and are protected from most street traffic due to the lane of on-street parking. The Holly retail center, on the other hand, is set back a great distance from the street in order to accommodate an expansive parking lot. As discussed earlier, the sidewalks are wide near the retail center, but there are very few pedestrian or bike amenities provided and there is no protection from street traffic due to the lack of an on-street parking lane.

^{27 &}quot;Fact Sheets"

^{28 &}quot;Population"





Figures 24 and 25 visually capture the difference in the vitality and social nature of each commercial center along each arterial.



Figure 25: Sidewalk at Retail Center on West Side of Colfax and Adams



The resulting pedestrian, bike and dog counts were drastically different as Table 13 and 14 show. On the same beautiful afternoon, Colfax attracted nearly 200 pedestrians as well as some bikes and dogs walking with their owners. Holly drew less than fifteen and only a couple of bikes and dogs walking with their owners. On a per mile basis, Colfax had nearly 80% more pedestrians and 50% more bikes. There were over 200% fewer dogs per mile, but this is likely due to the fact that the street is so social in nature, requiring dog owners to leave their pets at home while they go to restaurants and shops. The Holly segment likely attracts some pedestrians that are only on foot for the purpose of walking the dog.

Table 13: Arterial Non-Motorized Counts on a Warm Sunday Afternoon

	Colfax	Holly
Pedestrian Counts	193	14
Bike Counts	19	3
Dog Counts	14	2

Table 14: Arterial Non-Motorized User Counts Per Mile on a Warm Sunday Afternoon

	Colfax	Holly	% Difference
Pedestrians Per Mile	288	67	77%
Bikes Per Mile	28	14	50%
Dogs Per Mile	21	67	-219%


Higher population densities and more road users of every type are generally positive characteristics, but there are some negative consequences as well; as Table 15 and Figures 26 through 28 show, higher crime rates can result. Over a 5.25 year period, Colfax experienced 93% more crimes and 79% more crimes per mile. Ideally, more eyes on the streets at all hours of the day provide greater safety for users and help to curb crime, but there are also more users to generate crime.

Table 15: Arterial Crimes 2009-2014

	Colfax	Holly	% Difference
Total Crimes	1,172	78	93%
Crimes Per Year	223	15	93%
Crimes Per Mile	1,749	371	79%


Source: City of Denver²⁹

^{29 &}quot;Crime"



Source: City and County of Denver

Figure 27 Colfax Between York and Cook Crime



Source: City and County of Denver

Figure 28 Holly Between Ivanhoe & Gunnison Crime




Source: City and County of Denver

Another indicator of livability is noise level. Ten minute decibel meter measures were taken along each arterial and the resulting data was analyzed to figure out the percentage of time that the average decibel readings were over certain levels. A street's noise level at 65 decibels would allow pedestrians and sidewalk-café patrons to enjoy conversation at a normal level; as Table 16 and Figure 29 reveal, both Colfax and Holly had noise levels above 65 decibels 100% of the time³⁰. Freeway traffic is around 70 decibels; Colfax and Holly had noise levels above 70 decibels 90% of the time, indicating that some level of interference with a pleasant pedestrian experience is inevitable on both arterials31. Heavy traffic noises are at 85 decibels; results showed Colfax's noise levels above 85 decibels 40% of the time and Holly's 20% of the time 32 . Both streets experience heavy traffic noise, which interferes with the sociability and livability for non-vehicular users of these arterials.

Table 16: Arterial Ten-Minute Decibel Meter Measures

	Colfax	Holly
% of Time Average Over 65 db	99%	100%
% of Time Average Over 70 db	95%	91%
% of Time Average Over 85 db	40%	20%

Figure 29



Source: City of Denver³³

Table 17

Summary: Colfax vs. Holly on Fostering Strong and Livabl	e Communities	
	Colfax	Holly
High population density	/	
Retail centers fronting the street	/	
Social and lively public realm	1	
High non-motorized user counts	1	
Low crime rate		1
Low noise levels supporting a pleasant pedestrian		

³³ Dominic Watson

^{30 &}quot;Noise Induced Hearing Loss"

^{31 &}quot;Common Environmental Noise Levels Fact Sheet"

^{32 &}quot;Noise Induced Hearing Loss"

experience		
Totals	4 out of 6	1 out of 6


Are the Arterials Economically Vital?

Complete Streets that make it easier for residents and visitors to take transit, walk or bike often do well economically. This is because Complete Streets are often destinations that offer a wide variety of products, services and entertainment options for street users that are often best experienced and accessed on foot or by bike. In fact, many businesses see sales increase when infrastructure for walking, biking and transit is improved and those activities increase. Additionally, switching from driving private vehicles to cheaper or even free modes of transit collectively saves residents a lot of money, which allows for that money to be spent in other ways such as on housing, nearby restaurants and entertainment and keeps that money circulating in the local economy³⁴. Complete Streets also stimulate private investment³⁵.

As discussed earlier, there are many users to serve on the Colfax arterial. Figure 30 indicates that there are many types of uses to serve those users, with a high concentration of active ground floor restaurant, retail, and mixed uses fronting the street. Many destinations are along this stretch of Colfax, including the Bluebird Theater and Tattered Cover/Sie Film Center. It is worth noting that few auto services front the street, which shows that Colfax is committed to serving other non-motorized users; as Table 18 shows, there is only one gas station within the study segment. Even the new 7-Eleven, which typically offers gasoline, fronts the street and does not offer gas services (see Figure 32). On Holly, as Figure 31 shows, there are some retail uses (which can hardly be classified as attractive destinations), but as discussed before, they are set back from the street and are best accessed by car. There are two gas stations cattycorner from one another on Holly, which means that there are ten times as many gas stations per mile on that arterial (as indicated by Table 18). Clearly, Holly is most committed to supporting auto users.

34 "Fact Sheet"

Figure 30



Source: City of Denver36

Table 18: Arterial Auto Services

	Colfax	Holly	
Number of Gas Stations		1 2	
Gas Stations Per Mile		1 10	į

^{35 &}quot;Fact Sheet"

^{36 &}quot;Land Use"

Figure 31
Holly Between Ivanhoe & Gunnison Parcel Land Uses



Source: City of Denver

Another indication of economic vitality is the presence of new private investment. Colfax has several Business Improvement Districts, including the Bluebird BID that falls within the study area. BIDs are quasi-governmental entities funded by a portion of property taxes on businesses within the BID boundaries, and businesses have to vote to form the district; revenues are then used to improve and maintain the public realm, creating an even better pedestrian experience³⁷. The presence of this district directly indicates private investment. Additionally, Colfax has many new and refurbished developments, two of which are shown in Figure 32 (including the aforementioned 7-Eleven). Holly does not have a Business Improvement District or new development, aside from a new 7-Eleven gas station set back from the street (as shown in Figure 33).

Figure 32: New Developments Along Colfax

^{37 &}quot;Bluebird Beat"; http://colfaxave.com/home/about-us



An analysis of real estate values near the arterials would also have been helpful in demonstrating the economic vitality, or lack thereof, of each arterial, as Complete Streets often raise property values due to the walkability of amenities, but this analysis was not feasible for this study³⁸.

Table 19

Summary: Colfax vs. Holly on Being Economically Vital		
	Colfax	Holly
Wide variety of active ground floor restaurant, retail, and		
mixed uses fronting the street	1	
Presence of Business Improvement District	/	
New Development	1	1

^{38 &}quot;Fact Sheets"

Totals	3 out of 3	1 out of 3

Are the Arterials Attempting to be Environmentally Sustainable?

The transportation sector is the fastest growing carbon dioxide source in the U.S., and driving must be curbed in order to prevent carbon emission levels from transportation from rising 41 percent above today's levels in just 15 years³⁹. Modal shifts from driving to walking, bicycling and transit is a key mitigation strategy, as walking and bicycling are zero-emission transportation modes and transit is a lower-emission mode⁴⁰.


As previously discussed, Colfax does a much better job of acting as a Complete Street in making it possible for users to drive less and use other modes of transportation. Another way that Complete Streets can contribute to mitigating climate change is through the inclusion of numerous street trees that both serve as attractive pedestrian amenities as well as help to reduce the heat island effect and offset carbon dioxide emissions⁴¹. As Figures 35 and 36 show, there are some street trees along each arterial, but there are a lot of gaps that must be addressed.


^{39 &}quot;Fact Sheets"

^{40 &}quot;Fact Sheets"

^{41 &}quot;Fact Sheets"

Figure 34






Source: City of Denver⁴²

42 "Tree Canopy"

Figure 35



Source: City of Denver

A study of nearby resident vehicle miles traveled would have been helpful in determining if Colfax helps its community decrease its vehicle miles traveled more than Holly does, and thus its carbon dioxide emissions, but this was not feasible for this case study.

Table 20

Summary: Colfax vs. Holly on Being Environmentally Sustain	nable	
	Colfax	Holly
Incorporates low to no-carbon dioxide emitting transit		
options	1	
Presence of numerous street trees		

Totals 1 out of 2 0 out of 2	
------------------------------	--

Conclusion: Which Street is Most Complete?

Table 21 shows that while Colfax is most classically "arterial" in that it technically best meets the functional classification definition provided by the Federal Highway Administration, it is also the most complete when examined within the framework of a Complete Street design. Therefore, Colfax is much more mobile and accessible for all users, as well as more sustainable, livable and vital than Holly.

Table 21

Summary: Colfax vs. Holly				
	Colfax	Holly		
Most classically "arterial"	✓			
Provides the most transit options	✓			
Most Accessible to more vulnerable populations	1			
Safest		1		
Best fosters strong, social and livable communities	✓			
Most Economically Vital	✓			
Most Environmentally Sustainable	/			

Works Cited

"About Us." (2008). ColfaxAve.com. Colfax Business Improvement District. 12 March 2014. http://colfaxave.com/home/about-us.

"Accessibility and Mobility Differences." <u>Oregon Department of Transportation – Sustainability Program.</u> State of Oregon. 12 March 2014. http://www.oregon.gov/ODOT/SUS/pages/accessibility_mobility.aspx.

"Average Daily Traffic Volumes." DRCOG Regional Traffic Counts Online Map File. Denver, CO: Denver Regional Council of Governments, 2012. http://gis.drcog.org/trafficcounts/.

"Bike Facilities." City and County of Denver Bike Racks, Bike Routes and BCycle Station Files. Denver, CO: City and County of Denver, Public Works - Policy and Planning, Denver Bike Sharing - Owner and Operator of Denver B-cycle/Denver GIS. 3 February 2013, 24 July 2013, 3 March 2013. http://data.denvergov.org/dataset/city-and-county-of-denver-bike-racks, http://data.denvergov.org/dataset/city-and-county-of-denver-b-cycle-stations>. Using ArcMap GIS, Version 10.

"Bluebird Beat." (2013). <u>BluebirdBeat.com</u>. Bluebird District. 12 May 2014. http://www.bluebirdbeat.com/>.

"Colfax." Google Inc. (2014). Google Earth (Version 7.0.3.8542) [Software].

"Common Environmental Noise Levels Fact Sheet." (2014). <u>Noise Center</u>. Center for Hearing and Communication. 12 March 2014. http://www.chchearing.org/noise-center-home/facts-noise/common-environmental-noise-levels.

"Crime." City and County of Denver Open Data Catalogue Crime File. Denver, CO: City and County of Denver/DenverGIS, 11 March 2014. http://data.denvergov.org/dataset/city-and-county-of-denver-crime. Using ArcMap GIS, Version 10.

"Cross-section." Code for America. (2013). Streetmix. [Online Applications Software]. http://itunes.apple.com.

Dominic Watson. (2013). Decibel Meter Pro (Version 1.6) [Mobile Applications Software]. http://itunes.apple.com.

"Fact Sheets." (2014). <u>National Complete Streets Coalition</u>. Smart Growth America. 1 March 2014.http://www.smartgrowthamerica.org/complete-streets/complete-streets-fundamentals/factsheets.

"Flexibility in Highway Design." (2012). <u>Environment</u>. U.S. Department of Transportation Federal Highway Administration. 5 March 2014.

http://www.fhwa.dot.gov/environment/publications/flexibility/cho3.cfm>.

"Functional Street Classification." City and County of Denver Open Data Catalogue Street Centerlines File. Denver, CO: City and County of Denver, Community Planning and Development/DenverGIS, 22 August 2013. http://data.denvergov.org/dataset/city-and-county-of-denver-land-use. Using ArcMap GIS, Version 10.

"Population." City and County of Denver Open Data Catalogue Census Blocks (2010) File. Denver, CO: City and County of Denver/DenverGIS, 24 April 2013. http://data.denvergov.org/dataset/city-and-county-of-denver-census-blocks-2010. Using ArcMap GIS, Version 10.

"Holly." Google Inc. (2014). Google Earth (Version 7.0.3.8542) [Software].

"Land Use." City and County of Denver Open Data Catalogue Street Centerlines File. Denver, CO: City and County of Denver, Denver Police Department – Data Analysis Unit/DenverGIS, 29 April 2013. http://data.denvergov.org/dataset/city-and-county-of-denver-street-centerline. Using ArcMap GIS, Version 10.

"Noise Induced Hearing Loss." (2013). National <u>Institute on Deafness and Other Communication Disorders</u>. U.S. Department of Health and Human Services. 10 March 2014. http://www.nidcd.nih.gov/health/hearing/pages/noise.aspx>.

"RTD Bus Stops." DRCOG Regional Data Catalogue RTD Bus Stops File. Denver, CO: Denver Regional Council of Governments, Regional Transportation District, 19 August 2013. http://gis.drcog.org/datacatalog/content/rtd-bus-stops. Using ArcMap GIS, Version 10.

"Speed Limits." City and County of Denver Open Data Catalogue Street Centerlines File. Denver, CO: City and County of Denver/DenverGIS, 29 April 2013. http://data.denvergov.org/dataset/city-and-county-of-denver-street-centerline>. Using ArcMap GIS, Version 10.

"Study Compares Older and Younger Pedestrian Walking Speeds." (1997). Road Engineering Journal. U.S. Roads. 9 March 2014. http://www.usroads.com/journals/p/rej/9710/re971001.htm

"Traffic Signals." City and County of Denver Open Data Catalogue Traffic Signals File. Denver, CO: City and County of Denver, Public Works Traffic Engineering Services/DenverGIS, 14 May2013. http://data.denvergov.org/dataset/city-and-county-of-denver-traffic-signals. Using ArcMap GIS, Version 10.

"Traffic Accidents 2006." DRCOG Regional Data Catalogue Crash Data Points 2006 File. Denver, CO: Denver Regional Council of Governments, State of Colorado Traffic Accident Report Forms, 19 October 2011. http://gis.drcog.org/datacatalog/content/drcog-crash-data-points-2006>. Using ArcMap GIS, Version 10.

"Traffic Canopy." City and County of Denver Open Data Catalogue Tree Canopy File. Denver, CO: NCDC Imaging/DenverGIS, 6 February 2014. http://data.denvergov.org/dataset/city-and-county-of-denvertree-canopy>. Using ArcMap GIS, Version 10.

Trumlin, Jeffrey. Sustainable Transportation Planning: Tools for Creating Vibrant, Healthy, and Resilient Communities. (2012). Hoboken, NJ: Wiley.

15.2 Assignment from URPL 6550: Transportation Planning & Policy

Arterials Environmental Analysis
URPL 6550 Transportation Planning and Policy

Due: November 11, 2013 by 9:30 a.m. Points = 25

Summary

The objective of this assignment is to practice the environmental observation and measurement skills necessary for transportation planning fieldwork and analysis. Students will become familiar with a methodology for collecting transportation and built-environment data.

For this assignment, each student will work individually or in pairs. Each student or pair will select or be assigned one study area, and will examine the transportation and built environments within about a ¼-mile radius (or about a five-minute walk) around a central node or segment. The assessment includes topics such as safety, accessibility, livability, and transportation functionality.

Study Areas

Colfax Avenue at Elm Street
Colfax Avenue at Adams Street
23rd Avenue at Dexter Street
38th Avenue between Wolff Street and Tennyson Street

Data Collection and Analysis

The objective of the assignment is to examine the built/transportation environment, including the motorized traffic, pedestrian and bicyclist travel, and use of public space. The methodology for collecting data includes multiple parts:

The Pedestrian Environmental Quality Index (PEQI) Survey that was developed by the San Francisco
Department of Public Health. The PEQI Survey forms should be filled out for each intersection within the
study area (1/4-mile radius around the node or segment). Groups/individuals should bring a stopwatch to
time the pedestrian signal phase of traffic signals, and should be able to estimate intersection lengths
based on one's average stride length (need to figure out one's average stride length before doing the
assignment).

For more information about the PEQI Survey, use this website: http://peqiwalksafe.com/. Each student is expected to work through the training manual independently before beginning fieldwork.

The PEQI Survey includes some fields that are not relevant to the project (e.g., Intersection CNN), so don't worry about filling in these sections. For street type use: commercial urban arterial, neighborhood residential, or other designations that most closely reflect the street conditions (use a street design manual, e.g., San Francisco's, ITE's for more information).

Do not enter data into the PEQI Survey Access database.

The documents you need to make the PEQI Survey assessment include:

- http://peqiwalksafe.com/docs/PEQI2.0_TrainingManual.pdf
- http://peqiwalksafe.com/docs/PEQI2.0_AuditForm.pdf
- http://pegiwalksafe.com/docs/PEQI2.0_CheatSheet.pdf

- Conduct a visual/experiential assessment of the area (using a digital camera, drawings, mapping) to get a
 better understanding of the land use context, physical design, and relationship between the
 transportation environment and its context. Take detailed notes, either on the PEQI Survey instrument or
 in a separate notebook/sketchbook. Explain your visual/experiential assessment methodology in the
 memo and your findings.
- 3. Select one or two sites in the study area to carry out an extended field visit (at least one hour each) in which you collect data about road user behavior (e.g., motorists, pedestrians, others), including people who are using surrounding areas (e.g., parks, parking lots, sidewalks, commercial sites). Be sure to consider the time of day and environmental conditions in which you carry out this part of the assignment. Discuss how you selected your sites and time/day for observation in your memo, as well as your findings.

See example of methods for doing behavioral observation: https://www.dropbox.com/s/kmh8tkho8p3notd/Macdonald_2005.pdf.

Safety

Use caution when traveling to the sites and when collecting data in the roadway or in traffic. Follow traffic laws, and if you are riding a bike, wear a helmet and use front and rear lights. Be aware of your surroundings (traffic, social) and do not pursue the data collection if you feel uncertain about your safety, uncomfortable, or threatened. Move to another location/site if you are not comfortable.

Deliverable

The final deliverable for this assignment should be submitted on Canvas in a single document (PDF format), and it includes multiple parts.

- Turn in scanned copies of the audit forms for each street segment that you analyze with PEQI Survey (raw data).
- Turn in a collection of representative photos, sketches, or other representations of important characteristics of the study area (raw data, curated).
- 3. Synthesize the data collected in a memo (not exceeding four single-spaced pages) discussing the safety, accessibility, environmental quality, and transportation functionality of the study area (use these aspects as subheadings to organize the memo). The memo should begin by stating the objective of the memo, the data collected, and the methodologies used. Toward the end of the memo, also include a discussion of any limitations encountered. The memo should also answer the question, "What are the mobility/accessibility tradeoffs in the study area, if any?" Include a list of all intersections and sites visited/studied in an appendix.
- 4. Draw on the assigned readings and class discussions to inform the analysis.

15.2.1 Example of Student Output No. 1 for URPL 6550

T0: Carolyn McAndrews

FROM:

DATE: November 11, 2013

SUBJECT: Arterial Environmental Observations, 38th St. between Wolff and Tennyson, Denver, CO

This memo discusses the aesthetic, environmental, and livability aspects in the Highlands neighborhood in Denver, Colorado, on and around 38th Street. 38th Street is a major Denver arterial that has since roughly 2008 undergone significant change. Per this change, observations were taken on two separate dates, November 2 and 9, 2013, using Pedestrian Environmental Quality Index methodology, photography, and simple observation. The goal is to contribute to the understanding of the livability factors along and around a major arterial (13,189 vehicle trips per day in 1999, the most recent data available from CDOT and the City/County of Denver)

Data collection, including observations, reveals four distinct neighborhood characters, each with their own transportation characteristics, but all largely relying on car use. These four characters are 1) the 38th St. corridor; 2) south of 38th; 3) north of 38th but not including; 4) Tennyson St. between 38th and 39th streets: this is the only section that does not rely on the car but presumably attracts mostly "locals."

38th Street is a relatively high speed arterial. Walking along it, at least on it north side is not only unpleasant, it is dangerous. There is technically a sidewalk, but most of the five blocks included in the 38th St. section are very unpleasant to traverse. This is the only section that I consider wholly unsafe.



The south side of 38th is easily navigated. It appears that significant attention has given to the south side of 38th street. Businesses such as a Sprouts Farmers Market attract significant traffic daily. This section is walkable and further, has been retrofitted to be so. In addition, the south side of 38th easily integrates its land uses into the neighborhoods farther south. Nowhere is this the case on the north side of 38th, say arguably for Tennsyson St.

Farther south is a new urbanist development named Trocadero Apartments, which includes several subsidiaries such housing for senior citizens. Here, I sat at a community garden and observed pedestrians with dogs, children,



strollers, and other emblems of young families. Some pedestrians carried grocery bags or wore gym clothes (destination likely either to or from the 24-hour Fitness on the south side of 38th St.).

The distinct neighborhood to the north of 38th St. is very residential, walkable, with no real limitations, and of very good environmental quality. Crossing streets is not an issue. There are inadvertant traffic calming measures: there are drainage "dips" at three intersections. There are no crosswalks, but nor is there a need to be. There is very little pedestrian traffic and futher, there is nowhere really to go except to 38th an Tennsyon to either the bar, the ReMax, or the bowling alley.

Tennyson between 38th and 39th streets is a unique area in this neighborhood. It is the only section that "feels" like a main street, unlike the new urbanist development to the south which has the necessities of groceries and wine. Tennsyon is a walkable destination. This is, of course, assuming that one is near Tennyson. Arriving there from outside the neighborhood is problematic, however. The area is destination for who appear to be the "local" but it is unlclear how much of a draw this one-block area would have. The bowling alley is, interestingly, designated as its own land use by Denver's Community Planning and Development Office (CPD). In fact, a land use

map of the area reveals a dizzyingly complex and dizzyingly over-enumerated land use classification. Present land use classifications are shown at right for illustration purposes. This diversity of land use is not, in this case, lending itself to a variety of transportation options. With 38th Street functioning as the obvious arterial, it also serves as a very severe edge, in Kevin Lynch's definition, within the area observed. Crossing 38th on foot is challenging. The only marked crosswalks are at Wolff, which has an irregular chicane from north to south across 38th and at Tennyson. The Tennyson intersection is the more prominent between the two. There is also a clear distinction between the aesthetic quality between the areas north and south of 38th Street.


Sprouts market and the new urbanist development that adjoins it blends well with the single family homes farther to the south. These uses, on observation, draw few pedestrians. The artificial street grid between Wolff and Tennyson circulates traffic (automobile) within and functions more of a parking



overflow to the nearby businesses. These internal blocks are not heavily walked. The two blocks comprising 37th Place are, in fact, not pleasant at night. The area is not poorly lit, but the lack of activity does not inspire confidence in a would be pedestrian.

Though violent crime is not a serious concern in these three areas, the lasting impression is that the north side of 38th Street is not impassible, but any other choice of route, if walking, would be preferable. Further, crossing 38th Street is nearly impossible during daylight hours other than at Tennyson or Wolff. The entire area is free of debilitating or offensive trash or other noxious concerns, though dumpsters do face several of the side streets (Wolff, Utica).

In conclusion, the final page shows where PEQI observations were taken. The blue boxes link to the data sheets for each intersection and segment.



15.2.2 Example of Student Output No. 2 for URPL 6550

Memorandum

To: Carolyn McAndrews

From:

Date: October 27, 2013

Subject: 23rd and Dexter Arterials Environmental Analysis

1 OBJECTIVE

The purpose of this memorandum is to provide a detailed analysis of transportation and builtenvironment data on the area around 23rd and Dexter Street. The methodology for collecting data included The Pedestrian Environmental Quality Index (PEQI) Survey to understand the motorized traffic, pedestrian and bicycle travel, and use of public space. Additionally, we also documented our experience and the physical conditions of the area with a digital camera. We collected extemporaneous, anecdotal evidence comprising primarily of brief interviews and observations of the arterial.

The intersection of 23rd and Dexter Street is located in the historic neighborhood of Park Hill, east of downtown Denver. The site is categorized as neighborhood residential and the two lane streets were observed as safe and pedestrian friendly.

2 SAFETY

We analyzed the area within the context of pedestrian and vehicle safety. Overall, we concluded the area feels and functions in a safe manner relative to other arterials throughout the city. In particular, we identified excellent walking conditions along the arterial as major contributors to the safety of the primary intersection and along the arterial. Additionally, other factors such as the built environment of the neighborhood and commercial vitality at the 23rd and Dexter encourages a sense of safety for users of all modes.

The west side of the primary intersection is anchored by popular and active retail storefronts. These include several cafes and a grocery that serves as a neighborhood market for surrounding residents. The east side of the same intersection is anchored by a park, surrounded by a low fence. The park is active and well maintained. Throughout our visits, these locales generated healthy pedestrian activity, drawing in residents from the surrounding residential streets.

Some of the physical attributes that contributed to the safety of the site intersections are relatively wide sidewalks and unimpeded throughways. Safety features such as traffic signals and demarcated crosswalks also increase the safety of pedestrians. Although the area lacks specific traffic calming measures, the physical streetscape uses indirect traffic calming features (such as the regular presence of trees). Drivers have a perception of the area as being human-scaled, which encourages slower travel

speeds. Pedestrianism, engagement with visually interesting street frontage and small-scale commercial activity, are the primary measures that affect perceptual traffic calming along 23rd.

The presence of parallel parking along both the main arterial and residential side streets acts as a buffer from moving traffic and pedestrians. We noticed through both observation and anecdotal interviews that the safety of the area is prized here. Passersby commented that they feel safe in their neighborhood. We observed small children walking by themselves, dogs being left on their leashes outside storefronts, bikes being unlocked in front of shops, and cars left running with the keys in them.

When crossing the streets (outside of the study window), we did not use the safety features available at the primary intersection as intended. The speed and safety of the arterial allowed us to interact with the street and traffic in an informal way. The wait time at the signal was in excess of 50 seconds. Due to the low volume of road traffic, we felt that we could safely cross without adhering to the pedestrian signaling. Likewise, we did not use the demarcated crosswalks, instead crossing midblock to the opposite side, which was nearer to the point of interest (in this case, Spinelli's Market).

Along the arterial, similar walking conditions were found in a relatively consistent fashion. We noted that the urban character of the area was fine grained and seemed slow to change, as evidenced by the consistent character of housing, varying degrees of home maintenance and mature trees. Residential local streets intersected the arterial every 300 feet. At these intersections, there were no identified crosswalks unless there was a traffic signal. Within one half-mile along the arterial, there were only 3 traffic lights. However, traffic volumes are light and slow-moving, and pedestrian safety signals at every intersection seem unnecessary. There has clearly been infrastructure investment into the area, as sidewalks along the whole arterial are complete with new paving and curb ramps on all four corners.

3 ACCESSIBILITY

The area is accessible for most users, including those that are mobility impaired. All of the intersections included curb ramps and textured slopes for the visually impaired.

The consistent presence of curbs ramps throughout the area was augmented by new sidewalk construction. The high quality of these curb cuts and new paving suggest that maintenance in the area is frequent or at the very least, that this area has strong support from local government in ensuring that paving remains in good condition. The only tricky spots were at the far ends of the arterial, where the sidewalk crosses north-south alleys. The pavement at these points, due to high traffic generated from back drive garages and heavy vehicles (such as garbage trucks) is crumbly in some places. However, most of the impediments in paving were less than one-half inch high and gravel pieces were small, still allowing wheelchairs, walkers and strollers access.

Despite the absence of bike lanes, slow speeds and ample roadway provided an accessible network for bicyclists. Additionally, the provision of bike racks in the commercial area adds to the bicycle infrastructure present within the area. Wide throughways of at least 5 feet provide ample wandering space for unsteady toddlers. Throughout the entire study area, sidewalks are wide and well maintained. Additionally, throughways are specifically clear from any large obstructions (even in the residential areas, flower pots and bird fountains are kept well clear from the throughway).

Short blocks provide for shorter walking distances. Those with limited walking distance ability are more engaged to walk in this environment due to the shorter trips needed to access places of interest or necessity.

4 ENVIRONMENTAL QUALITY

The arterial is consistently lined with mature trees providing shade, visual interest and carbon sequestration directly along the roadway. The sidewalks and roadspace are kept clean, with minimal (or nonexistent) litter. At the primary intersection, provision of trashcans, postal boxes and public seating allows for increased pedestrian engagement along the space. Commercial buildings are well maintained, being free of chipping paint, crumbling brick and other signs of blight. Fences and walls along the arterial and side streets are also well maintained and free from graffiti.

The low traffic volumes and primarily residential and neighborhood retail character contribute to the lack of pollution and exhaust fumes. Eyes on the street and higher incomes also affect the walking quality and service provision. In the residential area in particular, this is reinforced by the large number of active porches and stoops, and a neighborhood culture of yard maintenance and extension of private space out to the sidewalk in front of one's home. Alleys are free from overflowing garbage and there is a distinct lack of urban odor for an urban neighborhood. Additionally, the walking quality is affected by the absence of loiterers and homeless. Pedestrians of all ages were free to move throughout the space unimpeded by interpersonal tension between users.

In particular, the area is full of rich details that make walking an interesting and enjoyable experience. The high quality and richness of landscaping along the arterial and especially in front of homes increases the holistic experience of the area tremendously. Additionally, being the peak of Autumn color, the leaves on the ground along the sidewalk add seasonal richness to the pedestrian experience. We frequently passed other pedestrians in a neighborly manner, and the feeling of community and mutual respect increased the sense of security in the area. We repeatedly watched neighbors and friends meeting in front of the commercial spaces at the primary intersection. Witnessing small talk and gossip encouraged us to stick around longer than necessary and enjoy a meal at Adagio Bakery, not once, but twice.

5 TRANSPORTATION FUNCTIONALITY

We choose to observe the site on two different days. During the weekday visit, 23rd was being street cleaned. Large street sweepers navigated the residential areas as well as the main arterial itself. These large vehicles needed at least twice the right of way space as a regular passenger car, forcing vehicles to go around them at increased speeds. Likewise, the street sweepers needed access to the curbs which shifted parking from one side of the street to another. Failure to repark residential cars may result in fines or towing, and restricted parking along roadways often means that some residents may have to park farther away from their homes in order to secure a parking spot on the legal side of the street.

During our weekend visit, we noticed a lot more vehicular traffic in addition to increased pedestrian traffic. Cars are still able to move through the area along the arterial at an unimpeded speed. The posted

speed limit is 30 mph, however, anecdotal interview evidence supports that vehicles frequently travel 5-10 mph over the posted speed limit.

During our visits, we did not see any bus service, although there are several bus stops along the arterial in this section. This implies that even though the area is pedestrian friendly, it is primarily localized and that most commuting takes place in cars.

6 LIMITATIONS AND TRADEOFFS

Since public transit services were limited, residents were more efficient driving their vehicles to and from the neighborhood. Residents have access to services within walking distances to their homes, however they must drive in and out due to the lack of public transportation. This presents a challenge for those who don't have access to cars as they must choose to patronize services within their neighborhood instead of easily commuting out.

There is evidence that the neighborhood still prioritizes vehicular access and function. The unimpeded movement along the arterial and lack of official traffic-slowing interventions supports this. In a way, encouraging vehicles to move through the neighborhood along the arterial at quick speeds is still valued. This system has provided for relatively quick commutes from a neighborhood that is considered close to downtown. For this reason, property values are higher because of its quick commute to downtown.

It seems that the high-quality walking environment of the area comes from the history of being a streetcar suburb that has retrofitted to serve the car. One might imagine that there has traditionally been very little conscious effort to prioritize walking along this arterial, since the car became the dominant mode of transportation for Denver in the 1950's.

The number of children and young families observed on the street supports our assessment that this arterial is a safe and healthy arterial for pedestrians and cars alike.

APPENDIX A

Visited Intersections/Site Locations

- 23rd and Dexter (Primary Intersection)
- 23rd and Cherry
- 23rd and Clermont
- 23rd and Birch
- 23rd and Bellaire
- 23rd and Dahlia
- 23rd Eudora
- 23rd and Elm
- 23rd and Fairfax
- · Adagio Baking Company
- · Spinelli's Market
- · Cherry Tomato Café
- W.H. Ferguson Park


APPENDIX B Representitive Photos



The light post is tied to the tree. This was the only infringement to the area that we noticed.



Crosswalks were marked and sidewalks were well maintained with curb ramps on all four corners of the intersection of 23rd and Dexter.



Although bike lanes were not present, bikers seemed safe enough share the road with on coming traffic.



Outdoor seating was provided outside the market. The area had friendly people and friendly dogs.



Surrounding neighborhood had continuous shade coverage from the mature trees.



Bus stop near the intersection of 23rd and Dexter didn't seem busy. The bus may not come frequently because both visits, we did not see people waiting or a bus travel by.



W.H. Ferguson Park seemed active with parents, children, and pets. The park was located on the corner of 23rd and Dexter near the commercial developments.



A low fence along W.H. Ferguson Park acted as a small barrier to the site. There were plenty of shade from the trees lined along the street segments.



23rd and Dexter offers high visability cross walks on all four sides. Sometimes the pedestrian engineering countermeasures were not necessary to use due to low volume of traffic on arterial.



Street lights are additional safety feature along the main arterial that lines the commercial spaces.



Parallel parking act as a buffer to street segments. Many cars were parked for a few minutes to run in and out of the store and proceeding out of the arterial.



There were some available seating areas near the commercial spaces that were popular meeting spaces for many visitors. Dogs were also tied to the seating areas while the owners went into the stores.

Pedestrian Environmental C Street & Intersection Aud		Date en	tered into database://
Project: ARTERIAL'S	AGSIGNMENT	Survey Date:	OCT 24, 2013
Auditor(s): GTEPHANH	0.00		
MIZES INCLUDED STORY	INTERSECT	ION	
This is the intersection of:	23RD a	nd: CH	FRRY
Intersection CNN:	(The street you plan to walk dow	(The stre	eet you will cross)
Are these two lane or one lane stre	ets and alleys? Y	es 🛛 No 🗖	Street type Neighbole Hook
	All ways 1 missing	2 missing	3 missing None RES.
1. Crosswalks			
2. High visibility crosswalks			
3. Intersection lighting	4+ streetlights 3 streetlights	s 2 streetlights 1	streetlight None
		Yield (no	
4. Traffic Control No.	Traffic Signal Stop All Wa	ay roundabout)	Roundabout Uncontrolled
Skip questions 5-8 unless			All Some None
there is a traffic signal	5a. Is there a signal		All Some None
	5b. If YES does the si	The second secon	ways
	6. Wait time (seconds)	7. Time to Cross (seconds)	8. Crossing Distance (feet)
9. Pedestrian Refuge Island	None Y	es, 4 ft or narrower	Yes, wider than 4 ft
10. Curb ramps	Missing one or mo	re ramp 🔽 A	Il corners ramped
11. Intersection traffic calmin	g features . a) Rais	sed crosswalks	e) Diagonal diverter
Check all that apply.	. D b) Pav	rement treatments	f) Partial closure
TOTAL#	C) Bike	lane thru intersection	. g) Traffic calming circle
	d) Bull	b-outs	h) Mini-circle
12. Pedestrian Engineering Co	ountermeasures	.[d) Crosswalk scramble
Check all that apply.	a) Flas	shing beacon	e) Red visibility curb
TOTAL# 9	b) No	Turn on Red Signs	f) Advanced stop/yield lines
	C) Add	fitional signs •	g) Pedestrian leading interval
	STREET SEG	MENT	
This street is: 2340	between: CLEMO	MT and:	DEXTER
Side A CNN:	Side B CNN:	,s	treet type:
13. Number of lanes:	Shared / pedestrian only street	1 🗸 2	3 4+
14. Posted speed limit:	25 mph / none posted	Under 25 m	oph Over 25 mph (35)
15. Street traffic calming feat	ures · a) Tre	es in median • [c) Speed enforcement
Check all that apply.	· b) Spe	eed hump / bump ·	d) Protected bike lane
TOTAL#		. [e) Chicane

Please indicate whether Side A and SIDE Side B are North, South, East, or Nest relative to the street centerline.	Î/S/E	/ W	I SIDE	S/E/N	/
For questions 16-22 you will select one answ	ver for each side	of the street			
16. Continuous sidewalk	No Ye	s 🗸	Yes 🗸	No 🗆 .	
17. Width of	Less than 5	1 🗆	. 0	Less than 5 ft	
sidewalk	5 ft to 8	1 0	1 0	5 ft to 8 ft	(if no sidewalk,
(if no sidewalk, skip #17-20, this side)	8 ft to 12		• 🗹	8 ft to 12 ft	skip #17-20, this side)
	12 ft or more		1 1	12 ft or more	
18. Width of	Less than 4	=	: 1	Less than 4 ft	1
throughway	4 ft to 6	=		4 ft to 6 ft	
The throughway is the part without	6 ft to 8	_	: 6	6 ft to 8 ft	
lurniture, signs, plantings, newspaper or	8 ft or mor			8 ft or more	
itility boxes. 19. Large sidewalk		_	- N		
obstructions:	Non		: 1	None	
	Temporar		1 1	Temporary	
An obstruction is any object in the throughway.	Permaner	=	. 4	Permanent	
20. Sidewalk	Non	e 🗹	I F	None	
impediments:	Mino	r 📙	. 📙	Minor	
Anything that poses a tripping hazard.	Significar	it 🔲		Significant	
21. Trees	Non		: 0	None	
\$	Sporadically line	d 🗹		Sporadically lined	
C	optinuously line	d \square	: 0	Continuously lined	
22. Driveway cuts None	1-5 - 5		1	None ▼ 1-5	> 5
For questions 23-26, check Yes or No on ea	nch side:	Yes No	Yes	No	
23. Presence of		0.0	Ø		
	k parallel parkin	ু ত্	I M	Non-peak parallel p	parking
Check all that apply.	Parallel parkin	-	· 🛱	Parallel parking	
Check all that apply.				Bike lane	
24 Blanton and condens	Bike lan	m u	: 🗑	Dike lane	
24. Planters and gardens		HH		Ħ.	
25. Public seating			1 1	M	
26. Public art/historical sites	1 - 2 - 1 - 2				
For questions 27-28, select one answer for				/	
27. Retail use and public places	Non	e 🗹	1 M	None	
Retail that covers an entire block counts as	1 or			1 or 2	
three or more.	3 or mor	е 🔲		3 or more	
28. Pedestrian-scale	Non	e 🔲 ,		None	
lighting	Sporad	c ত্ৰ	· 🗹	Sporadic	
	Continuou		1 0	Continuous	
For questions 29-31, check Yes or No on ea		Yes No.	Yes	s No	
29. Illegal graffiti Select NO if there			1 0		
30. Litter Select NO if there is only a li				d	
	tu o	/	1 1	H	
31. Empty spaces			' H	_	
The second secon	ndoned building	S L		Abandoned buildin	gs
			- promp	B10 22 22	
Aba Check all that apply	Vacant lo	_	1 0	Vacant lots	
		_	! 8	Vacant lots Parking lots	

This street is: 23kD	between:	CLERMON	and:	DEXTE	12
For questions 32-36, please circle the n	umber that your t	eam thinks best (describes this st	reet.	
32. Street segment is visually	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
attractive for walking.	1	2	3	4 () 5
33. Street segment feels safe for	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
walking.	1	2	3	4	5
34. Are there obvious strong odors anywhere on this street	A lot of odors	Some odors	A little odor	No odor	Only good odor
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	4	5
35. On a scale of 1 to 10, how	Not walkable			Very Walkable	
walkable do you find this street segment?	1 2	3 4 5	6 7 8 (9 10	

Notes & Questions:

- TRAPPIC COMPARED TO OTHER ARTERIALS I'VE SEEN.
- · SOME OBSTRUCTIONS IN SIDEWALK (CRACKED & UNEVEN) > BUT STILL MAN VERY WALKABLE
- · MOSTLY NO ODORG SOME GOOD ODORS FROM PLANTERS.
- · IF I WHEE WALKING AT NIGHT, NOT SURE IF
 THE STREET LIGHTS WOULD BE HELDFUL, BIC
 THERE IS NOT MANY.

Pedestrian Environmental C Street & Intersection Audi	Date of more and address.
Project: AKTERIAL'S	AGGIGN MENT Survey Date: OCT 24, 2013
Auditor(s): OPEPHANIE	
	INTERSECTION
This is the intersection of:	23RD and: CLERMONT
Intersection CNN:	(The street you plan to walk down) (The street you will cross)
Are these two lane or one lane stree	
	All ways 1 missing 2 missing 3 missing None
1. Crosswalks	
2. High visibility crosswalks	4+ streetlights 3 streetlights 2 streetlights 1 streetlight None,
3. Intersection lighting	4+ streetlights 3 streetlights 2 streetlights 1 streetlight None
	Yield (no Traffic Signal Stop All Way roundabout) Roundabout Uncontrolled
4. Traffic Control	
Skip questions 5-8 unless	5a. Is there a signal for pedestrians?
there is a traffic signal	5b. If YES does the signal count down? All Some Ways None
	6. Wait 7. Time to 8. Crossing
	time Cross Distance
	(seconds) (seconds) (feet)
9. Pedestrian Refuge Island	None Yes, 4 ft or narrower Yes, wider than 4 ft
10. Curb ramps	Missing one or more ramp
11. Intersection traffic calming	
Check all that apply.	b) Pavement treatments f) Partial closure
TOTAL# 40	c) Bike lane thru intersection g) Traffic calming circle
	d) Bulb-outs h) Mini-circle
 Pedestrian Engineering Co Check all that apply. 	
TOTAL #	a) Flashing beacon e) Red visibility curb b) No Turn on Red Signs f) Advanced stop/yield lines
10111211	c) Additional signs g) Pedestrian leading interval
	STREET SEGMENT
This street is: 23RD	between: BIRCH and: CHERRY
Side A CNN:	Side B CNN: Street type: NETIGHT3072 HDDV
13. Number of lanes:	Shared / pedestrian only 1 2 3 4+
	Street Under 25 mph V Over 25 mph
14. Posted speed limit:	25 mph / none posted Under 25 mph V Over 25 mph
15. Street traffic calming featu Check all that apply.	
TOTAL #	b) Speed hump / bump d) Protected bike lane
TOTAL# _	e) Chicane

Please indicate whether Side A and Side B are North, South, East, or West relative to the street centerline.	SIE	/W	N/S/E/V	/
For questions 16-22 you will select one answer		1		
16. Continuous sidewalk N	o Yes	∇	Yes V No	
17. Width of	Less than 5 ft		Less than 5 ft	
sidewalk	5 ft to 8 ft		☐ 5 ft to 8 ft	(if no sidewalk, skip #17-20, this
(if no sidewalk, skip #17-20, this side)	8 ft to 12 ft		8 ft to 12 ft	side)
	12 ft or more		12 ft or more	
18. Width of	Less than 4 ft		Less than 4 ft	
hroughway	4ft to 6ft		☑ 4 ft to 6 ft	
the throughway is the part without	6 ft to 8 ft		☐ 6 ft to 8 ft	
urniture, signs, plantings, newspaper or tility boxes.	8 ft or more		8 ft or more	
19. Large sidewalk	None	_	☑ None	
obstructions:	Temporary		☐ Temporary	
An obstruction is any object in the throughway.	Permanent	n l	Permanent	
20. Sidewalk	None	ল	None	
mpediments:	Minor	=	Minor	
Anything that poses a tripping hazard	Significant	=	Significant	
21. Trees	None	H	None	
	radically lined	Ħ	Sporadically lined	
	inuously lined	H	Continuously lined	
		_		¬ >5
22. Driveway cuts None V	5		None V 1-5	
For questions 23-26, check Yes or No on each	side:	Yes No	Yes No	
23. Presence of				
buffers Non-peak p	arallel parking	D .	Non-peak parallel	parking
Check all that apply.	arallel parking		 Parallel parking 	
	Bike lane		Bike lane	
24. Planters and gardens			. 🗹 🗆	
25. Public seating				
26. Public art/historical sites				
For questions 27-28, select one answer for each	h side of the stre	eet: /	1	
27. Retail use and public places	None	Ø	None	
Retail that covers an entire block counts as	1 or 2		•	
hree or more.	3 or more		■ 3 or more	
28. Pedestrian-scale	None	_	☐ None	
lighting	Sporadic	=	• Sporadic	
	Continuous		Continuous	
For questions 29-31, check Yes or No on each		Yes No /	Yes No.	
29. Illegal graffiti Select NO if there is o	(2011/2012)			
30. Litter Select NO if there is only a little			: DØ.	
31. Empty spaces				
	anad buildings	= -	. D Abordered building	
	oned buildings Vacant lots	_	 Abandoned building Vacant lots 	ys
Check all that apply		=	. =	
	Parking lots		Parking lots	
Cor	struction sites		Construction sites	

This street is:	2300	between:	BIRCH	and	: CHERR	4
For questions 32-30	6, please circle the n	umber that your te	eam thinks bes	t describes this	street.	,
32. Street segme attractive for wa		Strongly disagree	Disagree 2	Neutral 3	Agree 4	Strongly agree
33. Street segment feels safe for walking.		Strongly disagree	Disagree 2	Neutral 3	Agree 4	Strongly agree
34. Are there obto		A lot of odors	Some odors	A little odor	No odor	Only good odor
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?		1	2	3	O 4	5
35. On a scale of		Not walkable			Very Walkable	
segment?		1 2	3 4 5	6 7 8	9 10	

- · FRIENULT PEOPLE WALKING DOGS & CHILDREN (SAID HELLO RIGHT - OF - WAY)
 - NYTOUGING OLDER IN STYLE
- · CLOSEST TO 23RD & DEXTER PEDPLE ARE
 ANDREM MORE AUTIVE HEAR THIS STREET SEEMENT.

Project: AKTERIAL'S	AGGIGNMENT	Survey Date:	OCT 24,2013
Auditor(s): GTEPHANIE			
	INTERSE	CTION	
his is the intersection of:	23RD	and: BIRCH	tary)
ntersection CNN:	(The street you plan to walk	(down) (The stre	eet you will cross)
are these two lane or one lane stre	ets and alleys?	Yes 🗹 No 🗆	Street type NEIGHBORH
. Crosswalks	All ways 1 mis	ssing 2 missing	3 missing Nane
2. High visibility crosswalks	4+ streetlights 3 streetl	lights 2 streetlights 1 s	streetlight None
3. Intersection lighting		Yield (no	
I. Traffic Control (NOVL)	Traffic Signal Stop A	II Way roundabout) F	Roundabout Uncontrolled
Skip questions 5-8 unless there is a traffic signal	The second secon	gnal for pedestrians? ne signal count down? 7. Time to Cross (seconds)	ways ways None None ways None None Ways None Ways None (feet)
9. Pedestrian Refuge Island	✓ None	Yes, 4 ft or narrower	Yes, wider than 4 ft
10. Curb ramps	Missing one or	more ramp Al	Il corners ramped
 Intersection traffic calmin Check all that apply. 	b)	Raised crosswalks Pavement treatments Bike lane thru intersection	e) Diagonal diverter f) Partial closure g) Traffic calming circle
TOTAL #_D		Rulh-oute	h) Mini-circle
		Bulb-outs	h) Mini-circle d) Crosswalk scramble
TOTAL # 12. Pedestrian Engineering C Check all that apply. TOTAL #	ountermeasures	Flashing beacon No Turn on Red Signs	d) Crosswalk scramble e) Red visibility curb f) Advanced stop/yield lines
12. Pedestrian Engineering C Check all that apply.	ountermeasures a) b) c)	Flashing beacon No Turn on Red Signs Additional signs	d) Crosswalk scramble e) Red visibility curb
12. Pedestrian Engineering C Check all that apply. TOTAL #	ountermeasures a) b) Countermeasures	Flashing beacon No Turn on Red Signs Additional signs	d) Crosswalk scramble e) Red visibility curb f) Advanced stop/yield lines g) Pedestrian leading interval
12. Pedestrian Engineering C Check all that apply. TOTAL #	ountermeasures a) b) STREET S between: BELL	Flashing beacon No Turn on Red Signs Additional signs SEGMENT ANKE and:	d) Crosswalk scramble e) Red visibility curb f) Advanced stop/yield lines g) Pedestrian leading interval
This street is: 23 P.D.	d)	Flashing beacon No Turn on Red Signs Additional signs SEGMENT ANKE and:	d) Crosswalk scramble e) Red visibility curb f) Advanced stop/yield lines g) Pedestrian leading interval
12. Pedestrian Engineering C Check all that apply. TOTAL #	d)	Flashing beacon No Turn on Red Signs Additional signs SEGMENT ANKE and:	d) Crosswalk scramble e) Red visibility curb f) Advanced stop/yield lines g) Pedestrian leading interval CLEMD T street type:

This street is: 23PP	between:	BELLAIRE	and:	CLERM	OMONT	
For questions 32-36, please circle the n	umber that your t	eam thinks best d	escribes this st	reet.		
32. Street segment is visually	Strongly disagree	Disagree	Neutral	Agree	Strongly agree	
attractive for walking.	1	2	3	₩ -	5	
33. Street segment feels safe for	Strongly disagree	Disagree	Neutral	Agree	Strongly agree	
walking.	1	2	3	4	5	
34. Are there obvious strong odors anywhere on this street	A lot of odors	Some odors	A little odor	No odor	Only good odor	
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	•	5	
35. On a scale of 1 to 10, how	Not walkable		,	Very Walkable	1	
walkable do you find this street segment?	1 2	3 4 5	6 7 8 (9) 10		

- · MOTICABABLY MORE ALLEYS FOR PRIVATE REGIDENCE WITH MORE TREE MAYIBE AS INFORMAL BARRIERS?
- " SMALLER (MANIBE NEWLY PLANTED) TREES ON SOUTH SIDE NEAR CLEMONT ST.
- · VERY WELL, KEPT AREA SADE!

This street is: 23PD	between:	BELLAIRE	and:	CLERM	OMONT
For questions 32-36, please circle the n	umber that your t	eam thinks best d	lescribes this str	reet.	
32. Street segment is visually	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
attractive for walking.	1	2	3	14 -	5
33. Street segment feels safe for	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
walking.	1	2	3	4	5
34. Are there obvious strong odors anywhere on this street	A lot of odors	Some odors	A little odor	No odor	Only good odor
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	•	5
35. On a scale of 1 to 10, how	Not walkable			Very Walkable	
walkable do you find this street segment?	1 2	3 4 5	6 7 8 (9) 10	

- · NOTICABABLY MORE ALLEYS FOR PRIVATE RESIDENCE WITH MORE TREE MAYIBE AS INFORMAL BARRIERS?
- " SMALLER (MANBE NEWLY PLANTED) TREES ON SOUTH SIDE NEAR CLEMONT ST.
- · VERY WELL, KEPT AREA SADE!

Auditor(s): GTEPHANIE WONE INTERSECTION This is the intersection of: 23 RD and: BELLAIRE Intersection CNN: (The street you plan to walk down) (The street you will cross)	Project: ARTERIAL'S	AGGIGNMENT Survey Date: OCT 24, 2013
This is the intersection of: Comparison	Auditor(s): GTEPHANI	E WONG
Treftic Control Skip questions 5-8 unless there is a traffic signal None Skip questions 5-8 unless there is a traffic signal None Skip questions 5-8 unless there is a traffic calming features None Missing one or more ramp All corners ramped Intersection traffic calming features Check all that apply. TOTAL # Dedestrian Engineering Countermeasures Check all that apply. TOTAL # Side B CNN: Si		INTERSECTION
All ways 1 missing 2 missing 3 missing None All ways 1 missing 2 missing 3 missing None	This is the intersection of:	
All ways 1 missing 2 missing 3 missing None 2. High visibility crosswalks 3. Intersection lighting 4. Traffic Control Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? 6. Wait 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 10. Curb ramps 11. Intersection traffic calming features All corners ramped 11. Intersection traffic calming features Check all that apply. TOTAL # D 12. Pedestrian Engineering Countermeasures Check all that apply. TOTAL # D Side A CNN: Side A CNN: Side B CNN: Side Signal 1 streetlights None All cornerrang None ntersection CNN:	(The street you plan to walk down) (The street you will cross)	
2. High visibility crosswalks 2. High visibility crosswalks 3. Intersection lighting 4. Traffic Control Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? 5b. If YES does the signal count down? 6. Wait To Time to Geconds To Fine to Geto To Fine to Geto To Fine to Geto To Fine to Side B CNN: Side Side Side B CNN: Side B CNN: Side Side Side Side Side Side Side Side	Are these two lane or one lane stre	eets and alleys? Yes No No Street type HAGHBORHOOD K
2. High visibility crosswalks 3. Intersection lighting 4. Traffic Control Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? 6. Wait		All ways 1 missing 2 missing 3 missing None
3. Intersection lighting 4+ streetlights 3 streetlights 2 streetlights 1 streetlight None 7- Filed (no roundabout) Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? 5b. If YES does the signal count down? 6. Wait 7. Time to Cross (seconds) 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 10. Curb ramps 11. Intersection traffic calming features a) Raised crosswalks (seconds) 12. Pedestrian Engineering Countermeasures 13. Intersection traffic calming features (seconds) 14 streetlights 2 streetlights 1 streetlight None 15 counterment of Cross (seconds) 16. Wait 7. Time to Crossing Distance (seconds) 17. Time to Crossing Distance (seconds) 18. Crossing Distance (seconds) 19. Pedestrian 4 ft 10. Curb ramps 11. Intersection traffic calming features a) Raised crosswalks (seconds) 10. Partial closure 11. Intersection traffic calming features a) Partial closure 12. Pedestrian Engineering Countermeasures 13. Traffic Control Countermeasures 14. Street is counterment of Crosswalk Scramble 15. Intersection traffic calming features a) Partial closure 16. Wait 7. Time to Crosswalks (seconds) 17. All corners ramped 18. Crossing Distance (seconds) 19. Partial closure 19. Partial closure 10. Curb ramps 11. Intersection traffic calming features a) Partial closure 10. Bike lane thru intersection a) Partial closure 11. Intersection traffic calming since of the counterment of	I. Crosswalks	
3. Intersection lighting 4+ streetlights 3 streetlights 2 streetlights 1 streetlight None 7- Filed (no roundabout) Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? 5b. If YES does the signal count down? 6. Wait 7. Time to Cross (seconds) 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 7. Time to Cross (seconds) 9. Pedestrian Refuge Island 10. Curb ramps 11. Intersection traffic calming features a) Raised crosswalks (seconds) 12. Pedestrian Engineering Countermeasures 13. Intersection traffic calming features (seconds) 14 streetlights 2 streetlights 1 streetlight None 15 counterment of Cross (seconds) 16. Wait 7. Time to Crossing Distance (seconds) 17. Time to Crossing Distance (seconds) 18. Crossing Distance (seconds) 19. Pedestrian 4 ft 10. Curb ramps 11. Intersection traffic calming features a) Raised crosswalks (seconds) 10. Partial closure 11. Intersection traffic calming features a) Partial closure 12. Pedestrian Engineering Countermeasures 13. Traffic Control Countermeasures 14. Street is counterment of Crosswalk Scramble 15. Intersection traffic calming features a) Partial closure 16. Wait 7. Time to Crosswalks (seconds) 17. All corners ramped 18. Crossing Distance (seconds) 19. Partial closure 19. Partial closure 10. Curb ramps 11. Intersection traffic calming features a) Partial closure 10. Bike lane thru intersection a) Partial closure 11. Intersection traffic calming since of the counterment of	2. High visibility crosswalks	
4. Traffic Control Skip questions 5-8 unless there is a traffic signal 5a. Is there a signal for pedestrians? Stip YES does the signal count down? 6. Wait To The to Cross Seconds To Time to Cross Seconds To Time to Cross Seconds To Time to Cross To Taffic Signal Stop All Way To Taffic Signal To Taffic		4+ streetlights 3 streetlights 2 streetlights 1 streetlight None
Traffic Control Skip questions 5-8 unless there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some the ways Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is a traffic signal Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal for pedestrian signal count down? Stop All Way Some there is signal for pedestrian signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal for pedestrian signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Some there is signal count down? Stop All Way Som	3. Intersection lighting	Yield (no
Skip questions 5-8 unless there is a traffic signal Some the signal count down? Some time to time to Cross (seconds) Some time time time to Cross time time to Cross (seconds) Some time time time time to Cross time time time to Cross (seconds) Some time time time time time time time ti	ne.	Traffic Signal Stop All Way roundabout) Roundabout Uncontrolled
5a. Is there a signal for pedestrians? there is a traffic signal 5b. If YES does the signal count down? 6. Wait		AID Some D.
5b. If YES does the signal count down? 6. Wait time Cross Sceonds) 7. Time to Cross Sceonds) 9. Pedestrian Refuge Island None Yes, 4 ft or narrower Yes, wider than 4 ft 10. Curb ramps 11. Intersection traffic calming features and Scenario and Sce		5a. Is there a signal for pedestrians?
time Cross Distance (feet) 9. Pedestrian Refuge Island Mone Yes, 4 ft or narrower Yes, wider than 4 ft 10. Curb ramps Missing one or more ramp All corners ramped 11. Intersection traffic calming features a) Raised crosswalks e) Diagonal diverter Check all that apply. b) Pavement treatments f) Partial closure TOTAL # O Crosswalk scramble 12. Pedestrian Engineering Countermeasures d) Crosswalk scramble Check all that apply. a) Flashing beacon e) Red visibility curb TOTAL # D Diagonal diverter Check all that apply. d) Bulb-outs d) Crosswalk scramble Check all that apply. a) Flashing beacon e) Red visibility curb TOTAL # D Diagonal diverter Check all that apply. g) Traffic calming circle Check all that apply. a) Flashing beacon e) Red visibility curb TOTAL # D Diagonal diverter Check all that apply. g) Traffic calming circle Check all that apply. g) Pedestrian leading interval STREET SEGMENT This street is: 23 D Side B CNN: Street type : Street type :		5b. If YES does the signal count down? ways ways None
9. Pedestrian Refuge Island None Yes, 4 ft or narrower Yes, wider than 4 ft 10. Curb ramps Missing one or more ramp All corners ramped 11. Intersection traffic calming features a) Raised crosswalks all corners ramped 11. Intersection traffic calming features b) Pavement treatments and for the partial closure Check all that apply. b) Pavement treatments and for the partial closure Check all that apply and for the partial closure and for the p		
Missing one or more ramp All corners ramped		
Missing one or more ramp All corners ramped	9 Padastrian Rafuga Island	None Yes, 4 ft or narrower . Yes, wider than 4 ft
11. Intersection traffic calming features		
Check all that apply. TOTAL # _		
TOTAL #		
d) Bulb-outs h) Mini-circle	-1	
12. Pedestrian Engineering Countermeasures Check all that apply. TOTAL #		
Check all that apply. TOTAL #	12 Redectrion Engineering C	
TOTAL #		
C) Additional signs STREET SEGMENT This street is: 23 V20 between: AGH and: BUCH Side A CNN: Side B CNN: Street type:	, , ,	
STREET SEGMENT This street is: 23 V20 between: AGH and: BIRCH Side A CNN: Side B CNN: Street type:	TOTAL # Y	
This street is: 23 V2D between: AGH and: BIRCH Side A CNN: Side B CNN: Street type:	A STATE OF STREET	CORP. CO. CO. CO. CO. CO. CO. CO. CO. CO. CO
Side A CNN: Side B CNN: Street type:	This street is: 12 KD	
Shared / podestries only		
13. Number of lanes: street Under 25 mph Over 25 mph (95 MP)	_	Shared (padestrian only
14. Posted speed limit: 25 mph / none posted Under 25 mph Vover 25 mph (35 N	13. Number of lanes:	I street I I I I I I I I I I I I I I I I I I
		25 mph / none pacted Linder 25 mph A Over 25 mph (39)
	14. Posted speed limit:15. Street traffic calming fea Check all that apply.	tures a) Trees in median c) Speed enforcement b) Speed hump / bump d) Protected bike lane

Side B are North, South, East, or West relative to the street centerline.	N/S	/E	/W	-	N/	S/E/W	/
For questions 16-22 you will select one an	swer for eac	h side o	the street		/	/	
16. Continuous sidewalk	No 🗆	Yes	Image: Control of the	Ye	s V	No 🖸	
17. Width of	Less th	an 5 ft				Less than 5 ft	Stanish .
sidewalk	5 ft	to 8 ft		1		5 ft to 8 ft	(if no sidewalk,
(if no sidewalk, skip #17-20, this side)	8 ft t	o 12 ft	$\overline{\Box}$		$\overline{\Box}$.	8 ft to 12 ft	skip #17-20, this side)
		r more	丙	1	ন্দ	12 ft or more	
18. Width of		an 4 ft	ă –	•	П	Less than 4 ft	
hroughway	154741			1		4 ft to 6 ft	
The throughway is the part without		to 8 ft				6 ft to 8 ft	
urniture, signs, plantings, newspaper or						8 ft or more	
tility boxes. 19. Large sidewalk	8110	r more	-	-	N		
obstructions:		None	H		=	None	
		porary	님		님	Temporary	
An obstruction is any object in the throughway.	Pern	nanent			닏	Permanent	
20. Sidewalk		None		1		None	
mpediments:		Minor				Minor	
Anything that poses a tripping hazard.	Sign	nificant		-		Significant	
21. Trees		None				None	
	Sporadical	y lined		1		Sporadically lined	
	Continuous	y lined				Continuously lined	
22. Driveway cuts None	1-5	> 5		1		None	> 5
For questions 23-26, check Yes or No on	each side:		Yeş No	100	Yes	No	
23. Presence of					ď		
	ak parallel p	narking	W.	1	N	Non-peak parallel p	arking
Check all that apply.	Parallel		ন		M	Parallel parking	
Check all that apply.		ke lane	Ħ	1	ñ	Bike lane	
24. Planters and gardens	DII	ke lalle	Ĭ □.	•	M	Divergine	
		-	H H	1	-	б .	
25. Public seating			금 품	-	님	N	
26. Public art/historical sites		***	נוט	1	ш		
For questions 27-28, select one answer fo			/		-		
27. Retail use and public places		None		1		None	
Retail that covers an entire block counts as		1 or 2		:		1 or 2	
three or more.	3 0	r more				3 or more	
28. Pedestrian-scale		None		-		None	
lighting	S	poradic			V	Sporadic	
	Con	tinuous		- 1		Continuous	
For questions 29-31, check Yes or No on	each side:		Yes No		Yes	No.	
29. Illegal graffiti Select NO if there	a is only a lit	tle		1		Ø.	
30. Litter Select NO if there is only a						M/	
31. Empty spaces			古岗	1	H	M	
	andened by	vilalia -			1	_	
	pandoned by		H		님	Abandoned building	ys
THECK SILTEST SERVICE	Vac	ant lots				Vacant lots	
Check all that apply	2						
	· Park	ing lots				Parking lots Construction sites	

This street is: 23 ¹²⁰	between:	Ant	and:	BIRCH	-
For questions 32-36, please circle the n	umber that your te	eam thinks best	describes this str	eet.	
32. Street segment is visually	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
attractive for walking.	1	2	3	A).	5
33. Street segment feels safe for	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
walking.	1	2	3	4)	5
34. Are there obvious strong odors anywhere on this street	A lot of odors	Some odors	A little odor	No odor	Only good odor
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	4	5
35. On a scale of 1 to 10, how	Not walkable			Very Walkable	
walkable do you find this street segment?	1 2	3 4 5	6 7 8 6	9) 10	

- · QUIET NEIGHBORHOOD
- · NICE, VIGUAL PLANTER ON NORTH SIDE NEAR SIDEWALKS.
- · VERY WALKABLE AREA WITH CLEAN, SIDEWALKS (AND NO OBSTRUCTIONS)
- · LOTS OF SHADE, EVEN THOUGH TREES WERE SPORADIC.

Pedestrian Environmental Quality Index (PEQI) Street & Intersection Audit Form	
Project: AKTERIAL'S ENVIRONMENTAL ASSIGNATIVE Date: SCT 24, 2013	
Auditor(s): GREPHANIE WONG	
INTERSECTION This is the intersection of: (Simply) Described and: (Simply) 23 ¹² D	
(The street you plan to salk down) (The street you will foss)	
Are these two lane or one lane streets and alleys? Yes No Street type Nachtrop Parents and Parents	
Are these two lane or one lane streets and alleys? Yes No Street type No Street type	5.
All ways 1 missing 2 missing 3 missing None	
1. Crosswalks	
2. High visibility crosswalks 4+ streetlights 3 streetlights 2 streetlights 1 streetlight None	
3. Intersection lighting	
Traffic Signal Stop All Way roundabout) Roundabout Uncontrolled	
4. Traffic Control Skip questions 5.8 upless	
there is a traffic signal	
5b. If YES does the signal count down? ways ways None Y	
6. Wait time to 7. Time to Crossing Distance 27-7.	
time Cross Distance (seconds) (feet)	
9. Pedestrian Refuge Island None Yes, 4 ft or narrower Yes, wider than 4 ft	
11. Intersection traffic calming features •	
Check all that apply. •	
Check all that apply. Y a) Flashing beacon P (a) Red visibility curb TOTAL # 3 (b) No Turn on Red Signs Y f) Advanced stop/yield lines	
c) Additional signs	
STREET SEGMENT	
This street is: (Primary) 23 RD between: (Street #1) CHERRY and: (Street #2) DAHLIA	
Side A CNN: Street type:	
13. Number of lanes: Shared / pedestrian only 1 1 2 13 14+	
street	
14. Posted speed limit: 25 mph / none posted Under 25 mph V Over 25 mph 35 MV	H.
15. Street traffic calming features a) Trees in median c) Speed enforcement	
Check all that apply. b) Speed hump / bump d) Protected bike lane	
TOTAL # e) Chicane	

Please indicate whether Side A and Side B are North, South, East, or West relative to the street centerline.		N/S/E/W
For questions 16-22 you will select one answer for each side of		/
16. Continuous sidewalk No Yes	✓ Ye	es 🔽 No 🗖
17. Width of Less than 5 ft		Less than 5 ft
sidewalk 5 ft to 8 ft		5 ft to 8 ft (if no sidewalk, skip #17-20, this
(if no sidewalk, skip #17-20, this side) 8 ft to 12 ft		8 ft to 12 ft side)
12 ft or more		12 ft or more
18. Width of Less than 4 ft	□. ·	Less than 4 ft
throughway 4 ft to 6 ft	☑ I	4 ft to 6 ft
The throughway is the part without 6 ft to 8 ft		☐ 6 ft to 8 ft
furniture, signs, plantings, newspaper or utility boxes. 8 ft or more	□. i	■ & ft or more
19. Large sidewalk . None	_	M None GOME TREES HUNG
obstructions: Temporary	=	Temporary LIKE AN OBSTRUCTION)
An obstruction is any object in the throughway. Permanent		Permanent CIPP AN OBSTRUCTION)
20. Sidewalk None	_	M None
impediments: Minor	ā !	Minor
Anything that poses a tripping hazard. Significant	= .	Significant
21. Trees None		□. None ·
Sporadically lined	声 :	Sporadically lined
Continuously lined		Continuously lined
22. Driveway cuts None \(\sqrt{1-5}\) > 5	:	None ▼ 1-5 □ > 5
	Vec No	
For questions 23-26, check Yes or No on each side:	Yes No	Yes No
23. Presence of		\square
buffers Non-peak parallel parking		Non-peak parallel parking
Check all that apply. Parallel parking	별 :	Parallel parking
Bike lane		Bike lane
24. Planters and gardens	₩.□ :	_ ☑, □
25. Public seating		<u> </u>
26. Public art/historical sites		U U
For questions 27-28, select one answer for each side of the str		
27. Retail use and public places None	= :	None
Retail that covers an entire block counts as 1 or 2	: '	1 or 2
three or more. 3 or more	_ i	3 or more
28. Pedestrian-scale None	=/	None
lighting Sporadio		M Sporadic
Continuous		☐ Continuous
For questions 29-31, check Yes or No on each side:	Yes No	Yes. No
29. Illegal graffiti Select NO if there is only a little		
30. Litter Select NO if there is only a little		
31. Empty spaces		
Abandoned buildings	_	Abandoned buildings
Check all that apply Vacant lots	= •	☐ Vacant lots
Parking lots	_	Parking lots
Construction sites		Construction sites

Perceived Walkability					
This street is: 23kD	between:	CHERRY	and:	DAHLIA	ς.
For questions 32-36, please circle the n	umber that your t	eam thinks best	t describes this st	reet.	
32. Street segment is visually attractive for walking.	Strongly disagree	Disagree 2	Neutral 3	Agree 4	Strongly agree
33. Street segment feels safe for walking.	Strongly disagree	Disagree 2	Neutral 3	Agree 4	Strongly agree
34. Are there obvious strong odors anywhere on this street	A lot of odors	Some odors	A little odor	No odor	Only good odors
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	4	5
35. On a scale of 1 to 10, how	Not walkable			Very Walkable	
walkable do you find this street segment?	1 2	3 4 5	6 7 8 (9) 10	

DATES VIGITED: THURSDAY, OCT 24,2013 - 11 AM SUNDAY, OCT 27, 2013 - 10 AM

- · FEELS VERY SAFE
- · LOTS OF CHILDREN, DOGS, I FRIENDLY FACES

 EVERYONE THAT PASSED US SAID "HELLO"
- DIDN'T SEEM BUSY BEING CONSIDERED AN ARTERIAL ROAD (35 MPH)
- · (1) BUG STOP HO PEOPLE WARTING NO BUGES SEEN DURING VIGIT.
- · NO BIKE LANES
- · PREDEMINANTANAMENTERAT
- · BIKE RACKS AVAILABLE BUT MOST BIKES WERE
 LEFT OUTSIDE RETAIL SPACES UNLOCKED GADE!

Pedestrian Environmental (Quality Index (PEQI)	Date er	ntered into database: / /
Street & Intersection Aud	lit Form		
Project: 23rd + Dext	er	Survey Date:	10124113
Auditor(s): N: CK Fazi	0		
	INTERSECT	ION	
This is the intersection of:	- JI W TOCATO	nd:	Metry) 23rd
Intersection CNN: VA	(The street you plan to walk dov	/	eet you will cross)
Are these two lane or one lane stre	ets and alleys?	res 🗹 No 🗖	Street type Neighborhood
Crosswalks High visibility crosswalks Intersection lighting	All wave 1 missing 1 missi		3 missing None Streetlight None
3. Intersection lighting		Yield (no	
4. Traffic Control	Traffic Signal Stop All W	ay roundabout)	Roundabout Uncontrolled
Skip questions 5-8 unless	5a. Is there a signa	I for pedestrians?	All Some None None
there is a traffic signal	5b. If YES does the s	ignal count down?	All Some None Ways
	6. Wait time (seconds)	7. Time to Cross (seconds)	8. Crossing Distance (feet)
9. Pedestrian Refuge Island	None Y	es, 4 ft or narrower	Yes, wider than 4 ft
10. Curb ramps	Missing one or mo	re ramp A	all corners ramped
11. Intersection traffic calmin	g features a) Rai	sed crosswalks	e) Diagonal diverter
Check all that apply.	b) Pav	vement treatments	f) Partial closure
TOTAL#_O	c) Bike	lane thru intersection	g) Traffic calming circle
	d) Bul	b-outs	h) Mini-circle
12. Pedestrian Engineering Co	_		d) Crosswalk scramble
Check all that apply. TOTAL # 3		shing beacon Turn on Red Signs	e) Red visibility curb f) Advanced stop/yield lines
101AL#	=/	ditional signs	g) Pedestrian leading interval
	STREET SEG		
This street is: 2-2-yary)	between:		Danta
Side A CNN: NA	Side B CNN:	3	Street type: Neighbor hood
13. Number of lanes:	Shared / ped trian only street		4+ □3 □4+
14. Posted speed limit:	25 mph / none posted	Under 25 n	nph Over 25 mph
15. Street traffic calming feats Check all that apply.		es in median	c) Speed enforcement
TOTAL#	□ b) Spe	eed hump / bump	d) Protected bike lane e) Chicane
10111211			e) Chicane

Please indicate whether Side A and SIDEA SIDE B Side B are North, South, East, or N/S/E/W N/S/E/W West relative to the street centerline. For questions 16-22 you will select one answer for each side of the street No 🗆 16. Continuous sidewalk No 🔲 Yes 🗸 Yes 🔽 Less than 5 ft 17. Width of Less than 5 ft (if no sidewalk, sidewalk 5 ft to 8 ft 5 ft to 8 ft skip #17-20, this (if no sidewalk, skip #17-20, this side) 8 ft to 12 ft & ft to 12 ft side) 12 ft or more 12 ft or more 18. Width of Less than 4 ft Less than 4 ft throughway 4 ft to 6 ft 4 ft to 6 ft The throughway is the part without 6 ft to 8 ft 6 ft to 8 ft fumiture, signs, plantings, newspaper or 8 ft or more 8 ft or more utility boxes. 19. Large sidewalk None -None obstructions: Temporary ___ Temporary An obstruction is any object in the throughway. Permanent __ Permanent 20. Sidewalk None V None impediments: Minor Minor Anything that poses a tripping hazard. Significant ___ Significant None ☐ Nøne 21. Trees Sporadically lined Sporadically lined ___ Continuously lined Continuously lined None 1-5 None 1-5 22. Driveway cuts For questions 23-26, check Yes or No on each side: Yes Mo Yes No 团 回 回口 23. Presence of Non-peak parallel parking Non-peak parallel parking buffers Parallel parking Parallel parking Check all that apply. Bike lane Bike lane 勹 24. Planters and gardens 25. Public seating 26. Public art/historical sites For questions 27-28, select one answer for each side of the street: 27. Retail use and public places None _ None 1 or 200 1 or 2 Retail that covers an entire block counts as three or more. 3 or more 3 or more 28. Pedestrian-scale None None lighting Sporadic Sporadic Continuous Continuous For questions 29-31, check Yes or No on each side: Yes No Yes No V N 29. Illegal graffiti Select NO if there is only a little 30. Litter Select NO if there is only a little V Q Q 31. Empty spaces Abandoned buildings Abandoned buildings Vacant lots Vacant lots Check all that apply Parking lots Parking lots Construction sites Construction sites

Perceived Walkabili	ty	and the second								100000000000000000000000000000000000000	
This street is:	23rd	betwe	en:	Ch	M	4			and	: Dahli	a
For questions 32-36, plea	se circle the n	umber that y	our t	eam l	hinks	besi	t desc	ribes	this :	street.	
32. Street segment is	visually	Strongly disa	gree	D	isagre	е		Neutral		Agree	Strongly agree
attractive for walking.		1		2		3		4	(5)		
33. Street segment fe	els safe for	Strongly disa	gree	D	isagre	е		Neutral		Agree	Strongly agree
walking.	walking.		1		2		3		<u>(4)</u>	5	
34. Are there obvious odors anywhere on the	-	A lot of odo	ors	So	me od	ors	Α	little od	lor	No odor	Only good odors
segment (e.g. vehicle ex stench, rotting garbage, e	haust, urine	1			2		3		4)	5	
35. On a scale of 1 to	10, how	Not walkab	ile							Very Walkable	
walkable do you find segment?	this street	1	2	3	4	5	6	7	8	9 10	

People Ceclsafe.
Lots of children, families, cloys.

Ilam S 12 pm

Friendly than normal "said hello"

Inquisitive

doesnt Feel like alot of traff: at the moment

Pegestrian Environmental C Street & Intersection Aud		QI)	Date en	itered into data	base://	_
Project: Activals		Su	rvey Date:	act 2	412013	_
Auditor(s): NTUFAZ	0					
	INTER	RSECTION				
This is the intersection of:	23rd	and:	Dahlia			_
Intersection CNN:	(The street you plan to	walk down)	(The str	eet you will cro		
Are these two lane or one lane stree	ets and alleys?	Yes 🗹	No 🗆		Neighbarhoon	LRes
	All ways 1	missing 2	missing	3 missing	None	
1. Crosswalks	H	H	H	H		
2. High visibility crosswalks	4+ streetlights 3 str	eetlights 2 st	treetlights 1	streetlight	None	
3. Intersection lighting			Yield (no	V		
4. Traffic Control	Traffic Signal Sto	p All Way		Roundabout	Uncontrolled	
Skip questions 5-8 unless	5a. Is there a	signal for p	edestrians?	All	Some None	1
there is a traffic signal	5b. If YES doe			Al	Some None	ادّ
	6. Wait	7. Tim		8. Cros	sing	
	time	Cro		Distar	ice (feet)	
	(seco	onds)	(seconds)			_
9. Pedestrian Refuge Island	None	Yes, 4 ft	or narrower		, wider than 4 ft	
10. Curb ramps		e or more ram		All corners ran		_
11. Intersection traffic calmin	g features	a) Raised cro			Diagonal diverter	
Check all that apply.	<u> </u>	b) Pavement			artial closure	
TOTAL #		c) Bike lane th	ru intersection		raffic calming circle	
		d) Bulb-outs			Mini-circle	_
12. Pedestrian Engineering Co	ountermeasures		ļ	= '	walk scramble	
Check all that apply.	<u> </u>	a) Flashing b	,		isibility curb	,
TOTAL#_O	-	b) No Turn or c) Additional		_	ced stop/yield lines rian leading interval	
	STREE	T SEGMENT		9/		
This street is: 23rd		Dexter	and:	Eudor	~	
Side A CNN:	Side B CNN:			Street type:_		
13. Number of lanes:	Shared / pedestriar street	n only] 1 [편:	2 3	4+	
14. Posted speed limit:	25 mph / none posi	ted	Under 25 r	mph 🔽	Over 25 mph	
15. Street traffic calming feat	ures	a) Trees in n	nedian	c) Speed	d enforcement	
Check all that apply.		b) Speed hu	mp / bump	d) Prote	cted bike lane	
TOTAL #				e) Chica	nne	

Please indicate whether Side A and SID (Side B are North, South, East, or Vest relative to the street centerline.	EA N/S/E/	/w	SIDEB N/S/E/W
			1
or questions 16-22 you will select one an	No Yes		Yes No
6. Continuous sidewalk			
7. Width of sidewalk	Less than 5 ft	=	Less than 5 ft
,	5 ft to 8 ft	片	Skip #17-20, this
(if no sidewalk, skip #17-20, this side)	8 ft to 12 ft		8 ft to 12 ft side)
	12 ft or more	₩.	12 ft or more
8. Width of	Less than 4 ft	= -	Less than 4 ft
hroughway	4 ft to 6 ft	Ā	4 ft to 6 ft
The throughway is the part without urniture, signs, plantings, newspaper or	6 ft to 8 ft		• ☐ 6 ft to 8 ft
tility boxes.	8 ft or more		8 ft or more
19. Large sidewalk	None	☑	■ None
obstructions:	Temporary		■ Temporary
In obstruction is any object in the throughway			Permanent
20. Sidewalk	None	☑	None
mpediments:	Minor		Minor
Anything that poses a tripping hazard.	Significant		Significant
21. Trees	None	$\overline{\Box}$	None
	Sporadically lined	Ħ	Sporadically lined
	Continuously lined		Continuously lined
22. Driveway cuts None	√1-5		None
		Yes No	Yeş No
For questions 23-26, check Yes or No on	each side.	-/-	
23. Presence of		전 ㅁ	. 멀ㅁ
buffers Non-p	eak parallel parking		Non-peak parallel parking
Check all that apply.	Parallel parking	A	Parallel parking
	Bike lane	<u></u>	Bike lane
24. Planters and gardens			• 🗵 🗆
25. Public seating			I 0 0,
26. Public art/historical sites			I 🗆 🖫
For questions 27-28, select one answer t	or each side of the str	eet:	
27. Retail use and public places	s None		None None
Retail that covers an entire block counts as	1 or 2	a	■ I 1 or 2
three or more.	3 or more		3 or more
28. Pedestrian-scale	None		None
lighting	Sporadic	=/	• Sporadic
	Continuous		Continuous
For questions 29-31, check Yes or No or		Yes No	Yes No
29. Illegal graffiti Select NO if the		ा ज	I DE
			. 00/
30. Litter Select NO if there is only	a nitte		
31. Empty spaces			
	bandoned buildings		Abandoned buildings
Check all that apply	Vacant lots	=	☐ Vacant lots
	Parking lots	님	Parking lots
	Construction sites		■ Construction sites

This street is: 23rd	between: Dexter and:						C-0-1/1					
For questions 32-36, please circle the n	umber that ;	your t	eam t	hinks	best	desc	ribes	this s	treet.			
32. Street segment is visually	Strongly disa	agree	0	Xisagre	0	1	Neutra		Agree	Strongly agree		
attractive for walking.	1			2			3		4	Strongly agree		
33. Street segment feels safe for	Strongly disa	agree	0	Hsagre	e	1	Neutra		Agree			
walking.	1		2			3		4	(5)			
34. Are there obvious strong odors anywhere on this street	A lot of od	So	me od	ors	A	little oc	ior	No odor	Only good odor			
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1		2			3		4	5			
35. On a scale of 1 to 10, how	Not walka	ble							Very Walkable			
walkable do you find this street segment?	1	2	3	4	5	6	7	8	9 10			
Notes & Questions:												

Pedestrian Environmental Quality Index (PEQI) Street & Intersection Audit Form	Date entered into database://
Project: Atemals s	Survey Date: Oct 24 12013
Auditor(s): NICK FAZID	2 1 1013
INTERSECTION	
This is the intersection of: 23cd and:	Eudora
Intersection CNN: (The street you plan to walk down)	(The street you will cross)
	NO D Street type Weighbachood Res
All ways 1 missing	2 missing 3 missing None
1. Crosswalks	H H H
2. High visibility crosswalks 4+ streetlights 3 streetlights 2	streetlights 1 streetlight None
3. Intersection lighting	
Traffic Signal Stop All Way	Yield (no roundabout Uncontrolled
4. Traffic Control	
Skip questions 5-8 unless	pedestrians? All Some None
there is a traffic signal 5b. If YES does the signal	All Some Co.
	ime to 8. Crossing
time	ross Distance
(seconds)	(seconds) (feet)
9. Pedestrian Refuge Island None Yes, 4	ft or narrower Yes, wider than 4 ft
10. Curb ramps Missing one or more rai	mp All corners ramped
11. Intersection traffic calming features a) Raised of	erosswalks e) Diagonal diverter
Check all that apply. b) Pavemen	nt treatments
TOTAL # c) Bike lane	thru intersection g) Traffic calming circle
d) Bulb-out	s n) Mini-circle
12. Pedestrian Engineering Countermeasures	d) Crosswalk scramble
Check all that apply.	beacon e) Red visibility curb
TOTAL # b) No Turn	on Red Signs
c) Additions	al signs g) Pedestrian leading interval
STREET SEGMEN	IT
This street is: 73 d between: Dahlin	and: Elm
Side A CNN: Side B CNN:	Street type:
13. Number of lanes: Shared / pedestrian only street	1 2 3 4+
14. Posted speed limit: 25 mph / none posted	Under 25 mph Over 25 mph
15. Street traffic calming features a) Trees in	median C) Speed enforcement
	ump / bump d) Protected bike lane
TOTAL #	e) Chicane

Please indicate whether Side A and I SIDE B SIDE A Side B are North, South, East, or N/S/E/W)/S/E/W West relative to the street centerline. For questions 16-22 you will select one answer for each side of the street Yes 🖸 No 🔲 Yes 🔽 16. Continuous sidewalk No 🗂 17. Width of Less than 5 ft Less than 5 ft (if no sidewalk, sidewalk 5 ft to 8 ft 🔲 ☐ 5 ft to 8 ft skip #17-20, this (if no sidewalk, skip, #17-20, this side) 8 ft to 12 ft 8 ft to 12 ft side) 12 ft or more 12 ft or more 18. Width of Less than 4 ft Less than 4 ft throughway 4 ft to 6 ft 🗹 4 ft to 6 ft The throughway is the part without 6 ft to 8 ft 6 ft to 8 ft 🔲 furniture, signs, plantings, newspaper or 8 ft or more 8 ft or more utility boxes. None 19. Large sidewalk None 🗹 obstructions: Temporary ___ Temporary Permanent An obstruction is any object in the throughway. Permanent L 20. Sidewalk None None impediments: Minor Minor _ Anything that poses a tripping hazard. Significant Significant ___ None None 21. Trees Sporadically lined Sporadically lined Continuously lined Continuously lined None 1-5 None 1-5 22. Driveway cuts For questions 23-26, check Yes or No on each side: Yes No Yes No ፼′□ ☞ 🗆 23. Presence of Non-peak parallel parking Non-peak parallel parking buffers Parallel parking G Parallel parking Check all that apply. Bike lane Bike lane 24. Planters and gardens П 25. Public seating 26. Public art/historical sites For questions 27-28, select one answer for each side of the street. None None 🗹 27. Retail use and public places 1 or 2 1 or 2 Retail that covers an entire block counts as three or more. 3 or more 3 or more None 28. Pedestrian-scale None -Sporadic 🕟 Sporadic lighting Continuous Continuous For questions 29-31, check Yes or No on each side: Yes No Yes No 29. Illegal graffiti Select NO if there is only a little 30. Litter Select NO if there is only a little V 31. Empty spaces Abandoned buildings Abandoned buildings Vacant lots Vacant lots Check all that apply Parking lots Parking lots Construction sites Construction sites

his street is: 23 d	between:		and:	Glm	
or questions 32-36, please circle the nu	umber that your te	eam thinks best	describes this st	reet.	
32. Street segment is visually	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
attractive for walking.	1	2	3	4	(5)
33. Street segment feels safe for	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
walking.	1	2	3	4	(3)
34. Are there obvious strong	A lot of odors	Some odors	A little odor	No odor	Only good odors
odors anywhere on this street				6	_
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1	2	3	(4)	5
35. On a scale of 1 to 10, how	Not walkable			Very Walkable	. ,
walkable do you find this street segment?	1 2	3 4 5	6 7 8	9 (10)	

Pedestrian Environmental C Street & Intersection Audi		Date entere	d into database://
Project: Afternals		Survey Date: 00	+24/2013
Auditor(s): Noch Form)		
	INTERSECTION		
This is the intersection of:	23cd and:	Elm	
Intersection CNN:	(The street you plan to walk down)	(The street y	ou will cross)
Are these two lane or one lane stree	ets and alleys? Yes	☑ No □ s	treet type Weighbolhood Re
Crosswalks High visibility crosswalks	All ways 1 missing 4+ streetlights 3 streetlights		etlight None
3. Intersection lighting		\square	
4. Traffic Control Skip questions 5-8 unless there is a traffic signal	Traffic Signal Stop All Way 5a. Is there a signal fo	r pedestrians?	All Some None
		Fime to 10 (seconds)	8. Crossing Distance (feet)
9. Pedestrian Refuge Island	None Yes,	4 ft or narrower	Yes, wider than 4 ft
10. Curb ramps	Missing one or more r	amp All co	orners ramped
11. Intersection traffic calming	features a) Raised	crosswalks	e) Diagonal diverter
Check all that apply.	b) Pavem	ent treatments	f) Partial closure
TOTAL#	c) Bike land	e thru intersection	g) Traffic calming circle h) Mini-circle
12. Pedestrian Engineering Co			d) Crosswalk scramble
Check all that apply. TOTAL #	a) Flashir	n on Red Signs	e) Red visibility curb f) Advanced stop/yield lines
	c) Additio	nal signs	g) Pedestrian leading interval
	STREET SEGME		
This street is: 23rd	between: Eudor	and:	Fairfax
Side A CNN:	Side B CNN:	Stre	et type:
13. Number of lanes:	Shared / pedestrian only street	1 2	3 4+
14. Posted speed limit:	25 mph / none posted	Under 25 mph	Over 25 mph
15. Street traffic calming feator Check all that apply. TOTAL #	=	in median hump / bump	c) Speed enforcement d) Protected bike lane e) Chicane

Please indicate whether Side A and I SIDE B SIDE A Side B are North, South, East, or N/S/E/W N/S/E/W West relative to the street centerline For questions 16-22 you will select one answer for each side of the street Yes 19 Yes 🖂 No 🔲 16. Continuous sidewalk No 🔲 17. Width of Less than 5 ft Less than 5 ft (if no sidewalk, sidewalk 5 ft to 8 ft 5 ft to 8 ft skip #17-20. this (if no sidewalk, skip #17-20, this side) 8 ft to 12 ft 8 ft to 12 ft side) 12 ft or more 12 ft or more 18. Width of Less than 4 ft Less than 4 ft throughway 4 ft to 6 ft 4 ft to 6 ft The throughway is the part without 6 ft to 8 ft 6 ft to 8 ft furniture, signs, plantings, newspaper or 8 ft or more 8 ft or more utility boxes. 19. Large sidewalk None 🖳 None obstructions: Temporary Temporary L Permanent An obstruction is any object in the throughway. Permanent 20. Sidewalk None 🖳 None impediments: Minor Minor ___ Anything that poses a tripping hazard Significant Significant None None _ 21. Trees Sporadically lined Sporadically lined Continuously lined Continuously lined None 71-5 22. Driveway cuts None ▼ 1-5 Yes No Yes No For questions 23-26, check Yes or No on each side: 回口 90 23. Presence of Non-peak parallel parking buffers Non-peak parallel parking Parallel parking Parallel parking Check all that apply. Bike lane Bike lane 24. Planters and gardens 25. Public seating 26. Public art/historical sites For questions 27-28, select one answer for each side of the street: None -None 27. Retail use and public places 1 or 2 1 or 2 Retail that covers an entire block counts as three or more. 3 or more 3 or more 28. Pedestrian-scale None None T Sporadic _ Sporadic lighting Continuous Continuous L For questions 29-31, check Yes or No on each side. Yes No Yes No 29. Illegal graffiti Select NO if there is only a little П 30. Litter Select NO if there is only a little 31. Empty spaces Abandoned buildings Abandoned buildings Vacant lots Check all that apply Vacant lots Parking lots Parking lots Construction sites Construction sites

This street is:	betwee							and:	
For questions 32-36, please circle the n	umber that yo	ur te	am ti	hinks	best	desc	ribes	this street.	
32. Street segment is visually	Strongly disagr	ree	Di	isagre	9	1	Veutral	1 Agree	Strongly agree
attractive for walking.	1		2			3	4)	5	
33. Street segment feels safe for	Strongly disag	ree	D	isagre	е	1	Neutral	l Agree	Strongly agree
walking.	1		2			3		5	
34. Are there obvious strong	A lot of odor	'S	Sor	me ode	ors	AI	little od	dor No odor	Only good odors
odors anywhere on this street			2					\bigcirc	_
segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1						3	4)	5
35. On a scale of 1 to 10, how	Not walkable						Very Walkable		
walkable do you find this street segment?	1	3	4	5	6	7	8 9 10		

This intersection needs a little TLC.

Sidewalk needs to be repaired in Front

Ora couple houses. Elm st. Feels a

little "incomplete"

Pedestrian Environmental C Street & Intersection Audi		Date en	tered into database://	
Project: Afternals		Survey Date:	Oct 2412013	
Auditor(s): Nick Fazir	>			_
	INTERSECTIO	N		
This is the intersection of:	23rd and	1: Fair	AX	
Intersection CNN:	(The street you plan to walk down)	(The stre	eet you will cross)	
Are these two lane or one lane stree	ts and alleys? Yes	No 🗆	Street type Neigholhor	old Res
	All ways 1 missing	2 missing	3 missing None	
1. Crosswalks	H	H		
2. High visibility crosswalks	4+ streetlights 3 streetlights	2 streetlights 1	streetlight None	
3. Intersection lighting				
	Traffic Signal Stop All Way	Yield (no roundabout)	Roundabout Uncontrolled	
4. Traffic Control				-
Skip questions 5-8 unless there is a traffic signal	5a. Is there a signal f	or pedestrians?	All Some None ways]
there is a tranic signal	5b. If YES does the sign	nal count down?	All Some None ways]
		Time to	8. Crossing	
	time (seconds)	Cross (seconds)	Distance (feet)	
9. Pedestrian Refuge Island	None Yes	, 4 ft or narrower	Yes, wider than 4 ft	
10. Curb ramps	Missing one or more	ramp A	I corners ramped	
11. Intersection traffic calming	features a) Raise	d crosswalks	e) Diagonal diverter	
Check all that apply.	b) Paver	ment treatments	f) Partial closure	
total # <u>O</u>	c) Bike la	ne thru intersection	g) Traffic calming circle	
	d) Bulb-	outs	h) Mini-circle	
12. Pedestrian Engineering Co	untermeasures		d) Crosswalk scramble	
Check all that apply.	a) Flash	ing beacon	e) Red visibility curb	
TOTAL#_O_	b) No Tu	ırn on Red Signs	f) Advanced stop/yield lines	
	c) Additi	ional signs	g) Pedestrian leading interval	_
	STREET SEGM	ENT		
This street is: 23 d	between: _Elm	and:_	Forest	
Side A CNN:	Side B CNN:		Street type:	
13. Number of lanes:	Shared / pedestrian only street		3 4+	_
14. Posted speed limit:	25 mph / none posted	Under 25 n	nph Over 25 mph	
15. Street traffic calming featu		s in median	c) Speed enforcement	
Check all that apply.	b) Spee	d hump / bump	d) Protected bike lane	
TOTAL#			e) Chicane	

Please indicate whether Side A and SIDE A I SIDE B Side B are North, South, East, or N/S/E/W N/S/E/W West relative to the street centerline. For questions 16-22 you will select one answer for each side of the street No 🔲 Yes 🔽 Yes 🖼 No 🔲 16. Continuous sidewalk 17. Width of Less than 5 ft Less than 5 ft (if no sidewalk, sidewalk 5 ft to 8 ft 🔲 5 ft to 8 ft skip #17-20, this (if no sidewalk, skip #17-20, this side) 8 ft to 12 ft 🔲 8 ft to 12 ft side) 12 ft or more 12 ft or more 18. Width of Less than 4 ft Less than 4 ft throughway 4 ft to 6 ft 4 ft to 6 ft 🔽 The throughway is the part without 6 ft to 8 ft 6 ft to 8 ft 🔲 furniture, signs, plantings, newspaper or 8 ft or more 8 ft or more utility boxes. 19. Large sidewalk None None 🗹 obstructions: Temporary Temporary [An obstruction is any object in the throughway. Permanent Permanent 20. Sidewalk None None impediments: Minor 🖵 Minor Anything that poses a tripping hazard. Significant Significant ___ None None 21. Trees Sporadically lined Sporadically lined Continuously lined Continuously lined None 1-5 None 1-5 22. Driveway cuts Yes No For questions 23-26, check Yes or No on each side: Yes, No ⅓′ Ø П 23. Presence of Non-peak parallel parking Non-peak parallel parking buffers Parallel parking Parallel parking Check all that apply. Bike lane Bike lane ㅁ П 24. Planters and gardens ū 25. Public seating 26. Public art/historical sites For questions 27-28, select one answer for each side of the street: None 27. Retail use and public places None -1 or 2 1 or 2 Retail that covers an entire block counts as three or more. 3 or more 3 or more None -None 28. Pedestrian-scale Sporadic lighting Sporadic Continuous Continuous For questions 29-31, check Yes or No on each side: Yes No Yes No D/ **□** 29. Illegal graffiti Select NO if there is only a little 30. Litter Select NO if there is only a little 31. Empty spaces Abandoned buildings Abandoned buildings Vacant lots Vacant lots Check all that apply Parking lots Parking lots Construction sites Construction sites


This street is:	between:		la lan lan	hoot	dosc		and:	reet.				
This street is: For questions 32-36, please circle the n	umber that your te	am ti	ninks	Dest	uesc	11063	tino oc			Cheeraly sare		
32. Street segment is visually attractive for walking.	Strongly disagree	Disagree 2			Neutral 3			_(4 Agree	Strongly agree		
33. Street segment feels safe for walking.	Strongly disagree	D	Disagree 2		Neutral 3				Agree 4	Strongly agree		
34. Are there obvious strong	A lot of odors	Some odors			A little odor			N	lo odor	Only good odo		
odors anywhere on this street segment (e.g. vehicle exhaust, urine stench, rotting garbage, etc.)?	1		2			3			4	5		
35. On a scale of 1 to 10, how	Not walkable								y Walkable			
walkable do you find this street segment?	1 2	3 4 5		6 7 8		9	10					

Sidewalk needs repairs in some Sections.

Traffic moving Faster on these put of the street than closer to & Dexter,

16. STAKEHOLDER INFORMATION LETTER

PI Wesley Marshall





Denver Neighborhood Connections Survey Summary

The Livable Arterials Study

The Denver Neighborhood Connections Survey is one of the key elements of a wider *Livable Arterials* project being conducted by researchers at the University of Colorado Denver. The aim of the study is to better understand how arterial streets – those with fast and heavy traffic – impact local neighborhoods around Denver. In addition to the survey, the project will also look at design features, traffic speeds, and other built environment features of Denver streets.

Description of Survey

The Denver Neighborhood Connections Survey takes about ten to fifteen minutes to complete. The Survey asks residents to answer questions about their neighborhood, their travel patterns, their local street, and about an arterial street located near their residence. The survey asks questions about how residents use their streets and about their opinions and perceptions of their neighborhood.

Where the Survey will be Conducted

The survey will be conducted door-to-door in neighborhoods that are near major streets in ten areas of Denver. A map of the study areas is provided on the back of this page.

Study areas include:

- 1. South University Blvd. between Exposition Ave. and Ohio Ave.
- East 23rd Ave. between Cherry St. and Dexter St.
- 3. South Broadway St. between 1st Ave. and Bayaud Ave.
- 44th Ave. between Meade St. and King St.
- 5. South Holly St. between Ivanhoe Way and Gunnison Pl.
- East Colfax Ave. between Elm St. and Forest St.
- 7. South Colorado Blvd. between Louisiana Ave. and Mexico Ave.
- Broadway St. between 8th Ave. and 12th Ave.
- 9. Santa Fe Dr. between 12th Ave. and 7th Ave.
- 10. East Colfax Ave. between York St. and Cook St.


How Neighborhoods were Selected

These residential neighborhoods were selected because they are located near arterial streets with some existing commercial development. We chose arterial streets with a variety of features, such as varying levels of traffic, speeds, and design features such as sidewalks, road widths, and street trees. The intent is to better understand how these different characteristics might influence the way that nearby residents perceive their streets as well as how they use them or choose not to use them.

Expected Findings:


After the survey, we expect to see some connections between street characteristics and how residents report using the streets and how residents' feel about their local streets. For example, we may see that residents are more likely to walk to a nearby commercial area if there are wide sidewalks available. Findings from the study could help create streets that serve many users comfortably, safely, and efficiently.

Study Areas



17. CONFERENCE POSTERS

STREET VITALITY AND URBAN DESIGN



INTRODUCTION

University of Colorado Denver

Denver

Note: This is a subset of a larger study exploring the following: Does the livability of a residential street depend on the charac-teristics of the neighboring street network?

is it possible to accommodate large amounts of fast traffic on commercial-lined atrieral loosts, while is also creating an inci-mate, vibrant streetscape along the arterial for pedestrians to safely enjoy? Many neighborhood serving commercial districts in Denver lie on major aterial roads. These arterial crosds are designed to accommodate large amounts of raffic at high roadways and the vibrancy of the adjacent commercial district, speeds. Meanwhile can an energetic, vibrant, and pedestrian friendly commercial district survive amidst all the traffic? My study looks at the correlation between high traffic arterial

- and seeks to answer the following questions:

 Can effective, good urban design mitigate the nuances caused by high traffic and result in a safe, inviting, in interesting, economically solvent place?
 - How can urban design be measured without subjective
- Is a commercial lined arterial with god urban design better off than a similar commercial lined arterial with
 - bad urban design?

 How does the design of the arterial affect nearby eris

URBAN DESIGN PRINCIPLES

SITE SELECTION

Each of the sites is centered on commercial lined arterial roadways in the City and County of Denver. To narrow down the list of study areas a variety of environmental data, and socio-economic data was explored including: medium household incustodia, annual avenege daily traffic(AADT), education level, and urban design characteristics. Census blocks adjacent to each of the arterials were examined to find at least one material that fell into one of the eight available areas, as illustrated in the following matrix:

and the same				
	1. University Souleward	38418	\$133,825.50	ls
	Exposition Averse to Ohio Aserse			
	2. 23rd Averse	6003	\$104,479.00	8
	Cherry Street to Deuter Street			
	3. Broadway	35750	565,893.00	8
	Ath Avenue to 12th Avenue			
	4. 44th Averse	6009	546,239.50	8
	Meade Street to Eng Street			
6	S. Holly Street	13214	553536.25	ĸ
	hanhoe Place to Gunnison Way			
	6. Colfax Avenue	25002	\$81,274.50	8
	Elm Street to Forest Street			
	7. Colorado Boulevard	62423	\$26,114.00	8
	Lousiera Aserue to Mexico Averua			
	S. Broadway	25259	\$39,503.75	ĸ
	2st Asenue to Bayand Aversas			
	9 Santa Fe Drive	12700	00.100,752	8
	7th Aversas to 12th Asersas			
	10. Colfax Avenue	30000	543,418.60	8
	York Street to Cook Street			
The second secon				
- Per Control				

The site locations are highlighted in green in the above map, and the extent of each are is outlined in the table to the right. Select data is also provided for each of the

DATA AND METHODS

on the principles and measurement tools outlined in Measuring Urban Design by their Education Office Genemen. Measuring Urban Design, published in 2013 by Island Press outlines basic urban design features that "are presumed to intervene between physical features and behavior, encouraging people to walk." (1) Their methodology for measuring urban design is divided into the following five categories:

lined arterial street various methodologies were explored before settling To objectively quantify the urban design characteristics of a commercial

In some cases multiple (up to four) census blocks touched the study area. In those cases an average of the data was computed to see Environmental data was provided by the City and County of Denver. Social and economic data was taken from the 2010 American Community Survey(ACS). ACS data was analyzed for census blocks adjacent to each study area.

Enclosure: The degree to which streets and other public spaces are visually defined by buildings, walls, trees, and other vertical ele

Imageability: The quality of a place that makes it distinct,

recognizable, and memorable.

Human Scale: The size, texture, and articulation of physical elements that match the size and proportions of humans, and equally

Urban Design was utilized. Instructions for completing the analysis as outlined in the book were closely followed to ensure accuracy and an unbiased score was computed. An example of page 1 of the four page worksheet is pictured to the left. the statistics for the area. To compute the Scor-To compute the urban design score the 'Scor-ing Sheet Measuring Urban Design Qualities' in Ewing and Clemente's book Measuring

RESULTS

	_		_		_		_		_		_		_		_		_		_	
$a_{102g}_{10g_{2}\chi}$	33.06		17.4		19.6		16.4		8.5		17.9		10.7		17		25.2		16.7	
N American	3.5		4.3				3.3		3		2		7		3		=		2.8	
Amareamer	3.7		3.7		41		37		1.7		3.7		2.5		~		3.7		52	
times stated	3.31		2.5		2.3		91		0.3		23		1.3				2.1			
east overslow?	5.0		3.4		1.5		-4.5		-0.6		2.0		7		1.5		3.6		12	
2 (Eligandon)	3.6		976		4.5		8.8		5.8				9.0		41		2.6		3.6	
	3. University Boulevard	Expension Avenue to Ohio Avenue	2. 23vd Asserse	Owny Sheet to Dealer Sheet	3. Breadway	Bith Revise to 12th Assesse	4, 44th Assesse	Mando Street to King Street	5. Holly Street	hamber Place to Carmbon Way	6. Collac Avenue	Elm Shoet to Favori Shoet	7. Colorado Boulevard	Leadard Service to Mexico Jumino	B. Breadway	account backed or scenes to	9.Saeta Fe Drive	7th Ayerset to 12th Avenue	10. Colfae Avenae	York Street to Cook Street

The results of the analysis are illustrated in the table above. Study area 9, or the stants For the area scored the highest, with University Bouleard or study area I coming in a close second. Study area 5, Holly Street nearlyed the lowest score with Colorado Bouleard, or study area 7 receiving the second lowest score. The average score received was 16.6, with a range of 16.7.




FUTURE STEPS

ducted at each of the ten study areas. Pedestrians will be counted for 2 hours in each study area during the same time of day on a weekday Monday through Friday. Counting the number of pedestrians present will provide us with a accurate measure of street vitality. Will areas with a high turban design score receive a high pedestrian count? Will the inverse be also true, will areas receiving a low To complete this portion of the study pedestrian counts will be manually con

an design score have a low pedestrian count? nenthoned this is a subset of a larger study being conducted by professors by McAndrews, Wesley Marshall, and assistant researchers Laia Mitchell, and g Fisher of the University of Colorado Denver. The larger study will include n depth survey of residents living near each of the study areas to learn how y use and perceive their nearby commercial lined arterial road. Will the opin-and views of local residents match the urban design score?

rences



	AND DESCRIPTION OF THE PERSON		Ī	ı	
	ON PRINCIPAL PRI			*	
I	TO SECURITION AND ADDRESS OF THE PERSON NAMED IN COLUMN 2 IN COLUM	Ι	I	Ŀ	
I	San	Γ	I	L	
			L	L	
1	hammer a company of the company	I		L	
	Party State	1			
	Annual S to make	П	П	Ы	
E	0000000	E	E	L	L
Ī	STATE OF THE PARTY	Ι	ı	Ŀ	
	0.000.000.000	I	l	L	
	he promoted				
	Manual A				
	WINDS PRODUCTION PARKS	Г	E	L	ŀ
Į		I	1	l	
				ı	
	The state of the s			ı	
	photogra				
	A Printers	Π	Ī	E	

important, correspond to the speed at which humans walk.

Transparency: The degree to which people can see or per celew what lies beyond the dege of a street or other public space and, more specifically the degree to which people can see or perceive human activity beyond the edge of a street or other public space.

Complexity: The visual richness of a place. (1)

RE! - Beliefs - Convictions - Choices - Behaviors - Emotions - Concerns - MEASURE!



University of Colorado Denver

Measuring the Livability of Streets: Neighborhood Surveys

Laia C. Mitchell, Masters of Urban Planning Student Research Assistant as part of Livable Art Dr. Wes Marshall PhD, PE;



Using Surveys to Measure Livability – Appleyard and Beyond In the 1970s Donald Appleyard of UC Berkeley



What Makes an Arterial Livable?

behavior of the context specific data Get local context specific data Capture qualitative stories and experiences Capture opinions of under-represented groups Text the willingness for new innovations or taxes.


Discover correlations between built environment and reported behavior Discover correlations between perception and

What Types of Surveys?

- By phone, and or in person
- Sel-parlmistered or interded
- Open-ended or closed questions
- Travel derives
- Maps or interactive features
- Betravior, perception, opinion
- Poling dous

Why Conduct a Survey?

Surveys in Transportation



Examples of other research examining livable streets:

Notes, Loude, A. Conformer, A. Charleman, Extreets:

Notes, Loude, A. Conformer, A. Charleman, Panical Perinamental Capacity of Loud Redordial Sheets, (2013).

Association of 2 (1981) Redording and Trains Nomerope. Usable street revisited. "Junital of the American Penic Association of 2 (1981) Redording Streets and Neighborhood Traffic Control. A Survey of Clinic Practices and Public Charleman Streets. The selection and Public Control Annual Vision Redording Streets and Public Charleman Streets. The Benefit Under Horizon Streets and Public Charleman Streets.

The Livable Artenials Study, conducted by researchers at the University of Colorado Denner, revisits the work of Conded Agglerably by searching how environmental features, capity features, and raffic volumes affect. Ourseld Agglerably by searching how environmental features, capity features affect. The aim of the study is to belier understand how affectial streets—those with stand heavy traffic—trained local neighborhoods around Denner. The study incorporates the residential survey with an examination of loagin features, traffic speeds, and other study requires of Denvers streets. Findings from the study could high crede streets that serve many users confindably, selby, and efficiently.



Factors to consider:
Geographic scope
Confern scope
Leoghthme of Survey
Incertives
Target audience/ population
Sampling methods
Cost

FHWA
Census (selfide ownership, commule)
- Census (selfide ownership, commule)
- Roundations (horpodits
- Municipal agencies - Public Works,
- Planning Departments
- State Regional Council of Governments

Who conducts Transportation Surveys? National Household Travel Survey-

Six Livability features were defined in 2009 by HUD-DOT-EPA as part of the Partnership for Sustainable Communities:

- Provide more Transportation Options
- Provide Equible Affordable Housing
- Enhance Economic Competitiveness
- Support Existing Communities
- Support Existing Communities
- Coordinate and Leverage Federal Policies and Investments
- Support Livability Communities

Defining Livability

Provide more Transportation Options
Promote Equalse Michaelle Housing
Enhance Economic Competitionerss
Support Esting Occurrent Competitioners
Coordinate and Leverage Federal Policies and Investments
Value Communities

The Denver Neighborhood Connections Survey

Description of Sarreys


The Denew Neglachthood Connections Sarreys is a key element of the Livable Antenials
Project and will be conducted in Denewer 12014. The survey asset residents about their
enablibromod, unter travel pelatrics, their botal stream and about an enablibromod, other travels pelatric sheet botal stream their stream of the stream of

And the second s

lii.

Expended Findings

Refit this survey expect to see some connections between street characteristics and how residents report using the streets and how residents feel about their local streets. For example, we may see that relabelishes arome likely to work to a nearly commercial area that are are wise advantals available, frindings from the south yould relap create man to them are wise advantals available, frindings from the south yould relap create. streets that serve many users comfortably, safely, and efficiently.



JREI - Attitudes - Ideas - Frustrations - Reactions - Outlooks - Uses - MEASUREI - Beliefs - Convictions - Choicas - Behaviors - Emotions - Concerns - MEASUREI MEASURE! -- Perceptions -- View points -- Feelings -- Opinions -- Thoughts -- Impressions -- MEAS