





STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	SS-5-085(086)012	170	13






BAR LIST ~ ONE BEAM

MARK	SIZE	NO.	LENGTH	SHAPE
B1	4	28	5'- 11"	BENT
* B2	4	51	5'- 8"	BENT
* B3	4	51	5'- 8"	BENT
*** B4	4	28	7'- 0"	BENT
B5	5	12	7'- 7"	BENT
B6	4	4	5'- 7"	BENT
B7	4	4	3'- 7"	BENT
B8	4	4	5'- 7"	BENT
B9	4	4	3'- 7"	BENT
B10	4	8	28'- 1"	STR
** T1	4	20	3'- 9"	STR

* Welded Wire Reinforcing with minimum circumferential steel area of 0.15 sq in per ft may be substituted for B2 and B3 bars.

** Field bend as shown with a 2.5" minimum bar bend diameter.

*** Epoxy Coated



This drawing is preliminary and not for construction or implementation purposes.

SPRING CREEK
 4 SOUTH OF JCT US 12

55'-0" BEAM LENGTH
 PRE-TENSIONED 21" x 36"
 PRESTRESSED SPREAD BOX BEAM

DRAWING NO. 85-012.747-13